

CHILD CARE CENTER/GROUP INSPECTION FORM

INITIAL UNANNOUNCED FULL PARTIAL FOLLOW UP LOCATION CHANGE OTHER

Program Name: <u>JCC Child Care Programs</u>	License Number: <u>12946</u>	Date of Inspection: <u>10-28-21</u>	Time of Arrival: <u>9:45</u>
Address: <u>1035 Newfield Ave</u>	Expiration Date: <u>10-31-25</u>	Licensed Capacity: <u>221</u>	Under 3 Capacity: <u>80</u>
Town: <u>Stamford</u>	Telephone: <u>203-322-7900</u>	# of children present: <u>105</u>	# of staff present: <u>38</u>
Operator: <u>Jewish Community Center Inc</u>	Director: <u>Liz Gebert</u>	Head Teacher: <u>Deborah Camuti</u>	
Email: <u>lgebert@stamfordjcc.org</u>	Summer Care: <u>Open</u>		
Hours of Operation: <u>130am - 6pm M-F</u>	Instruction Codes: √ = Compliance/No violation found O = Non-compliance/Violation found N/A = Not applicable at this time		
Ages Served: <u>1-11 years</u>	Endorsements: <input checked="" type="checkbox"/> Under Three (6wks - 36m) <input checked="" type="checkbox"/> Preschool (3y - 5y) <input checked="" type="checkbox"/> School Age (5y & up) <input type="checkbox"/> Night Care (6wks & up)		

Licensure Procedures 19a-79-2a

1. Local Health Date: 10-12-21

Administration 19a-79-3a

2. New Staff-Employee Orientation

3. Annual Staff Policy Training

4. Documentation of Behavior M. Tech Discussed w/Parents

5. Notification of Change

6. Policies: Discipline/Supervision/Child Protection/General Operating Policies/Personnel Policies/Closing Time Policy

7. Daily Attendance Records: Children/Staff

Items Posted: Conspicuous/Accessible

8. License

9. Current Fire Marshal Certificate Date: 5-26-21

10. OEC Complaint Procedure

11. Food Service Certificate Date: _____

12. Menus

13. Emergency Plans

14. No Smoking Signs

15. Radon Test (Y/N) Date: 11-14-97 Results: 0.8

Staffing 19a-79-4a

16. Staff Health Records/TB Tests

17. Professional Development

18. Disciplinary Actions

19. Designated Head Teacher/60%

20. Two Staff Present

21. Ratio: 1 Staff to 10 Children

22. Group Size: Maximum 20 Children

23. Designated Director/Training

24. CPR Certified Staff

25. First Aid Trained Staff

Consultants

26. Agreements/Contracts (Complete/Signed Annually)

	Contracts	Logs
Education	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Health	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Social Service	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Dental	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Dietitian	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

27. Logs/Visits Documented

Swimming: (Y/N)

28. Non-Swimmers Identified

29. Staff/Child Ratios

30. CPR Certified Staff (20 years of age)

31. Lifeguard Certified/Supervision

Record Keeping 19a-79-5a

32. Enrollment Information

33. Emergency Medical Permission

34. Authorized Released Permission

35. Field Trip Permission

36. Transportation Permission

37. Child Health Records/Immunizations/TB

38. Individual Care Plan (Signed by Parent/Staff)

39. Injury/Illness/Accident Reports

Health and Safety 19a-79-6a

40. Nutritious Snacks/Meals (Required Food Groups)

41. Proper Refrigeration

42. Kitchen Separated

43. Hand Washing Before Eating/Food Handling

44. First Aid Kit(s): Indoor/Outdoor/Field Trip/Inventory

Physical Plant 19a-79-7a

45. License Premise: Clean/Good Repair/Hazard Free

48. Sanitary Drinking Fountains/Disposable Cups

Water Supply: Public Well

49. Lead Water Test Date: 10-8-21

Bacterial/Chemical Test (Y/N) Date: _____

50. Walkways Maintained

51. Designated Staff Toilet/Sink

52. All Openings for Ventilation Screened

53. Windows Protected to Prevent Falls

54. Glass Protected to 36"

55. Overhead Doors Locking Devices/Spring Protectors

56. Exits/Hallways and Stairs Unobstructed

57. Individual Storage of Clothing/Bedding

58. Smoking Prohibited

59. Matches/Lighters Inaccessible

60. Electrical Safety: Outlets/Cords

61. Toileting Needs Met

62. Required Toilets/Sinks/Supplies

63. Potty Chairs: Nonporous/Emptied/Disinfected

64. Hand Washing After Toileting: Staff/Children

65. Ventilation in Toilet Room

66. Air Temp 65°, Thermometer Affixed

Signature of OEC Representative: <u>[Signature]</u>	Written Corrective Action Plan Due to OEC by: <u>11-11-21</u>	Signature of Person in Charge: <u>[Signature]</u>
Print name: <u>Lon Mangano</u> <u>Cathy Anderson</u>		Print name: <u>Liz Gebert</u>

CHILD CARE CENTER/GROUP INSPECTION FORM

Program Name: JCC Child Care Programs	License Number: 12946	Date of Inspection: 10-28-21
--	--	--

Physical Plant continued:

- 67. Water Temperature 60°-115°
- 68. Portable Space Heaters
- 69. Walls/Ceilings/Floors/Rugs: Clean/Good Repair
- 70. Rugs Secure
- 71. Hot Water/Steam Pipes Protected
- 72. Working Phone on Each Level
- 73. Emergency Numbers Posted
- 74. Adequate Lighting: 50/30 Candle Feet
- 75. Light Fixtures Shielded/Shatter Proof
- 76. Potentially Hazardous Substances Locked
- 77. Garbage/Rubbish Disposed Daily
- 78. Stairs Protected/Good Repair/Handrails
- 79. Pets: Maintained/Care Plan (Y/N)
- 80. Operable CO Detector on Each Level (Y/N)
- 81. Program Space/Adequate Sq. Ft. Per Child
- 82. Equipment: Good Repair/Safe/Non-toxic
- 83. Cots Stored/Maintained/Adequate Number
- 84. Developmentally Appropriate Equipment/Materials
- 85. Hot Tubs/Spas/Saunas: Locked/Inaccessible (Y/N)
- 86. No Weapons/No Facsimile of a Firearm on Premise

Outdoor Space

- 87. Outdoor Space Adequate Sq. Ft. Per Child
- 88. Impact Absorbing Material under Equipment
- 89. Playground Free from Hazards
- 90. Peeling Paint (Y/N) Sample Taken (Y/N)
- 91. Lead Management Plan (Y/N)
- 92. Equipment Anchored/Safely Arranged
- 93. Outdoor Play Area Protected/Fenced
- 94. Drinking Water Available/Accessible

Educational Requirements 19a-79-8a

- 95. Written Plan for Daily Program Available to Parents/Staff
- 96. Activity Choices: Developmentally Appropriate/
Flexible/Meets Individual Needs
 Program Includes: Indoor/Outdoor, Gross/Fine Motor Skills, Snacks/Meals, Rest/Sleep/Quiet Time, Toileting and Clean Up

Administration of Medications 19a-79-9a

- 97. Written Policies/Procedures
- 98. Training Outline on file
- Nonprescription Topical Medications**
- 99. Administration/Parent Permission/MAR
- 100. Labeling/Storage
- Oral/Topical/Inhalant/Injectable Medications**
- 101. Med Trained Staff/Certificates
- 102. Authorized Prescriber/Parent Permission/MAR
- 103. Labeling/Storage
- 104. Unused/Expired Meds Returned/Disposed
- Self-Administration**
- 105. Authorized Prescriber/Parent Permission/MAR
- 106. Labeling/Storage
- 107. Approved Petition For Special Med Authorization

Emergency Distribution of Potassium Iodide

- 108. KI Pills Parent Permission/Storage

Under Three Endorsement 19a-79-10

- 109. Approved Endorsement
- 110. Ratio: 1 Staff to 4 Children
- 111. Group Size no Larger than 8
- 112. Physical Barriers/Groups of 8 (Indoors/Outdoors)
- 113. Adequate Sinks in Program Space
- 114. Free Standing/Well-Constructed/Safe Cribs
- 115. Washable Cots
- 116. Chairs for Feeding/Stable/Safety Straps/Locking Tray
- 117. Dev. Appropriate Tables/Chairs/Equipment
- 118. Refrigerators and Food Prep Facilities
- 119. Sturdy/Safety Rail/Nonporous/Exclusive Use
- 120. Washed/Disinfected
- 121. Disposable Paper Sheets
- 122. Covered Waste Receptacle
- 123. Diaper Changing Policy Posted
- 124. Hand Washing Policy Posted
- 125. Individual Storage of Personal Items
- 126. Cribs/Cots Washed/Disinfected
- 127. Under 12 Months Placed on Back for Sleeping
- 128. Alternate Sleep Position/Equip-Medical Document Y/N
- 129. Crib/Bed Used for Infant Sleeping
- 130. Crib/Bed Free from Observable Hazards
- 131. Infant Toys Separate/Washed/Disinfected Daily
- 132. No Toys/Objects Less than 1 1/4" Diameter
- 133. Plastic Bags/Balloons/Styrofoam Objects Inaccessible
- 134. Health Consultant/Documentation of Visits
- 135. Infants Held for Bottles/Individual Attn/Tummy Time
- 136. Written Statement/Feeding Schedule from Parent
- 137. Unused Portions of Liquids Discarded
- 138. Clean Bottles/Disp. Bottles/Approved Bottle Washing
- 139. Food Served from Dish or Whole Jar Served
- 140. Bottles Individually Identified w/Child's Name

Outdoor Play Space-Under Three:

- 141. Play Space Fenced
- 142. Outdoor Equipment: Dev. Appropriate

School Age Children Endorsement 19a-79-11

- 143. Approved Endorsement
- 144. Activity choices appropriate
- 145. Ratio: 1 Staff to 10 Children
- 146. Group Size: Max. 20 Children
- 147. Education Consultant Appropriate

Night Care Endorsement 19a-79-12 (10pm-5am)

- 148. Approved Endorsement
- 149. Written Program Plan/Supervision
- 150. Staff Awake/Available
- 151. Cot/Crib/Bedding/Toiletries/Sleep Apparel
- 152. Individual Storage of Personal Items
- 153. Bedding/Sleeping Apparel Laundered Weekly

Monitoring of Diabetes 19a-79-13 no one currently enrolled

- 154. Written Policies/Procedures
- 155. On Site Staff Trained in First Aid/Glucose Testing
- 156. Training Current/Documented
- 157. Supervision of Self Administration
- 158. Equipment/Supplies: Labeled/Inaccessible
- 159. Signed Agreement w/Parent Regarding Equipment
- 160. Materials Discarded Appropriately
- 161. Authorized Prescriber/Parent Permission
- 162. Documentation of Test Results/Actions Taken
- 163. Daily Written Parent Notifications

Signature of OEC Representative Print Name: <u>Cathy Anderson</u>	Written Corrective Action Plan Due to OEC by: <u>11-11-21</u>	Signature of Person in Charge Print Name: <u>Liz Gregert</u>
--	--	---

SUPPLEMENTAL REPORT OF INSPECTION

Name of Program/Provider: JCC Child Care Programs License # 12946 Date: 10-28-21

Observations/Corrections needed:

- (38) 2 children without individual care plans, 5 individual care plans not signed by staff responsible for child's care and 1 without parent signature
- (45) Preschool room - bathroom has detached metal strip on wall divider. Program has dusty air vents throughout. Upstairs room 11 - shelving unit not anchored and kitchen not anchored in Room 8.
- (69) Preschool room - 3 rugs very soiled
- (89) Screw ends protruding on gates throughout, 1 fence section is detached at the top of fence, garbage can is broken with sharp edges.
- (102) 2 expired authorization forms for Benadryl and Anvi-Q. 3 authorization forms with incomplete parent sections
- (103) 1 Anvi-Q not labeled
- (104) 1 Benadryl and 1 Anvi-Q expired
- (19a-19-3a(a)) provider did not ensure the health and safety of a child when Pro-Air was not on site and 1 child requires it.
- (80) CO detector not on each level

Discussion

- BCLs and background check requirements discussed
- 1 out of 15 staff without TB test
- cots stored in bathroom not covered
- 2 out of 20 children without TB risk assessment indicated

S = Substantiated NS = Not Substantiated P = Pending (if applicable)

Operators/providers are required by regulations and statutes to be in compliance at all times.

Signature: _____

Print Name: _____

CORRECTIVE PLAN SHALL BE RETURNED TO

OEC BY: 11.11.21

Signature: _____

Print Name: _____