

CHILD CARE CENTER/GROUP INSPECTION FORM

INITIAL UNANNOUNCED FULL/PARTIAL FOLLOW UP LOCATION CHANGE OTHER

Program Name: <u>DPS School Readiness Program</u>	License Number: <u>15164</u>	Date of Inspection: <u>8/16/22</u>	Time of Arrival: <u>8:45</u>
Address: <u>17 Cottage St.</u>	Expiration Date: <u>8/31/26</u>	Licensed Capacity: <u>50</u>	Under 3 Capacity: <u>0</u>
Town: <u>Danbury, CT 06810</u>	Telephone: <u>203-797-4995</u>	# of children present: <u>19</u>	# of staff present: <u>3(3)</u>
Operator: <u>DPS Board of Education</u>	Director: <u>Ingrid Norfleet</u>	Head Teacher: <u>Gina Nunez</u>	
Email: <u>norflie@dunbury.k12.ct.us</u>	Head Teacher: <u>Gina Nunez</u>	Summer Care: <u>open</u>	
Hours of Operation: <u>M-F 7:00 am - 6:00 pm</u>	Instruction Codes: N/A = Not applicable at this time √ = Compliance/No violation found O = Non-compliance/Violation found		
Ages Served: <u>3-5y.o.</u>	Endorsements: <input type="checkbox"/> Under Three (6wks - 36m) <input checked="" type="checkbox"/> Preschool (3y - 5y) <input type="checkbox"/> School Age (5y & up) <input type="checkbox"/> Night Care (6wks & up)		

Licensure Procedures 19a-79-2a

1. Local Health Date: 7/21/21

Administration 19a-79-3a

- 2. New Staff-Employee Orientation
- 3. Annual Staff Policy Training
- 4. Documentation of Behavior M. Tech Discussed w/Parents
- 5. Notification of Change
- 6. Policies: Discipline/Supervision/Child Protection/General Operating Policies/Personnel Policies/Closing Time Policy
- 7. Daily Attendance Records: Children/Staff

Items Posted: Conspicuous/Accessible

- 8. License
- 9. Current Fire Marshal Certificate Date: _____
- 10. OEC Complaint Procedure
- 11. Food Service Certificate Date: 4/30/23
- 12. Menus
- 13. Emergency Plans
- 14. No Smoking Signs
- 15. Radon Test (Y/N) Date: 8/24/19 Results: 3 - 1.4
- 15a. Developmental Milestones

Staffing 19a-79-4a

- 16. Staff Health Records/TB Tests
- 17. Professional Development
- 18. Disciplinary Actions
- 18b. Background Checks
- 19. Designated Head Teacher/60%
- 20. Two Staff Present
- 21. Ratio: 1 Staff to 10 Children
- 22. Group Size: Maximum 20 Children
- 23. Designated Director/Training
- 24. CPR Certified Staff
- 25. First Aid Trained Staff

Consultants

26. Agreements/Contracts (Complete/Signed Annually)

	Contracts	Logs
Education	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Health	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Social Service	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Dental	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Dietitian	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

27. Logs/Visits Documented

Swimming: (Y/N)

28. Non-Swimmers Identified

Swimming cont.

- 29. Staff/Child Ratios
- 30. CPR Certified Staff (20 years of age)
- 31. Lifeguard Certified/Supervision

Record Keeping 19a-79-5a

- 32. Enrollment Information
- 33. Emergency Medical Permission
- 34. Authorized Released Permission
- 35. Field Trip Permission
- 36. Transportation Permission
- 37. Child Health Records/Immunizations/TB
- 38. Individual Care Plan (Signed by Parent/Staff)
- 39. Injury/Illness/Accident Reports

Health and Safety 19a-79-6a

- 40. Nutritious Snacks/Meals (Required Food Groups)
- 41. Proper Refrigeration
- 42. Kitchen Separated
- 43. Hand Washing Before Eating/Food Handling
- 44. First Aid Kit(s): Indoor/Outdoor/Field Trip/Inventory

Physical Plant 19a-79-7a

- 45. License Premise: Clean/Good Repair/Hazard Free
- 48. Sanitary Drinking Fountains/Disposable Cups
Water Supply: Public/Well
- 49. Lead Water Test Date: _____
Bacterial/Chemical Test (Y/N) Date: _____
- 50. Walkways Maintained
- 51. Designated Staff Toilet/Sink
- 52. All Openings for Ventilation Screened
- 53. Windows Protected to Prevent Falls
- 54. Glass Protected to 36"
- 55. Overhead Doors Locking Devices/Spring Protectors
- 56. Exits/Hallways and Stairs Unobstructed
- 57. Individual Storage of Clothing/Bedding
- 58. Smoking Prohibited
- 59. Matches/Lighters Inaccessible
- 60. Electrical Safety: Outlets/Cords
- 61. Toileting Needs Met
- 62. Required Toilets/Sinks/Supplies
- 63. Potty Chairs: Nonporous/Emptied/Disinfected
- 64. Hand Washing After Toileting: Staff/Children
- 65. Ventilation in Toilet Room
- 66. Air Temp 65°, Thermometer Affixed

Signature of OEC Representative: <u>Kristi Margen</u>	Written Corrective Action Plan Due to OEC by: <u>8/30/22</u>	Signature of Person in Charge: <u>Ingrid Norfleet</u>
--	---	--

Print name: Kristi Margen

Print name: Ingrid Norfleet

CHILD CARE CENTER/GROUP INSPECTION FORM

<p>Program Name: DPS School Readiness Program</p>	<p>License Number: 15144</p>	<p>Date of Inspection: 8/14/22</p>
<p>Physical Plant continued:</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> 67. Water Temperature 60°-115° <input checked="" type="checkbox"/> 68. Portable Space Heaters <input checked="" type="checkbox"/> 69. Walls/Ceilings/Floors/Rugs: Clean/Good Repair <input checked="" type="checkbox"/> 70. Rugs Secure <input checked="" type="checkbox"/> 71. Hot Water/Steam Pipes Protected <input checked="" type="checkbox"/> 72. Working Phone on Each Level <input checked="" type="checkbox"/> 73. Emergency Numbers Posted <input checked="" type="checkbox"/> 74. Adequate Lighting: 50/30 Candle Feet <input checked="" type="checkbox"/> 75. Light Fixtures Shielded/Shatter Proof <input checked="" type="checkbox"/> 76. Potentially Hazardous Substances Locked <input checked="" type="checkbox"/> 77. Garbage/Rubbish Disposed Daily <input checked="" type="checkbox"/> 78. Stairs Protected/Good Repair/Handrails <input checked="" type="checkbox"/> 79. Pets: Maintained/Care Plan (Y/N) <input checked="" type="checkbox"/> 80. Operable CO Detector on Each Level (Y/N) <input checked="" type="checkbox"/> 81. Program Space/Adequate Sq. Ft. Per Child <input checked="" type="checkbox"/> 82. Equipment: Good Repair/Safe/Non-toxic <input checked="" type="checkbox"/> 83. Cots Stored/Maintained/Adequate Number <input checked="" type="checkbox"/> 84. Developmentally Appropriate Equipment/Materials <input checked="" type="checkbox"/> 85. Hot Tubs/Spas/Saunas: Locked/Inaccessible (Y/N) <input checked="" type="checkbox"/> 86. No Weapons/No Facsimile of a Firearm on Premise <p>Outdoor Space</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> 87. Outdoor Space Adequate Sq. Ft. Per Child <input checked="" type="checkbox"/> 88. Impact Absorbing Material under Equipment <input checked="" type="checkbox"/> 89. Playground Free from Hazards <input checked="" type="checkbox"/> 90. Peeling Paint (Y/N) Sample Taken (Y/N) <input checked="" type="checkbox"/> 92. Equipment Anchored/Safely Arranged <input checked="" type="checkbox"/> 93. Outdoor Play Area Protected/Fenced <input checked="" type="checkbox"/> 94. Drinking Water Available/Accessible <p>Educational Requirements 19a-79-8a</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> 95. Written Plan for Daily Program Available to Parents/Staff <input checked="" type="checkbox"/> 96. Activity Choices: Developmentally Appropriate/ Flexible/Meets Individual Needs Program Includes: Indoor/Outdoor, Gross/Fine Motor Skills, Snacks/Meals, Rest/Sleep/Quiet Time, Toileting and Clean Up <p>Administration of Medications 19a-79-9a</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> 97. Written Policies/Procedures <input checked="" type="checkbox"/> 98. Training Outline on file <p>Nonprescription Topical Medications</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> 99. Administration/Parent Permission/MAR <input checked="" type="checkbox"/> 100. Labeling/Storage <p>Oral/Topical/Inhalant/Injectable Medications</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> 101. Med Trained Staff/Certificates <input checked="" type="checkbox"/> 102. Authorized Prescriber/Parent Permission/MAR <input checked="" type="checkbox"/> 103. Labeling/Storage <input checked="" type="checkbox"/> 104. Unused/Expired Meds Returned/Disposed <p>Self-Administration</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> 105. Authorized Prescriber/Parent Permission/MAR <input checked="" type="checkbox"/> 106. Labeling/Storage <input checked="" type="checkbox"/> 107. Approved Petition For Special Med Authorization 	<p>Under Three Endorsement 19a-79-10</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> 109. Approved Endorsement <input checked="" type="checkbox"/> 110. Ratio: 1 Staff to 4 Children <input checked="" type="checkbox"/> 111. Group Size no Larger than 8 <input checked="" type="checkbox"/> 112. Physical Barriers/Groups of 8 (Indoors/Outdoors) <input checked="" type="checkbox"/> 113. Adequate Sinks in Program Space <input checked="" type="checkbox"/> 114. Free Standing/Well-Constructed/Safe Cribs <input checked="" type="checkbox"/> 115. Washable Cots <input checked="" type="checkbox"/> 116. Chairs for Feeding/Stable/Safety Straps/Locking Tray <input checked="" type="checkbox"/> 117. Dev. Appropriate Tables/Chairs/Equipment <input checked="" type="checkbox"/> 118. Refrigerators and Food Prep Facilities <input checked="" type="checkbox"/> 119. Sturdy/Safety Rail/Nonporous/Exclusive Use <input checked="" type="checkbox"/> 120. Washed/Disinfected <input checked="" type="checkbox"/> 121. Disposable Paper Sheets <input checked="" type="checkbox"/> 122. Covered Waste Receptacle <input checked="" type="checkbox"/> 123. Diaper Changing Policy Posted <input checked="" type="checkbox"/> 124. Hand Washing Policy Posted <input checked="" type="checkbox"/> 125. Individual Storage of Personal Items <input checked="" type="checkbox"/> 126. Cribs/Cots Washed/Disinfected <input checked="" type="checkbox"/> 127. Under 12 Months Placed on Back for Sleeping <input checked="" type="checkbox"/> 128. Alternate Sleep Position/Equip-Medical Document Y/N <input checked="" type="checkbox"/> 129. Crib/Bed Used for Infant Sleeping <input checked="" type="checkbox"/> 130. Crib/Bed Free from Observable Hazards <input checked="" type="checkbox"/> 131. Infant Toys Separate/Washed/Disinfected Daily <input checked="" type="checkbox"/> 132. No Toys/Objects Less than 1 1/4" Diameter <input checked="" type="checkbox"/> 133. Plastic Bags/Balloons/Styrofoam Objects Inaccessible <input checked="" type="checkbox"/> 134. Health Consultant/Documentation of Visits <input checked="" type="checkbox"/> 135. Infants Held for Bottles/Individual Attn/Tummy Time <input checked="" type="checkbox"/> 136. Written Statement/Feeding Schedule from Parent <input checked="" type="checkbox"/> 137. Unused Portions of Liquids Discarded <input checked="" type="checkbox"/> 138. Clean Bottles/Disp. Bottles/Approved Bottle Washing <input checked="" type="checkbox"/> 139. Food Served from Dish or Whole Jar Served <input checked="" type="checkbox"/> 140. Bottles Individually Identified w/Child's Name <p>Outdoor Play Space-Under Three:</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> 141. Play Space Fenced <input checked="" type="checkbox"/> 142. Outdoor Equipment: Dev. Appropriate <p>School Age Children Endorsement 19a-79-11</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> 143. Approved Endorsement <input checked="" type="checkbox"/> 144. Activity choices appropriate <input checked="" type="checkbox"/> 145. Ratio: 1 Staff to 10 Children <input checked="" type="checkbox"/> 146. Group Size: Max. 20 Children <input checked="" type="checkbox"/> 147. Education Consultant Appropriate <p>Night Care Endorsement 19a-79-12 (10pm-5am)</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> 148. Approved Endorsement <input checked="" type="checkbox"/> 149. Written Program Plan/Supervision <input checked="" type="checkbox"/> 150. Staff Awake/Available <input checked="" type="checkbox"/> 151. Cot/Crib/Bedding/Toiletries/Sleep Apparel <input checked="" type="checkbox"/> 152. Individual Storage of Personal Items <input checked="" type="checkbox"/> 153. Bedding/Sleeping Apparel Laundered Weekly <p>Monitoring of Diabetes 19a-79-13 <i>no child enrolled</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> 154. Written Policies/Procedures <input checked="" type="checkbox"/> 155. On Site Staff Trained in First Aid/Glucose Testing <input checked="" type="checkbox"/> 156. Training Current/Documented <input checked="" type="checkbox"/> 157. Supervision of Self Administration <input checked="" type="checkbox"/> 158. Equipment/Supplies: Labeled/Inaccessible <input checked="" type="checkbox"/> 159. Signed Agreement w/Parent Regarding Equipment <input checked="" type="checkbox"/> 160. Materials Discarded Appropriately <input checked="" type="checkbox"/> 161. Authorized Prescriber/Parent Permission <input checked="" type="checkbox"/> 162. Documentation of Test Results/Actions Taken <input checked="" type="checkbox"/> 163. Daily Written Parent Notifications 	
<p>Signature of OEC Representative <i>Kuom</i></p>	<p>Written Corrective Action Plan Due to OEC by: <i>8/30/22</i></p>	<p>Signature of Person in Charge <i>Ingrid Norfleet</i></p>

Print Name: *Kristi Mager*

Print Name: *Ingrid Norfleet*

SUPPLEMENTAL REPORT OF INSPECTION

Name of Program/Provider: DPS - School Readiness program License # 15164 Date: 8/16/22

Observations/Corrections needed:

- 3 - annual policy training not observed for 2 staff.
- 9 - Current fire marshal certificate not observed.
- 13 - Complete emergency plans not posted.
- 14 - no smoking signs not observed at entrances.
- 14 - 1 staff physical expired.
- 18b. - 2 staff on site without current background checks.
- 37 - 1 child's physical expired.
- 38 - observed 2 children diagnosed with asthma - no individual care plan on site; ~~2~~ not signed by parent; 1 care plan cannot be followed - emergency medication not on site.
- 45 - observed room 4 sink cabinet in disrepair; observed unclean microwave + plastic bins stored unsecured in room 4; ~~observed unsecured cord hanging from stage~~ ^{OK (w/)} large standing fans unsecured; observed metal shelf unsecured, divider shelves unsecured, ^{refrigerator} ~~interior~~ with a black substance on it - all in the gym.
- 49 - current lead water test not observed.
- 69 - observed dusty ceiling vent in ^{both} bathrooms; observed ceiling in disrepair in hall bathroom; stained ceiling tiles in gym + room 4; wall behind + to the left of sink

S = Substantiated NS = Not Substantiated P = Pending (if applicable)

Operators/providers are required by regulations and statutes to be in compliance at all times.

Signature: 
(OEC Representative) Krishna Morgan

CORRECTIVE PLAN SHALL BE RETURNED TO

Signature: 
(Person in Charge)

OEC BY: 8/30/22

SUPPLEMENTAL REPORT OF INSPECTION

Name of Program/Provider: DPS - school readiness program License # 15104 Date: 8/16/22

Observations/Corrections needed:

in disrepair in room 4 bathroom; floor unclean along cages in room 4 bathroom; paint in disrepair in bathroom under sink.

73 - emergency numbers not posted.

76 - observed unlocked and accessible toxins in room 4 bathroom sink/cabinet; unlocked cleaners in hall bathroom; room 1, room 4 & janitors closet that is open to gym.

88 - less than 8 inches of impact absorbing material observed under climber.

89 - gate not operable - does not latch.

102 - observed 2 expired medication authorization forms; 2 missing some parent information; 2 on ^{School} ~~day~~ form.

19a-79-3a(a) - Program failed to ensure the health + safety of children when staff began/continued to work with children prior to verifying the completion of a current, comprehensive background check.

discussed:

- dental consultant agreement + log not current.
- 1 outlet in gym not protected.
- postings should be visible to the public.
- 1 unlabeled syringe

S = Substantiated NS = Not Substantiated P = Pending (if applicable)

Operators/providers are required by regulations and statutes to be in compliance at all times.

Signature: 
(OEC Representative)

CORRECTIVE PLAN SHALL BE RETURNED TO

Signature: 
(Person in Charge)

OEC BY: 8/30/22