

CHILD CARE CENTER/GROUP INSPECTION FORM

☐ INITIAL ☒ UNANNOUNCED ☒ FULL ☐ PARTIAL ☐ FOLLOW UP ☐ LOCATION CHANGE ☐ OTHER

Program Name: <u>Discovery Zone Learning Ctr.</u>		License Number: <u>16720</u>	Date of Inspection: <u>11/9/22</u>	Time of Arrival: <u>930</u>
Address: <u>2 Orlando Dr.</u>		Expiration Date: <u>11-30-25</u>	Licensed Capacity: <u>148</u>	Under 3 Capacity: <u>56</u>
Town: <u>Columbia</u>		Telephone: <u>860 228 8885</u>	# of children present: <u>41</u>	# of staff present: <u>11</u>
Operator: <u>Discovery Zone Learning Ctr, LLC</u>		Director: <u>Robin Green</u>		
Email: <u>robin@d21ckids.org</u>		Head Teacher: <u>Robin Green</u>		
Hours of Operation: <u>Mon-Fri 6am-6pm</u>		Summer Care: <u>Open</u>		
Ages Served: <u>6 weeks - 12 years</u>		Instruction Codes: N/A = Not applicable at this time ✓ = Compliance/No violation found O = Non-compliance/Violation found		
Endorsements: ☒ Under Three (6wks - 36m) ☒ Preschool (3y - 5y) ☒ School Age (5y & up) ☐ Night Care (6wks & up)				

Licensure Procedures 19a-79-2a

☒ 1. Local Health Date: 9-13-21

Administration 19a-79-3a

- ☒ 2. New Staff-Employee Orientation
- ☒ 3. Annual Staff Policy Training
- ☒ 4. Documentation of Behavior M. Tech Discussed w/Parents
- ☒ 5. Notification of Change
- ☒ 6. Policies: Discipline/Supervision/Child Protection/General Operating Policies/Personnel Policies/Closing Time Policy
- ☒ 7. Daily Attendance Records: Children/Staff

Items Posted: Conspicuous/Accessible

- ☒ 8. License
- ☒ 9. Current Fire Marshal Certificate Date: 9/14/21
- ☒ 10. OEC Complaint Procedure
- ☒ 11. Food Service Certificate Date: N/A
- ☒ 12. Menus
- ☒ 13. Emergency Plans
- ☒ 14. No Smoking Signs
- ☒ 15. Radon Test (Y/N) Date: 4/19/10 Results: 1.8
- ☒ 15a. Developmental Milestones

Staffing 19a-79-4a

- ☒ 16. Staff Health Records/TB Tests
- ☒ 17. Professional Development
- ☒ 18. Disciplinary Actions
- ☒ 18b. Background Checks
- ☒ 19. Designated Head Teacher/60%
- ☒ 20. Two Staff Present
- ☒ 21. Ratio: 1 Staff to 10 Children
- ☒ 22. Group Size: Maximum 20 Children
- ☒ 23. Designated Director/Training
- ☒ 24. CPR Certified Staff
- ☒ 25. First Aid Trained Staff

Consultants

- ☒ 26. Agreements/Contracts (Complete/Signed Annually)

	Contracts	Logs
Education	☒	☒
Health	☒	☒
Social Service	☒	☒
Dental	☒	☒
Dietitian	☒	☒

- ☒ 27. Logs/Visits Documented

Swimming: (Y/N)

- ☒ 28. Non-Swimmers Identified

Swimming cont.

- ☒ 29. Staff/Child Ratios
- ☒ 30. CPR Certified Staff (20 years of age)
- ☒ 31. Lifeguard Certified/Supervision

Record Keeping 19a-79-5a

- ☒ 32. Enrollment Information
- ☒ 33. Emergency Medical Permission
- ☒ 34. Authorized Released Permission
- ☒ 35. Field Trip Permission
- ☒ 36. Transportation Permission
- ☒ 37. Child Health Records/Immunizations/TB
- ☒ 38. Individual Care Plan (Signed by Parent/Staff)
- ☒ 39. Injury/Illness/Accident Reports

Health and Safety 19a-79-6a

- ☒ 40. Nutritious Snacks/Meals (Required Food Groups)
- ☒ 41. Proper Refrigeration
- ☒ 42. Kitchen Separated
- ☒ 43. Hand Washing Before Eating/Food Handling
- ☒ 44. First Aid Kit(s): Indoor/Outdoor/Field Trip/Inventory

Physical Plant 19a-79-7a

- ☒ 45. License Premise: Clean/Good Repair/Hazard Free
- ☒ 48. Sanitary Drinking Fountains/Disposable Cups
Water Supply: Public/Well
- ☒ 49. Lead Water Test Date: 9-17-22
Bacterial/Chemical Test (Y/N) Date: 9/19/22
- ☒ 50. Walkways Maintained
- ☒ 51. Designated Staff Toilet/Sink
- ☒ 52. All Openings for Ventilation Screened
- ☒ 53. Windows Protected to Prevent Falls
- ☒ 54. Glass Protected to 36"
- ☒ 55. Overhead Doors Locking Devices/Spring Protectors
- ☒ 56. Exits/Hallways and Stairs Unobstructed
- ☒ 57. Individual Storage of Clothing/Bedding
- ☒ 58. Smoking Prohibited
- ☒ 59. Matches/Lighters Inaccessible
- ☒ 60. Electrical Safety: Outlets/Cords
- ☒ 61. Toileting Needs Met
- ☒ 62. Required Toilets/Sinks/Supplies
- ☒ 63. Potty Chairs: Nonporous/Emptied/Disinfected
- ☒ 64. Hand Washing After Toileting: Staff/Children
- ☒ 65. Ventilation in Toilet Room
- ☒ 66. Air Temp 65°, Thermometer Affixed

Signature of OEC Representative:

Carlyne Deloreto

Written Corrective Action Plan Due to OEC by: 11-23-22

Signature of Person in Charge:

Heather Denney

Print name: Carlyne Deloreto

Print name: Heather Denney

CHILD CARE CENTER/GROUP INSPECTION FORM

Program Name: <u>Discovery Zone Learning Ctr</u>		License Number: <u>16720</u>	Date of Inspection: <u>11-9-22</u>
Physical Plant continued: ☒ 67. Water Temperature 60°-115° ☒ 68. Portable Space Heaters ☒ 69. Walls/Ceilings/Floors/Rugs: Clean/Good Repair ☒ 70. Rugs Secure ☒ 71. Hot Water/Steam Pipes Protected ☒ 72. Working Phone on Each Level ☒ 73. Emergency Numbers Posted ☒ 74. Adequate Lighting: 50/30 Candle Feet ☒ 75. Light Fixtures Shielded/Shatter Proof ☒ 76. Potentially Hazardous Substances Locked ☒ 77. Garbage/Rubbish Disposed Daily ☒ 78. Stairs Protected/Good Repair/Handrails ☒ 79. Pets: Maintained/Care Plan (Y/N) <u>fish</u> ☒ 80. Operable CO Detector on Each Level (Y/N) ☒ 81. Program Space/Adequate Sq. Ft. Per Child ☒ 82. Equipment: Good Repair/Safe/Non-toxic ☒ 83. Cots Stored/Maintained/Adequate Number ☒ 84. Developmentally Appropriate Equipment/Materials ☒ 85. Hot Tubs/Spas/Saunas: Locked/Inaccessible (Y/N) ☒ 86. No Weapons/No Facsimile of a Firearm on Premise Outdoor Space ☒ 87. Outdoor Space Adequate Sq. Ft. Per Child ☒ 88. Impact Absorbing Material under Equipment ☒ 89. Playground Free from Hazards ☒ 90. Peeling Paint (Y/N) <u>Sample Taken (Y/N)</u> ☒ 91. Lead Management Plan (Y/N) ☒ 92. Equipment Anchored/Safely Arranged ☒ 93. Outdoor Play Area Protected/Fenced ☒ 94. Drinking Water Available/Accessible Educational Requirements 19a-79-8a ☒ 95. Written Plan for Daily Program Available to Parents/Staff ☒ 96. Activity Choices: Developmentally Appropriate/ Flexible/Meets Individual Needs Program Includes: Indoor/Outdoor, Gross/Fine Motor Skills, Snacks/Meals, Rest/Sleep/Quiet Time, Toileting and Clean Up Administration of Medications 19a-79-9a ☒ 97. Written Policies/Procedures ☒ 98. Training Outline on file Nonprescription Topical Medications ☒ 99. Administration/Parent Permission/MAR ☒ 100. Labeling/Storage Oral/Topical/Inhalant/Injectable Medications ☒ 101. Med Trained Staff/Certificates ☒ 102. Authorized Prescriber/Parent Permission/MAR ☒ 103. Labeling/Storage ☒ 104. Unused/Expired Meds Returned/Disposed Self-Administration ☒ 105. Authorized Prescriber/Parent Permission/MAR ☒ 106. Labeling/Storage ☒ 107. Approved Petition For Special Med Authorization Emergency Distribution of Potassium Iodide ☒ 108. KI Pills Parent Permission/Storage		Under Three Endorsement 19a-79-10 ☒ 109. Approved Endorsement ☒ 110. Ratio: 1 Staff to 4 Children ☒ 111. Group Size no Larger than 8 ☒ 112. Physical Barriers/Groups of 8 (Indoors/Outdoors) ☒ 113. Adequate Sinks in Program Space ☒ 114. Free Standing/Well-Constructed/Safe Cribs ☒ 115. Washable Cots ☒ 116. Chairs for Feeding/Stable/Safety Straps/Locking Tray ☒ 117. Dev. Appropriate Tables/Chairs/Equipment ☒ 118. Refrigerators and Food Prep Facilities ☒ 119. Sturdy/Safety Rail/Nonporous/Exclusive Use ☒ 120. Washed/Disinfected ☒ 121. Disposable Paper Sheets ☒ 122. Covered Waste Receptacle ☒ 123. Diaper Changing Policy Posted ☒ 124. Hand Washing Policy Posted ☒ 125. Individual Storage of Personal Items ☒ 126. Cribs/Cots Washed/Disinfected ☒ 127. Under 12 Months Placed on Back for Sleeping ☒ 128. Alternate Sleep Position/Equip-Medical Document (Y/N) ☒ 129. Crib/Bed Used for Infant Sleeping ☒ 130. Crib/Bed Free from Observable Hazards ☒ 131. Infant Toys Separate/Washed/Disinfected Daily ☒ 132. No Toys/Objects Less than 1 1/4" Diameter ☒ 133. Plastic Bags/Balloons/Styrofoam Objects Inaccessible ☒ 134. Health Consultant/Documentation of Visits ☒ 135. Infants Held for Bottles/Individual Attn/Tummy Time ☒ 136. Written Statement/Feeding Schedule from Parent ☒ 137. Unused Portions of Liquids Discarded ☒ 138. Clean Bottles/Disp. Bottles/Approved Bottle Washing ☒ 139. Food Served from Dish or Whole Jar Served ☒ 140. Bottles Individually Identified w/Child's Name Outdoor Play Space-Under Three: ☒ 141. Play Space Fenced ☒ 142. Outdoor Equipment: Dev. Appropriate School Age Children Endorsement 19a-79-11 ☒ 143. Approved Endorsement ☒ 144. Activity choices appropriate ☒ 145. Ratio: 1 Staff to 10 Children ☒ 146. Group Size: Max. 20 Children ☒ 147. Education Consultant Appropriate Night Care Endorsement 19a-79-12 (10pm-5am) ☒ 148. Approved Endorsement ☒ 149. Written Program Plan/Supervision ☒ 150. Staff Awake/Available ☒ 151. Cot/Crib/Bedding/Toiletries/Sleep Apparel ☒ 152. Individual Storage of Personal Items ☒ 153. Bedding/Sleeping Apparel Laundered Weekly Monitoring of Diabetes 19a-79-13 <u>none</u> ☒ 154. Written Policies/Procedures ☒ 155. On Site Staff Trained in First Aid/Glucose Testing ☒ 156. Training Current/Documented ☒ 157. Supervision of Self Administration ☒ 158. Equipment/Supplies: Labeled/Inaccessible ☒ 159. Signed Agreement w/Parent Regarding Equipment ☒ 160. Materials Discarded Appropriately ☒ 161. Authorized Prescriber/Parent Permission ☒ 162. Documentation of Test Results/Actions Taken ☒ 163. Daily Written Parent Notifications	
Signature of OEC Representative <u>Carlynn DeLoreto</u>		Written Corrective Action Plan Due to OEC by: <u>11-23-22</u>	
Signature of Person in Charge <u>H. Danney</u>		Signature of Person in Charge <u>H. Danney</u>	
Print Name: <u>Carlynn DeLoreto</u>		Print Name: <u>Heather Danney</u>	

SUPPLEMENTAL REPORT OF INSPECTION

PAGE 3

Name of Program/Provider: Discovery Zone Learning Ctr. License # 16720 Date: 11/9/22

Observations/Corrections needed:

- #9 observed fire marshal certificate expired (copy)
- #16 observed ~~are staff~~ ^{corrected at visit (CD)} with no physical and 3 staff without TB documentation
- #37 observed two children with expired physicals
- #45 observed dirty ceiling vents in staff bath, 112, 115, 122-123, 124, 124-127, 133 and 134
- #79 observed fish in the preschool classrooms without a ^{care} plan
- #89 observed exposed weedblock on playground 1, 5 and 6
- #100 observed vaseline and diaper cream on low shelf in 112 (toddler bathroom) not labeled
- #104 observed one expired epipen (10/22)
- #121 observed diaper change with no disposable paper sheet in infant staff report they ran out.

Discussed

- 121 storage room shelves not secure - door unlocked
- 124 indoor/outdoor thermometer displaying wrong inside temp
- 128 room not in use at inspection - relocated lysol to tall cabinet
- For classrooms with more than one sink - please label clearly handwashing sink or utility sink

S = Substantiated NS = Not Substantiated P = Pending (if applicable)

Operators/providers are required by regulations and statutes to be in compliance at all times.

Signature: Candace DeLoreto
(OEC Representative)

Print Name: Candace DeLoreto

CORRECTIVE PLAN SHALL BE RETURNED TO

Signature: H. Denney
(Person in Charge)

OEC BY: 11-23-22

Print Name: Heather Denney