

CHILD CARE CENTER/GROUP INSPECTION FORM

☐ INITIAL ☒ UNANNOUNCED ☒ FULL PARTIAL ☐ FOLLOW UP ☐ LOCATION CHANGE ☐ OTHER

Program Name: <u>Kids Club Learning and Day Care</u>	License Number: <u>15720</u>	Date of Inspection: <u>11/30/22</u>	Time of Arrival: <u>9:39am</u>
Address: <u>270 Center St</u>	Expiration Date: <u>2/28/25</u>	Licensed Capacity: <u>53</u>	Under 3 Capacity: <u>8</u>
Town: <u>West Haven 06516</u>	Telephone: <u>203-937-0899</u>	# of children present: <u>25</u>	# of staff present: <u>6+</u>
Operator: <u>Elizabeth + Robert Heon</u>	Director: <u>Elizabeth Heon</u>		
Email: <u>kidsclubseymour@gmail.com</u>	Head Teacher: <u>Gilby DelGreco</u>		
Hours of Operation: <u>7:30am - 5:30pm M-F</u>	Summer Care: <u>0 per</u>		
Ages Served: <u>1yr - 5yr</u>	Instruction Codes: N/A = Not applicable at this time ✓ = Compliance/No violation found O = Non-compliance/Violation found		
Endorsements: ☒ Under Three (6wks - 36m) ☒ Preschool (3y - 5y)	☐ School Age (5y & up) ☐ Night Care (6wks & up)		

Licensure Procedures 19a-79-2a

✓ 1. Local Health Date: 11/19/21

Administration 19a-79-3a

- ✓ 2. New Staff-Employee Orientation
- ✓ 3. Annual Staff Policy Training
- ✓ 4. Documentation of Behavior M. Tech Discussed w/Parents
- ✓ 5. Notification of Change
- ✓ 6. Policies: Discipline/Supervision/Child Protection/General Operating Policies/Personnel Policies/Closing Time Policy
- ✓ 7. Daily Attendance Records: Children/Staff

Items Posted: Conspicuous/Accessible

- ✓ 8. License
- ✓ 9. Current Fire Marshal Certificate Date: 11/4/22
- ✓ 10. OEC Complaint Procedure
- ✓ 11. Food Service Certificate Date: —
- ✓ 12. Menus
- ✓ 13. Emergency Plans
- ✓ 14. No Smoking Signs
- ✓ 15. Radon Test (Y/N) Date: 1/10/02 Results: .8 - .7
- ✓ 15a. Developmental Milestones

Staffing 19a-79-4a

- ✓ 16. Staff Health Records/TB Tests
- ✓ 17. Professional Development
- ✓ 18. Disciplinary Actions
- ✓ 18b. Background Checks
- ✓ 19. Designated Head Teacher/60%
- ✓ 20. Two Staff Present
- ✓ 21. Ratio: 1 Staff to 10 Children
- ✓ 22. Group Size: Maximum 20 Children
- ✓ 23. Designated Director/Training
- ✓ 24. CPR Certified Staff
- ✓ 25. First Aid Trained Staff

Consultants

- ✓ 26. Agreements/Contracts (Complete/Signed Annually)

	Contracts	Logs
Education	✓	✓
Health	✓*	✓
Social Service	✓	✓
Dental	✓	✓
Dietitian	—	—

- ✓ 27. Logs/Visits Documented

Swimming: (Y/N)

- ✓ 28. Non-Swimmers Identified

Swimming cont.

- ✓ 29. Staff/Child Ratios
- ✓ 30. CPR Certified Staff (20 years of age)
- ✓ 31. Lifeguard Certified/Supervision

Record Keeping 19a-79-5a

- ✓ 32. Enrollment Information
- ✓ 33. Emergency Medical Permission
- ✓ 34. Authorized Released Permission
- ✓ 35. Field Trip Permission
- ✓ 36. Transportation Permission
- ✓ 37. Child Health Records/Immunizations/TB
- ✓ 38. Individual Care Plan (Signed by Parent/Staff)
- ✓ 39. Injury/Illness/Accident Reports

Health and Safety 19a-79-6a

- ✓ 40. Nutritious Snacks/Meals (Required Food Groups)
- ✓ 41. Proper Refrigeration
- ✓ 42. Kitchen Separated
- ✓ 43. Hand Washing Before Eating/Food Handling
- ✓ 44. First Aid Kit(s): Indoor/Outdoor/Field Trip/Inventory

Physical Plant 19a-79-7a

- ✓ 45. License Premise: Clean/Good Repair/Hazard Free
- ✓ 48. Sanitary Drinking Fountains/Disposable Cups
- Water Supply: Public/Well
- ✓ 49. Lead Water Test Date: 2/10/22
- Bacterial/Chemical Test (Y/N) Date: —
- ✓ 50. Walkways Maintained
- ✓ 51. Designated Staff Toilet/Sink
- ✓ 52. All Openings for Ventilation Screened
- ✓ 53. Windows Protected to Prevent Falls
- ✓ 54. Glass Protected to 36"
- ✓ 55. Overhead Doors Locking Devices/Spring Protectors
- ✓ 56. Exits/Hallways and Stairs Unobstructed
- ✓ 57. Individual Storage of Clothing/Bedding
- ✓ 58. Smoking Prohibited
- ✓ 59. Matches/Lighters Inaccessible
- ✓ 60. Electrical Safety: Outlets/Cords
- ✓ 61. Toileting Needs Met
- ✓ 62. Required Toilets/Sinks/Supplies
- ✓ 63. Potty Chairs: Nonporous/Emptied/Disinfected
- ✓ 64. Hand Washing After Toileting: Staff/Children
- ✓ 65. Ventilation in Toilet Room
- ✓ 66. Air Temp 65°, Thermometer Affixed

Signature of OEC Representative:

Written Corrective Action Plan Due to OEC by: 12/14/22

Signature of Person in Charge:

Print name: Fil Montanyc

immediate corrections 186 by end of day today.

Print name: Gilbey DelGreco

CHILD CARE CENTER/GROUP INSPECTION FORM

Program Name:

Kids Club Learning and Day Care

License Number:

15120

Date of

Inspection:

11/30/22

Physical Plant continued:

- ☒ 67. Water Temperature 60°-115°
- ☒ 68. Portable Space Heaters
- ☒ 69. Walls/Ceilings/Floors/Rugs: Clean/Good Repair
- ☒ 70. Rugs Secure
- ☒ 71. Hot Water/Steam Pipes Protected
- ☒ 72. Working Phone on Each Level
- ☒ 73. Emergency Numbers Posted
- ☒ 74. Adequate Lighting: 50/30 Candle Feet
- ☒ 75. Light Fixtures Shielded/Shatter Proof
- ☒ 76. Potentially Hazardous Substances Locked
- ☒ 77. Garbage/Rubbish Disposed Daily
- ☒ 78. Stairs Protected/Good Repair/Handrails
- ☒ 79. Pets: Maintained/Care Plan (Y/N)
- ☒ 80. Operable CO Detector on Each Level (Y/N)
- ☒ 81. Program Space/Adequate Sq. Ft. Per Child
- ☒ 82. Equipment: Good Repair/Safe/Non-toxic
- ☒ 83. Cots Stored/Maintained/Adequate Number
- ☒ 84. Developmentally Appropriate Equipment/Materials
- ☒ 85. Hot Tubs/Spas/Saunas: Locked/Inaccessible (Y/N)
- ☒ 86. No Weapons/No Facsimile of a Firearm on Premise

Outdoor Space

- ☒ 87. Outdoor Space Adequate Sq. Ft. Per Child
- ☒ 88. Impact Absorbing Material under Equipment
- ☒ 89. Playground Free from Hazards
- ☒ 90. Peeling Paint (Y/N) Sample Taken (Y/N)
- ☒ 92. Equipment Anchored/Safely Arranged
- ☒ 93. Outdoor Play Area Protected/Fenced
- ☒ 94. Drinking Water Available/Accessible

Educational Requirements 19a-79-8a

- ☒ 95. Written Plan for Daily Program Available to Parents/Staff
- ☒ 96. Activity Choices: Developmentally Appropriate/
Flexible/Meets Individual Needs
Program Includes: Indoor/Outdoor, Gross/Fine
Motor Skills, Snacks/Meals,
Rest/Sleep/Quiet Time,
Toileting and Clean Up

Administration of Medications 19a-79-9a

- ☒ 97. Written Policies/Procedures
- ☒ 98. Training Outline on file
- ☒ 99. Administration/Parent Permission/MAR
- ☒ 100. Labeling/Storage
- ☒ 101. Med Trained Staff/Certificates
- ☒ 102. Authorized Prescriber/Parent Permission/MAR
- ☒ 103. Labeling/Storage
- ☒ 104. Unused/Expired Meds Returned/Disposed
- ☒ 105. Authorized Prescriber/Parent Permission/MAR
- ☒ 106. Labeling/Storage
- ☒ 107. Approved Petition For Special Med Authorization

Under Three Endorsement 19a-79-10

- ☒ 109. Approved Endorsement
- ☒ 110. Ratio: 1 Staff to 4 Children
- ☒ 111. Group Size no Larger than 8
- ☒ 112. Physical Barriers/Groups of 8 (Indoors/Outdoors)
- ☒ 113. Adequate Sinks in Program Space
- ☒ 114. Free Standing/Well-Constructed/Safe Cribs
- ☒ 115. Washable Cots
- ☒ 116. Chairs for Feeding/Stable/Safety Straps/Locking Tray
- ☒ 117. Dev. Appropriate Tables/Chairs/Equipment
- ☒ 118. Refrigerators and Food Prep Facilities
- ☒ 119. Sturdy/Safety Rail/Nonporous/Exclusive Use
- ☒ 120. Washed/Disinfected
- ☒ 121. Disposable Paper Sheets
- ☒ 122. Covered Waste Receptacle
- ☒ 123. Diaper Changing Policy Posted
- ☒ 124. Hand Washing Policy Posted
- ☒ 125. Individual Storage of Personal Items
- ☒ 126. Cribs/Cots Washed/Disinfected
- ☒ 127. Under 12 Months Placed on Back for Sleeping
- ☒ 128. Alternate Sleep Position/Equip-Medical Document Y/N
- ☒ 129. Crib/Bed Used for Infant Sleeping
- ☒ 130. Crib/Bed Free from Observable Hazards
- ☒ 131. Infant Toys Separate/Washed/Disinfected Daily
- ☒ 132. No Toys/Objects Less than 1 1/4" Diameter
- ☒ 133. Plastic Bags/Balloons/Styrofoam Objects Inaccessible
- ☒ 134. Health Consultant/Documentation of Visits
- ☒ 135. Infants Held for Bottles/Individual Attn/Tummy Time
- ☒ 136. Written Statement/Feeding Schedule from Parent
- ☒ 137. Unused Portions of Liquids Discarded
- ☒ 138. Clean Bottles/Disp. Bottles/Approved Bottle Washing
- ☒ 139. Food Served from Dish or Whole Jar Served
- ☒ 140. Bottles Individually Identified w/Child's Name

Outdoor Play Space-Under Three:

- ☒ 141. Play Space Fenced
- ☒ 142. Outdoor Equipment: Dev. Appropriate

School Age Children Endorsement 19a-79-11

- ☒ 143. Approved Endorsement
- ☒ 144. Activity choices appropriate
- ☒ 145. Ratio: 1 Staff to 10 Children
- ☒ 146. Group Size: Max. 20 Children
- ☒ 147. Education Consultant Appropriate

Night Care Endorsement 19a-79-12 (10pm-5am)

- ☒ 148. Approved Endorsement
- ☒ 149. Written Program Plan/Supervision
- ☒ 150. Staff Awake/Available
- ☒ 151. Cot/Crib/Bedding/Toiletries/Sleep Apparel
- ☒ 152. Individual Storage of Personal Items
- ☒ 153. Bedding/Sleeping Apparel Laundered Weekly

Monitoring of Diabetes 19a-79-13

- ☒ 154. Written Policies/Procedures
- ☒ 155. On Site Staff Trained in First Aid/Glucose Testing
- ☒ 156. Training Current/Documented
- ☒ 157. Supervision of Self Administration
- ☒ 158. Equipment/Supplies: Labeled/Inaccessible
- ☒ 159. Signed Agreement w/Parent Regarding Equipment
- ☒ 160. Materials Discarded Appropriately
- ☒ 161. Authorized Prescriber/Parent Permission
- ☒ 162. Documentation of Test Results/Actions Taken
- ☒ 163. Daily Written Parent Notifications

Signature of OEC Representative

[Signature]

Written Corrective Action Plan

Due to OEC by:

12/14/22

immediate corrections
180 by end of day

Signature of Person in Charge

[Signature]

Print Name:

Print Name: Filbey Del Greco

SUPPLEMENTAL REPORT OF INSPECTION

Name of Program/Provider: Kids Club Learning Center and Day Care. License # 15120 Date: 11/30/22

Observations/Corrections needed:

- #16 - observed 1 staff physical without medical statement; observed 1 staff with an expired physical (exam date 5/18/19)
- #17 - observed professional development to be incomplete (last 6/8/22, 4/13/22, 5/18/22, 6/15/22, 2/24/22)
- #18b - observed 3 employees without current background checks
- #26 + 27 - current dental consultant not observed, annual review of policies and education program plan not observed for dental consultant
- #45 - microwave not clean in toddler room, fridge not clean in toddler room indoor little tykes climber + slide without impact absorbing material within fall zones, trim on counter/sink area in middle space not in good repair exposed particle board, observed 1 toilet not able to flush (FM)
- #65 - observed vent in child bathroom not working
- #69 - baseboard trim observed to be in disrepair exposing dry wall
: observed 12 ceiling tiles with holes and 2 ceiling tiles were buckling and cracked (FM)
- #77 - observed garbage outdoors full upon arrival in morning not disposed daily
- #123 - diaper changing policy not posted in toddler room
- #134 - weekly visits for nurse not observed (6/22/21, 7/7/21, 11/8/21, 10/28/22, 10/21/22, 11/12/22)

Discussion

- policies to be available
- middle room ~~not~~ (FM) not being used must be brought up to compliance prior
- myers cleaner not locked up high in toddler room by changing table.
- hoop outside not secure

S = Substantiated NS = Not Substantiated P = Pending (if applicable)

Operators/providers are required by regulations and statutes to be in compliance at all times.

Signature: Fil Montanye

(OEC Representative)

Print Name: Fil Montanye

CORRECTIVE PLAN SHALL BE RETURNED TO

Signature: Gilbey DelGreco

(Person in Charge)

OEC BY: 12/14/22

Print Name: Gilbey DelGreco

immediate corrections for 18b
by end of day today.