

☐ Initial ☐ Unannounced Full/Partial ☐ Follow-up ☐ Location Change ☒ Investigation ☐ Other _____

SUPPLEMENTAL REPORT OF INSPECTION

Name of Program/Provider: Bright Path - Simsbury Date: 11-6-22 Time: 11:30
Location Address: 1 Saint Johns Pl., Simsbury Telephone #: 860 651 9339
e-mail address: libby@educations1playcare.com License #: 16415 Expiration Date: 11-30-25
Capacity: 220 # of Children Present: 147 # of Staff Present: 29

**Consent to Inspect
Family Child Care Home**

I agree to allow the Office of Early Childhood to have access to and inspect this facility and all child care records as required by Family Child Care Home Regulations.
Provider/Applicant/Substitute's Signature _____

Purpose of visit: case # 2022-991

Observations/Corrections needed:

P - 19a.79.4a (c)(4)(D) - supervision pending investigation

S - 19a.79-7a (h)(2) - did not observe 8" of shock absorbing material on back side of pirate ship climbing structure

S - 19a.79-7a (h)(4) - observed multiple protruding screws on ramp to pirate ship structure

S = Substantiated NS = Not Substantiated P = Pending (if applicable)

Operators/providers are required by regulations and statutes to be in compliance at all times.

CORRECTIVE PLAN SHALL BE RETURNED TO OEC BY: 12-20-22

Signature: _____

(OEC Representative)

Signature: _____

(Person in Charge)

Elizabeth Marek