

CTPharma
280 Dividend Dr.
Rocky Hill, CT 06067

Date Received: 12/09/2022
Report Date: 12/23/2022
NELabs Report ID: 2289033-01

Product ID: LMS062222

Microbiology	Results (CFU)	Limits (CFU)	Methods
Total Aerobic Microbial Count	<100	100,000	AOAC 990.12
*Total Yeast & Mold Count	<100	10,000	AOAC 2014.05
<i>Aspergillus (flavus, fumigatus, terreus, niger)</i>	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	qPCR
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	qPCR
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w ^a)
CBDV	----
CBDA	0.15
CBGA	0.89
CBG	0.22
CBD	----
THCV	----
CBN	----
THC	0.58
CBL	----
CBC	----
THCA	33.47
Total Cannabinoids: 35.31 %	

^a: percentages reported by dry weight

Moisture	Results
Water Content (% w/w)	13.0
Water Activity (Aw)	0.46

Terpenes by GC-MS	Results (% w/w ^a)
α-Pinene	0.03
Camphene	0.01
β-Myrcene	0.31
β-Pinene	0.06
3-Carene	----
α-Terpinene	----
Limonene	0.21
Ocimene	----
p-Cymene	----
γ-Terpinene	----
Terpinolene	0.01
Linalool	0.16
(-)-Isopulegol	----
Geraniol	----
β-Caryophyllene	0.24
α-Humulene	0.13
cis-Nerolidol	0.02
trans-Nerolidol	0.01
Guaiol	0.03
α-Bisabolol	0.03
Total Terpenes: 1.25 %	

^a: percentages reported by dry weight



CTPharma
280 Dividend Dr.
Rocky Hill, CT 06067

Date Received: 12/09/2022
Report Date: 12/23/2022
NELabs Report ID: 2289033-01

Product ID: LMS062222

Pesticides by LC-MS/MS	Results	Limits
Per Sample $\geq$ 0.5g	Not Detected	Below Action Levels
Pass/Fail: PASS		

Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg	Below Detection	Below Action Levels
Pass/Fail: PASS		

Mycotoxins by LC-MS/MS	Results ($\mu\text{g/kg}$)	Limits ($\mu\text{g/kg}$)
Aflatoxins (B1, B2, G1, G2)	<20 each	<20 each
Ochratoxin-A	<20	<20
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 12/09/2022 except for the following: *Total Yeast and Mold; results from 12/16/2022 (2289104-05).

Date:	Reviewed by: 	Released by: 
12/23/2022	Garrett Johnson, QA / QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).

