

CTPharma
280 Dividend Dr.
Rocky Hill, CT 06067

Date Received: 01/12/2023
Report Date: 01/23/2023
NELabs Report ID: 2389287-01

Product ID: CRM091522

Microbiology	Results (CFU)	Limits (CFU)	Methods
Total Aerobic Microbial Count	<100	100,000	AOAC 990.12
Total Yeast & Mold Count	<100	10,000	AOAC 2014.05
<i>Aspergillus (flavus, fumigatus, terreus, niger)</i>	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	FDA BAM
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w ^a)
CBDV	----
CBDA	0.14
CBGA	1.20
CBG	0.28
CBD	----
THCV	----
CBN	----
Δ ⁹ THC	0.57
CBL	----
CBC	----
THCA	37.80
Total Cannabinoids	39.99 %
Total THC: 33.72 %	

^a: percentages reported by dry weight

Moisture	Results
Water Content (% w/w)	14.90
Water Activity (Aw)	0.49

Terpenes by GC-MS	Results (% w/w ^a)
α-Pinene	0.02
Camphene	0.01
β-Myrcene	0.38
β-Pinene	0.02
3-Carene	----
α-Terpinene	----
Limonene	0.27
Ocimene	0.03
p-Cymene	----
γ-Terpinene	----
Terpinolene	----
Linalool	0.34
(-)-Isopulegol	----
Geraniol	----
β-Caryophyllene	0.66
α-Humulene	0.23
cis-Nerolidol	0.08
trans-Nerolidol	0.13
Guaiol	----
α-Bisabolol	----
Total Terpenes: 2.17 %	

^a: percentages reported by dry weight



CTPharma
280 Dividend Dr.
Rocky Hill, CT 06067

Date Received: 01/12/2023
Report Date: 01/23/2023
NELabs Report ID: 2389287-01

Product ID: CRM091522

Pesticides by LC-MS/MS	Results	Limits
Per Sample $\geq$ 0.5g	Not Detected	Below Action Levels
Pass/Fail: PASS		

Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg	Below Detection	Below Action Levels
Pass/Fail: PASS		

Mycotoxins by LC-MS/MS	Results ($\mu\text{g/kg}$)	Limits ($\mu\text{g/kg}$)
Aflatoxins (B1, B2, G1, G2)	<20 each	<20 each
Ochratoxin-A	<20	<20
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 01/12/2023.

Date:	Reviewed by: 	Released by: 
01/23/2023	Garrett Johnson, QA / QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).

