

Curaleaf
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 12/02/2022
Report Date: 12/22/2022
NELabs Report ID: 2288966-04

Product ID: 2211290F2-WB

Product Type: Flower

Microbiology	Results (CFU)	Limits (CFU)	Methods
Total Aerobic Microbial Count	<100	100,000	AOAC 990.12
Total Yeast & Mold Count	600	10,000	AOAC 2014.05
<i>Aspergillus (flavus, fumigatus, terreus, niger)</i>	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	qPCR
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	qPCR
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w ^a)
CBDV	---
CBDA	0.12
CBGA	0.16
CBG	0.15
CBD	---
THCV	---
CBN	---
THC	0.30
CBL	---
CBC	---
THCA	27.79
Total Cannabinoids: 28.52 %	

^a: percentages reported by dry weight

Moisture	Results
Water Content (% w/w)	15.90
Water Activity (Aw)	0.51

Terpenes by GC-MS	Results (% w/w ^a)
α-Pinene	0.16
Camphene	<0.10
β-Myrcene	<0.10
β-Pinene	0.12
3-Carene	---
α-Terpinene	---
Limonene	0.44
Ocimene	<0.10
p-Cymene	---
γ-Terpinene	---
Terpinolene	---
Linalool	<0.10
(-)-Isopulegol	---
Geraniol	---
β-Caryophyllene	<0.10
α-Humulene	<0.10
cis-Nerolidol	<0.10
trans-Nerolidol	<0.10
Guaiol	<0.10
α-Bisabolol	<0.10
Total Terpenes: 1.22 %	

^a: percentages reported by dry weight



Curaleaf
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 12/02/2022
Report Date: 12/22/2022
NELabs Report ID: 2288966-04

Product ID: 2211290F2-WB

Product Type: Flower

Pesticides by LC-MS/MS	Results	Limits
Per Sample $\geq$ 0.5g	Not Detected	Below Action Levels
Pass/Fail: PASS		

Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg	Below Detection	Below Action Levels
Pass/Fail: PASS		

Mycotoxins by LC-MS/MS	Results ($\mu\text{g/kg}$)	Limits ($\mu\text{g/kg}$)
Aflatoxins (B1, B2, G1, G2)	<20 each	<20 each
Ochratoxin-A	<20	<20
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 12/02/2022.

Date:	Reviewed by: <i>Michelle Szylobryt</i>	Released by: <i>Zachary Cannone</i>
12/22/2022	Michelle Szylobryt, QA / QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).

