

CHILD CARE CENTER/GROUP INSPECTION FORM

INITIAL UNANNOUNCED PARTIAL FOLLOW UP LOCATION CHANGE OTHER

Program Name: <u>The Little Riverbrook 3's</u>	License Number: <u>13213</u>	Date of Inspection: <u>2/7/22</u>	Time of Arrival: <u>9:30am</u>
Address: <u>404 Danbury Road</u>	Expiration Date: <u>3.31.26</u>	Licensed Capacity: <u>16</u>	Under 3 Capacity: <u>8</u>
Town: <u>Wilton, CT 06897</u>	Telephone: <u>(203) 762-8384</u>	# of children present: <u>6</u>	# of staff present: <u>2</u>
Operator: <u>The Riverbrook Regional YMCA Inc</u>	Director: <u>Kim Fejes</u>	Head Teacher: <u>Jodie Francis</u>	
Email: <u>Kfejes@riverbrookymca.org</u>	Hours of Operation: <u>M-F 9am-1:30pm</u>	Summer Care: <u>No</u>	
Ages Served: <u>2-6 years</u>	Instruction Codes: N/A = Not applicable at this time √ = Compliance/No violation found O = Non-compliance/Violation found		
Endorsements: <input checked="" type="checkbox"/> Under Three (6wks - 36m) <input checked="" type="checkbox"/> Preschool (3y - 5y) <input checked="" type="checkbox"/> School Age (5y & up) <input type="checkbox"/> Night Care (6wks & up)			

Licensure Procedures 19a-79-2a 9.11.22

1. Local Health Date: 9.11.22

Administration 19a-79-3a

2. New Staff-Employee Orientation

3. Annual Staff Policy Training

4. Documentation of Behavior M. Tech Discussed w/Parents

5. Notification of Change

6. Policies: Discipline/Supervision/Child Protection/General Operating Policies/Personnel Policies/Closing Time Policy

7. Daily Attendance Records: Children/Staff

Items Posted: Conspicuous/Accessible

8. License

9. Current Fire Marshal Certificate Date: 12.22.22

10. OEC Complaint Procedure

11. Food Service Certificate Date: 11.21 (TR)

12. Menus

13. Emergency Plans

14. No Smoking Signs

15. Radon Test (Y/N) Date: 4.1.97 Results: 2.1 pci/L

15a. Developmental Milestones

Staffing 19a-79-4a

16. Staff Health Records/TB Tests

17. Professional Development

18. Disciplinary Actions

18b. Background Checks

19. Designated Head Teacher/60%

20. Two Staff Present

21. Ratio: 1 Staff to 10 Children

22. Group Size: Maximum 20 Children

23. Designated Director/Training

24. CPR Certified Staff

25. First Aid Trained Staff

Consultants

26. Agreements/Contracts (Complete/Signed Annually)

	Contracts	Logs
Education	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Health	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Social Service	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Dental	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Dietitian	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

27. Logs/Visits Documented

Swimming: (Y/N)

28. Non-Swimmers Identified

Swimming cont.

29. Staff/Child Ratios

30. CPR Certified Staff (20 years of age)

31. Lifeguard Certified/Supervision

Record Keeping 19a-79-5a

32. Enrollment Information

33. Emergency Medical Permission

34. Authorized Released Permission

35. Field Trip Permission

36. Transportation Permission

37. Child Health Records/Immunizations/TB

38. Individual Care Plan (Signed by Parent/Staff)

39. Injury/Illness/Accident Reports

Health and Safety 19a-79-6a

40. Nutritious Snacks/Meals (Required Food Groups)

41. Proper Refrigeration

42. Kitchen Separated

43. Hand Washing Before Eating/Food Handling

44. First Aid Kit(s): Indoor/Outdoor/Field Trip/Inventory

Physical Plant 19a-79-7a

45. License Premise: Clean/Good Repair/Hazard Free

48. Sanitary Drinking Fountains/Disposable Cups
Water Supply: Public/Well

49. Lead Water Test Date: 5.12.22
Bacterial/Chemical Test (Y/N) Date: 6.3.22

50. Walkways Maintained

51. Designated Staff Toilet/Sink

52. All Openings for Ventilation Screened

53. Windows Protected to Prevent Falls

54. Glass Protected to 36"

55. Overhead Doors Locking Devices/Spring Protectors

56. Exits/Hallways and Stairs Unobstructed

57. Individual Storage of Clothing/Bedding

58. Smoking Prohibited

59. Matches/Lighters Inaccessible

60. Electrical Safety: Outlets/Cords

61. Toileting Needs Met

62. Required Toilets/Sinks/Supplies

63. Potty Chairs: Nonporous/Emptied/Disinfected

64. Hand Washing After Toileting: Staff/Children

65. Ventilation in Toilet Room

66. Air Temp 65°, Thermometer Affixed

Signature of OEC Representative: <u>Jenn R Roberts</u>	Written Corrective Action Plan Due to OEC by: <u>3/3/23</u>	Signature of Person in Charge: <u>Kim Fejes</u>
--	---	---

Print name: Jenn R Roberts Print name: Kim Fejes

CHILD CARE CENTER/GROUP INSPECTION FORM

Program Name:

The Little Riverbrook 3'S

License Number:

13213

Date of Inspection:

2/17/22

Physical Plant continued:

- 67. Water Temperature 60°-115°
- 68. Portable Space Heaters
- 69. Walls/Ceilings/Floors/Rugs: Clean/Good Repair
- 70. Rugs Secure
- 71. Hot Water/Steam Pipes Protected
- 72. Working Phone on Each Level
- 73. Emergency Numbers Posted
- 74. Adequate Lighting: 50/30 Candle Feet
- 75. Light Fixtures Shielded/Shatter Proof
- 76. Potentially Hazardous Substances Locked
- 77. Garbage/Rubbish Disposed Daily
- 78. Stairs Protected/Good Repair/Handrails
- 79. Pets: Maintained/Care Plan (Y/N)
- 80. Operable CO Detector on Each Level (Y/N)
- 81. Program Space/Adequate Sq. Ft. Per Child
- 82. Equipment: Good Repair/Safe/Non-toxic
- 83. Cots Stored/Maintained/Adequate Number
- 84. Developmentally Appropriate Equipment/Materials
- 85. Hot Tubs/Spas/Saunas: Locked/Inaccessible (Y/N)
- 86. No Weapons/No Facsimile of a Firearm on Premise

Outdoor Space

- 87. Outdoor Space Adequate Sq. Ft. Per Child
- 88. Impact Absorbing Material under Equipment
- 89. Playground Free from Hazards
- 90. Peeling Paint (Y/N) Sample Taken (Y/N)
- 91. Lead Management Plan (Y/N)
- 92. Equipment Anchored/Safely Arranged
- 93. Outdoor Play Area Protected/Fenced
- 94. Drinking Water Available/Accessible

Educational Requirements 19a-79-8a

- 95. Written Plan for Daily Program Available to Parents/Staff
- 96. Activity Choices: Developmentally Appropriate/
Flexible/Meets Individual Needs
Program Includes: Indoor/Outdoor, Gross/Fine
Motor Skills, Snacks/Meals,
Rest/Sleep/Quiet Time,
Toileting and Clean Up

Administration of Medications 19a-79-9a

- 97. Written Policies/Procedures
- 98. Training Outline on file

Nonprescription Topical Medications

- 99. Administration/Parent Permission/MAR
- 100. Labeling/Storage

Oral/Topical/Inhalant/Injectable Medications

- 101. Med Trained Staff/Certificates
- 102. Authorized Prescriber/Parent Permission/MAR
- 103. Labeling/Storage
- 104. Unused/Expired Meds Returned/Disposed

Self-Administration

- 105. Authorized Prescriber/Parent Permission/MAR
- 106. Labeling/Storage

- 107. Approved Petition For Special Med Authorization

Emergency Distribution of Potassium Iodide

- 108. KI Pills Parent Permission/Storage

Under Three Endorsement 19a-79-10

- 109. Approved Endorsement
- 110. Ratio: 1 Staff to 4 Children
- 111. Group Size no Larger than 8
- 112. Physical Barriers/Groups of 8 (Indoors/Outdoors)
- 113. Adequate Sinks in Program Space
- 114. Free Standing/Well-Constructed/Safe Cribs
- 115. Washable Cots
- 116. Chairs for Feeding/Stable/Safety Straps/Locking Tray
- 117. Dev. Appropriate Tables/Chairs/Equipment
- 118. Refrigerators and Food Prep Facilities
- 119. Sturdy/Safety Rail/Nonporous/Exclusive Use
- 120. Washed/Disinfected
- 121. Disposable Paper Sheets
- 122. Covered Waste Receptacle
- 123. Diaper Changing Policy Posted
- 124. Hand Washing Policy Posted
- 125. Individual Storage of Personal Items
- 126. Cribs/Cots Washed/Disinfected
- 127. Under 12 Months Placed on Back for Sleeping
- 128. Alternate Sleep Position/Equip-Medical Document Y/N
- 129. Crib/Bed Used for Infant Sleeping
- 130. Crib/Bed Free from Observable Hazards
- 131. Infant Toys Separate/Washed/Disinfected Daily
- 132. No Toys/Objects Less than 1 1/4" Diameter
- 133. Plastic Bags/Balloons/Styrofoam Objects Inaccessible
- 134. Health Consultant/Documentation of Visits
- 135. Infants Held for Bottles/Individual Attn/Tummy Time
- 136. Written Statement/Feeding Schedule from Parent
- 137. Unused Portions of Liquids Discarded
- 138. Clean Bottles/Disp. Bottles/Approved Bottle Washing
- 139. Food Served from Dish or Whole Jar Served
- 140. Bottles Individually Identified w/Child's Name

Outdoor Play Space-Under Three:

- 141. Play Space Fenced
- 142. Outdoor Equipment: Dev. Appropriate

School Age Children Endorsement 19a-79-11

- 143. Approved Endorsement
- 144. Activity choices appropriate
- 145. Ratio: 1 Staff to 10 Children
- 146. Group Size: Max. 20 Children
- 147. Education Consultant Appropriate

Night Care Endorsement 19a-79-12 (10pm-5am)

- 148. Approved Endorsement
- 149. Written Program Plan/Supervision
- 150. Staff Awake/Available
- 151. Cot/Crib/Bedding/Toiletries/Sleep Apparel
- 152. Individual Storage of Personal Items
- 153. Bedding/Sleeping Apparel Laundered Weekly

Monitoring of Diabetes 19a-79-13

- 154. Written Policies/Procedures
- 155. On Site Staff Trained in First Aid/Glucose Testing
- 156. Training Current/Documented
- 157. Supervision of Self Administration
- 158. Equipment/Supplies: Labeled/Inaccessible
- 159. Signed Agreement w/Parent Regarding Equipment
- 160. Materials Discarded Appropriately
- 161. Authorized Prescriber/Parent Permission
- 162. Documentation of Test Results/Actions Taken
- 163. Daily Written Parent Notifications

No one currently enrolled

Signature of OEC Representative

K. Roberts

Written Corrective Action Plan

Due to OEC by:

3/3/23

Signature of Person in Charge

Kimberly Fejes

Print Name:

Kerri R Roberts

Print Name:

Kimberly Fejes

SUPPLEMENTAL REPORT OF INSPECTION

Name of Program/Provider: The Little Riverbrook 3's License # 13213 Date: 2/17/22

Observations/Corrections needed:

- 10 - Not posted
- ~~26 - 2 of 4 expired on 2/22 (in compliance) (TR)~~
- 44 - Missing tweezers, bandage scissors and a current first aid manual (w/in 5 years of copyright)
- 67 - measured 121.8°F in the women's locker room sink
- ~~78 - Not available for review (in compliance) (TR)~~
- 121 - Not available for use

Disussed: No service to verify BCIS in this building - ^{used main YMCA + records}

Disussed: Sister program located next door, files for this program located there - Disussed requirements for on site.

Program to get new radon test for this building as old one suspected to apply to main YMCA building. No ventilation for this building.

Playground directly next door to this building is not used by children under 5 (TR) only the one behind the YMCA building

S = Substantiated NS = Not Substantiated P = Pending (if applicable)

Operators/providers are required by regulations and statutes to be in compliance at all times.

Signature: Teri R Roberts
(OEC Representative)
 Print Name: Teri R Roberts

CORRECTIVE PLAN SHALL BE RETURNED TO

OEC BY: 3/3/23

Signature: Kirby Fejes
(Person in Charge)
 Print Name: Kirby Fejes