

CTPharma
280 Dividend Dr.
Rocky Hill, CT 06067

Date Received: 10/04/2022
Report Date: 12/20/2022
NELabs Report ID: 2288548-02

Product ID: DST061422

Microbiology	Results (CFU)	Limits (CFU)	Methods
*Total Aerobic Microbial Count	3,300	100,000	AOAC 990.12
*Total Yeast & Mold Count	100	10,000	AOAC 2014.05
<i>Aspergillus (flavus, fumigatus, terreus, niger)</i>	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	FDA BAM
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w ^a)
CBDV	----
CBDA	0.32
CBGA	1.63
CBG	0.04
CBD	----
THCV	----
CBN	----
THC	0.27
CBL	----
CBC	----
THCA	30.02
Total Cannabinoids: 32.28 %	

^a: percentages reported by dry weight

Moisture	Results
Water Content (% w/w)	21.50
Water Activity (Aw)	0.63

*Terpenes by GC-MS	Results (% w/w ^a)
α-Pinene	0.01
Camphene	----
β-Myrcene	0.40
β-Pinene	0.02
3-Carene	----
α-Terpinene	----
Limonene	0.04
Ocimene	0.03
p-Cymene	----
γ-Terpinene	----
Terpinolene	----
Linalool	0.08
(-)-Isopulegol	----
Geraniol	----
β-Caryophyllene	0.23
α-Humulene	0.06
cis-Nerolidol	0.01
trans-Nerolidol	0.38
Guaiol	0.15
α-Bisabolol	0.13
Total Terpenes: 1.54 %	

^a: percentages reported by dry weight



CTPharma
280 Dividend Dr.
Rocky Hill, CT 06067

Date Received: 10/04/2022
Report Date: 12/20/2022
NELabs Report ID: 2288548-02

Product ID: DST061422

Pesticides by LC-MS/MS	Results	Limits
Per Sample $\geq$ 0.5g	Not Detected	Below Action Levels
Pass/Fail: PASS		

Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg	Below Detection	Below Action Levels
Pass/Fail: PASS		

Mycotoxins by LC-MS/MS	Results ($\mu\text{g/kg}$)	Limits ($\mu\text{g/kg}$)
Aflatoxins (B1, B2, G1, G2)	<20 each	<20 each
Ochratoxin-A	<20	<20
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 10/04/2022 except for the following:

*Terpenes; results from 10/11/2022 (2288595-04) and *Total Aerobic Microbial Count and Total Yeast & Mold Count; results reported as an average of 10/04/2022 (2288548-02) and 10/25/2022 (2288715-05).

CoAs received 10/04/2022 and 10/11/2022 stated Product ID as LPM061422; CoA issued with Product ID DST061422 at the request of the client.

Date:	Reviewed by: <i>Michelle Szylobryt</i>	Released by: <i>Zachary Cannone</i>
12/20/2022	Michelle Szylobryt, QA / QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).

