

Initial    Unannounced Full/Partial    Follow-up    Location Change    Investigation    Other \_\_\_\_\_

### SUPPLEMENTAL REPORT OF INSPECTION

Name of Program/Provider: Amarilis Hernandez Date: 3/2/23 Time: 9:08

Location Address: 28 Lawrence St. Waterbury Telephone #: 203-568-5401

e-mail address: hernandezamarilis83@yahoo.com License #: Pending Expiration Date: —

Capacity: 6+3 # of Children Present: 0 # of Staff Present: 1

|  |  |
|--|--|
| <b>Consent to Inspect</b><br><b>Family Child Care Home</b> | I agree to allow the Office of Early Childhood to have access to and inspect this facility and all child care records as required by Family Child Care Home Regulations.<br>Provider/Applicant/Substitute's Signature: <u>Amarilis Hernandez</u> |
|--|--|

Purpose of visit: Follow Up to Initial inspection

Observations/Corrections needed:

#23 - Outdoor area is enclosed, Provider found a area with a wall on one side, fence on the other and gates are at each end

#35 - New CO detectors purchased and installed.

#46 - Water temp. was remeasured. Water temp. was 103.3

Previously cited violations have been corrected

S = Substantiated   NS = Not Substantiated   P = Pending (if applicable)

Operators/providers are required by regulations and statutes to be in compliance at all times.

CORRECTIVE PLAN SHALL BE RETURNED TO OEC BY: \_\_\_\_\_

Signature: Jannie Thornton  
(OEC Representative)

Print Name: Jannie Thorn

Signature: Amarilis Hernandez  
(Person in Charge)

Print Name: Amarilis Hernandez

