

Connecticut Office of Early Childhood

Division of Licensing

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
Phone (800)282-6063 www.ctoec.org Fax (860)326-0552

FAMILY CHILD CARE HOME INSPECTION FORM

INITIAL UNANNOUNCED FULL/PARTIAL FOLLOW UP LOCATION CHANGE OTHER

Provider: Antonella D. Battisto	License Number: 53570	Date of Inspection: 8/2/23
Address: 99 Deming Rd	Expiration Date: 8/31/26	Time of Inspection: 1:00
Town: Rocky Hill	Capacity: 6 + 3	Days/Hours: M, T, W 8-4:30
State/Zip Code: 06067	Telephone: 860-563-5333	Summer: <input checked="" type="checkbox"/> Open / <input type="checkbox"/> Closed
Email: adibattisto@cox.net		

Instructions: ✓ = Compliance/No violation found O = Non-compliance/Violation found N/A = Not applicable at this time

Consent to Inspect: I agree to allow the Commissioner or an authorized representative to have access to and inspect the facility and child care records during home inspections as required by Regulations Section 19a-87b-5(h).

Antonella _____
Signature of Provider/Applicant/Substitute/Emergency Caregiver

Terms of License 19a-87b-5

- 4. Capacity: Total # Children Present: 5
- 5. Nontransferability of License
- 6. Infant/Toddler Restriction- # Present: _____
- 7. License Posted
- 8. Parent Access to OEC Phone Number
- 9. Photo ID
- 10. Requests for Information
- 11. Notification of Change

Qualifications of Applicant and Provider 19a-87b-6

- 12. Awareness of/Understanding of Regulations
- 13. Medical Statement-Exp. Date 12/9/25
- 14. First Aid Certificate-Exp. Date 5/15/25
- 15. CPR Certificate- Exp. Date 5/15/25
- 16. Judgment

Members of the Household 19a-87b-7

- 17. Medical Statement
- 18. Household Environment

Qualifications of Staff 19a-87b-8

- 19. Substitute/Assistant (Y/N)
- 20. Emergency Caregiver

Comprehensive Background Check 19a-87b-8a

- 21. Background Check(s)

Physical Environment 19a-87b-9

- 22. Clean/Sanitary Environment
- 23. Freedom of Hazards
- 24. Harmful Substances/Materials Inaccessible
- 25. Bio-contaminants Disposed Safely
- 26. Safe Storage of Flammables
- 27. Safe Door Fasteners
- 28. Electrical Safety

Signature of Provider/Applicant/Substitute/Emergency Caregiver

- 29. Safe Exits
- 30. Basement Supervision (Y/N)
- 31. Stairways: Protected/Handrails
- 32. Emergency Plan
- 33. Emergency Evacuation Drills-Quarterly/Log
- 34. Smoke Detectors
- 35. Carbon Monoxide Detector
- 36. Fire Extinguisher- at least 5 lb. ABC/Installed
- 37. Auxiliary Heating System (Y/N) Type: _____ Approved (Y/N)
- 38. Safe Storage of Weapons and Ammunition
- 39. Safe Space - Sufficient
 - Indoor
 - Outdoor
- 40. Body of Water (Y/N) Type: _____ Barrier/Fence (4ft)
- 41. Hot Tubs- Locked/Inaccessible
- 42. Ventilation/Light - Temperature- 65°F
- 43. Window Safety
- 44. Washing/Toileting/Sewage/Garbage Facilities
- 45. Adequate and Safe Water: Public/Approved
- 46. Water Temperature 60°-120°F
- 47. Pasteurization of Milk Supply
- 48. Working Telephone/Emergency Numbers Posted
- 49. Safe Transportation-Registered/Insured/Restraints
- 50. First Aid Supplies
- 51. Pets: (Y/N) -Type: 2 DOGS Rabies Certificate(s)
- 52. Smoking Prohibited

Responsibilities of Provider 19a-87b-10

- 53. Enrollment Form
- 54. Child Health Record
- 55. Immunizations
- 56. Emergency Permission
- 57. Authorized Release
- 58. Field Trips/Transportation Permission- To/From School
- 59. Swimming Permission
- 60. Incident Log
- 61. Confidentiality
- 62. Meeting the Child's Needs
- 63. Sufficient Play Equipment
- 64. Good Nutrition: Meals/Snacks/Water Available
- 65. Handwashing
- 66. Flexible and Balanced Written Schedule

APPLICANTS- PLEASE NOTE: You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

(Signature of OEC Representative) <i>MaryBene Trigila</i>	Date Corrections Due By: —	(Signature of Provider/Applicant/Substitute/Emergency Caregiver) <i>Antonella M. DIBattisto</i>
(Printed Name) MaryBene Trigila		(Printed Name) Antonella M. DIBattisto

