NORTHEAST LABORATORIES

CERTIFICATE OF ANALYSIS

CTPharma
280 Dividend Dr.
Rocky Hill, CT 06067

Date Received: 07/31/2023
Report Date: 08/09/2023
NELabs Report ID: 2390894-08

Product ID: AUV0118

Microbiology	Results (CFU)	Limits (CFU)	Methods
Total Aerobic Microbial Count	<100	100,000	AOAC 990.12
Total Yeast & Mold Count	<100	100,000	AOAC 2014.05
Aspergillus (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic *E. coli*	Not Detected	Not Detected	AOAC 2017.01
Listeria Monocytogenes	Not Detected	Not Detected	AOAC 2016.08
Salmonella species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing *E. coli*	Not Detected	Not Detected	FDA BAM
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w)
CBDV	----
CBDA	----
CBGA	----
CBG	0.79
CBD	0.14
THCV	0.34
CBN	0.16
Δ^9 THC	83.97
CBL	----
CBC	----
THCA	----
Total Cannabinoids	**85.40 %**
Total THC: 83.97 %	

Residual Solvent by GC-MS	Results (% w/w)
Ethanol	<LOQ

Terpenes by GC-MS	Results (% w/w)
α-Pinene	0.06
Camphene	----
β-Myrcene	0.21
β-Pinene	0.09
3-Carene	----
α-Terpinene	----
Limonene	0.17
Ocimene	0.03
p-Cymene	----
γ-Terpinene	----
Terpinolene	----
Linalool	0.45
(-)-Isopulegol	----
Geraniol	----
β-Caryophyllene	1.21
α-Humulene	0.39
cis-Nerolidol	----
trans-Nerolidol	----
Guaiol	----
α-Bisabolol	----
Total Terpenes: 2.61 %	

CTPharma
280 Dividend Dr.
Rocky Hill, CT 06067

Date Received: 07/31/2023
Report Date: 08/09/2023
NELabs Report ID: 2390894-08

Product ID: AUV0118

Pesticides by LC-MS/MS	Results	Limits
Per Sample ≥ 0.5g	Not Detected	Below Action Levels
Pass/Fail: **PASS**		

Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg	Below Detection	Below Action Levels
Pass/Fail: **PASS**		

Mycotoxins by LC-MS/MS	Results (µg/kg)	Limits (µg/kg)
Aflatoxins (B1, B2, G1, G2)	<20 each	<20 each
Ochratoxin-A	<20	<20
Pass/Fail: **PASS**		

Ingredient Testing by FTIR	Results (µg/kg)	Limits (µg/kg)
Vitamin E Acetate	Not Detected	Absent
Medium Chain Triglycerides	Not Detected	Absent
Squalene	Not Detected	Absent
Squalane	Not Detected	Absent
Polyethylene Glycol	Not Detected	Absent
Pass/Fail: **PASS**		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 07/31/2023.

Date:	Reviewed by:	Released by:
08/09/2023	Michelle Szylobryt, QA / QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).