



CHILD CARE CENTER/GROUP INSPECTION FORM

INITIAL UNANNOUNCED FULL PARTIAL FOLLOW UP LOCATION CHANGE OTHER

Program Name: YWCA Growing Tree Early Learning Center	License Number: 15312	Date of Inspection: 8/17/23	Time of Arrival: 8:32
Address: 195 Garden St #205	Expiration Date: 4/30/25	Licensed Capacity: 78	Under 3 Capacity: 30
Town: Hartford, CT 06105	Telephone: 860-548-2003	# of children present: 15	# of staff present: 4
Operator: YWCA Hartford Region Inc	Director: Jennifer Madley	Head Teachers: Jennifer Madley Judith Ortiz	
Email: jenm@ywc Hartford.org	Summer Care: Open	Instruction Codes: N/A = Not applicable at this time √ = Compliance/No violation found O = Non-compliance/Violation found	
Hours of Operation: 7:00am - 5:30pm	Ages Served: 6 weeks - 12 years		
Endorsements: <input checked="" type="checkbox"/> Under Three (6wks - 36m) <input checked="" type="checkbox"/> Preschool (3y - 5y) <input checked="" type="checkbox"/> School Age (5y & up) <input type="checkbox"/> Night Care (6wks & up)			

- Licensing Procedures 19a-79-2a**
- 1. Local Health Date: **12/2/21**
- Administration 19a-79-3a**
- 2. New Staff-Employee Orientation
 - 3. Annual Staff Policy Training
 - 4. Documentation of Behavior M. Tech Discussed w/Parents
 - 5. Notification of Change
 - 6. Policies: Discipline/Supervision/Child Protection/General Operating Policies/Personnel Policies/Closing Time Policy
 - 7. Daily Attendance Records: Children/Staff
- Items Posted: Conspicuous/Accessible**
- 8. License
 - 9. Current Fire Marshal Certificate Date: **4/27/22**
 - 10. OEC Complaint Procedure
 - 11. Food Service Certificate Date: **exp: 9/30/23**
 - 12. Menus
 - 13. Emergency Plans
 - 14. No Smoking Signs
 - 15. Radon Test (Y/N) Date: **4/30/99** Results: **0.3 pCi/l**
 - 15a. Developmental Milestones
- Staffing 19a-79-4a**
- 16. Staff Health Records/TB Tests
 - 17. Professional Development
 - 18. Disciplinary Actions
 - 18b. Background Checks
 - 19. Designated Head Teacher/60%
 - 20. Two Staff Present
 - 21. Ratio: 1 Staff to 10 Children
 - 22. Group Size: Maximum 20 Children
 - 23. Designated Director/Training
 - 24. CPR Certified Staff
 - 25. First Aid Trained Staff
- Consultants**
- 26. Agreements/Contracts (Complete/Signed Annually)
- | | Contracts | Logs |
|----------------|-------------------------------------|-------------------------------------|
| Education | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Health | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Social Service | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Dental | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Dietitian | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
27. Logs/Visits Documented
- Swimming: (Y/N)**
- 28. Non-Swimmers Identified

- Swimming cont.**
- 29. Staff/Child Ratios
 - 30. CPR Certified Staff (20 years of age)
 - 31. Lifeguard Certified/Supervision
- Record Keeping 19a-79-5a**
- 32. Enrollment Information
 - 33. Emergency Medical Permission
 - 34. Authorized Released Permission
 - 35. Field Trip Permission
 - 36. Transportation Permission
 - 37. Child Health Records/Immunizations/TB
 - 38. Individual Care Plan (Signed by Parent/Staff)
 - 39. Injury/Illness/Accident Reports
- Health and Safety 19a-79-6a**
- 40. Nutritious Snacks/Meals (Required Food Groups)
 - 41. Proper Refrigeration
 - 42. Kitchen Separated
 - 43. Hand Washing Before Eating/Food Handling
 - 44. First Aid Kit(s): Indoor/Outdoor/Field Trip/Inventory
- Physical Plant 19a-79-7a**
- 45. License Premise: Clean/Good Repair/Hazard Free
 - 48. Sanitary Drinking Fountains/Disposable Cups
Water Supply: **Public Well**
 - 49. Lead Water Test Date: **8/25/22**
Bacterial/Chemical Test (Y/N) Date: **—**
 - 50. Walkways Maintained
 - 51. Designated Staff Toilet/Sink
 - 52. All Openings for Ventilation Screened
 - 53. Windows Protected to Prevent Falls
 - 54. Glass Protected to 36"
 - 55. Overhead Doors Locking Devices/Spring Protectors
 - 56. Exits/Hallways and Stairs Unobstructed
 - 57. Individual Storage of Clothing/Bedding
 - 58. Smoking Prohibited
 - 59. Matches/Lighters Inaccessible
 - 60. Electrical Safety: Outlets **Cords**
 - 61. Toileting Needs Met
 - 62. Required Toilets/Sinks/Supplies
 - 63. Potty Chairs: Nonporous/Emptied/Disinfected
 - 64. Hand Washing After Toileting: Staff/Children
 - 65. Ventilation in Toilet Room
 - 66. Air Temp 65°, Thermometer Affixed

Signature of OEC Representative: 	Written Corrective Action Plan Due to OEC by: 8/31/23	Signature of Person in Charge: 
Print name: Johanne Dabo		Print name: Tina Aladden

CHILD CARE CENTER/GROUP INSPECTION FORM

Program Name: YWCA Growing Tree Early Learning Center	License Number: 15312	Date of Inspection: 8/17/23
--	------------------------------	------------------------------------

Physical Plant continued:

- 67. Water Temperature 60°-115°
- 68. Portable Space Heaters
- 69. Walls/Ceilings/Floors/Rugs: Clean/Good Repair
- 70. Rugs Secure
- 71. Hot Water/Steam Pipes Protected
- 72. Working Phone on Each Level
- 73. Emergency Numbers Posted
- 74. Adequate Lighting: 50/30 Candle Feet
- 75. Light Fixtures Shielded/Shatter Proof
- 76. Potentially Hazardous Substances Locked
- 77. Garbage/Rubbish Disposed Daily
- 78. Stairs Protected/Good Repair/Handrails
- 79. Pets: Maintained/Care Plan **(Y/N)**
- 80. Operable CO Detector on Each Level **(Y/N)**
- 81. Program Space/Adequate Sq. Ft. Per Child
- 82. Equipment: Good Repair/Safe/Non-toxic
- 83. Cots Stored/Maintained/Adequate Number
- 84. Developmentally Appropriate Equipment/Materials
- 85. Hot Tubs/Spas/Saunas: Locked/Inaccessible **(Y/N)**
- 86. No Weapons/No Facsimile of a Firearm on Premise

Outdoor Space

- 87. Outdoor Space Adequate Sq. Ft. Per Child
- 88. Impact Absorbing Material under Equipment
- 89. Playground Free from Hazards
- 90. Peeling Paint **(Y/N)** Sample Taken **(Y/N)**
- 92. Equipment Anchored/Safely Arranged
- 93. Outdoor Play Area Protected/Fenced
- 94. Drinking Water Available/Accessible

Educational Requirements 19a-79-8a

- 95. Written Plan for Daily Program Available to Parents/Staff
- 96. Activity Choices: Developmentally Appropriate/
Flexible/Meets Individual Needs
Program Includes: Indoor/Outdoor, Gross/Fine Motor Skills, Snacks/Meals, Rest/Sleep/Quiet Time, Toileting and Clean Up

Administration of Medications 19a-79-9a

- 97. Written Policies/Procedures
- 98. Training Outline on file

Nonprescription Topical Medications

- 99. Administration/Parent Permission/MAR
- 100. Labeling/Storage

Oral/Topical/Inhalant/Injectable Medications

- 101. Med Trained Staff/Certificates
- 102. Authorized Prescriber/Parent Permission/MAR
- 103. Labeling/Storage
- 104. Unused/Expired Meds Returned/Disposed

Self-Administration

- 105. Authorized Prescriber/Parent Permission/MAR
- 106. Labeling/Storage
- 107. Approved Petition For Special Med Authorization

Under Three Endorsement 19a-79-10

- 109. Approved Endorsement
- 110. Ratio: 1 Staff to 4 Children
- 111. Group Size no Larger than 8
- 112. Physical Barriers/Groups of 8 (Indoors/Outdoors)
- 113. Adequate Sinks in Program Space
- 114. Free Standing/Well-Constructed/Safe Cribs
- 115. Washable Cots
- 116. Chairs for Feeding/Stable/Safety Straps/Locking Tray
- 117. Dev. Appropriate Tables/Chairs/Equipment
- 118. Refrigerators and Food Prep Facilities
- 119. Sturdy/Safety Rail/Nonporous/Exclusive Use
- 120. Washed/Disinfected
- 121. Disposable Paper Sheets
- 122. Covered Waste Receptacle
- 123. Diaper Changing Policy Posted
- 124. Hand Washing Policy Posted
- 125. Individual Storage of Personal Items
- 126. Cribs/Cots Washed/Disinfected
- 127. Under 12 Months Placed on Back for Sleeping
- 128. Alternate Sleep Position/Equip-Medical Document **(Y/N)**
- 129. Crib/Bed Used for Infant Sleeping
- 130. Crib/Bed Free from Observable Hazards
- 131. Infant Toys Separate/Washed/Disinfected Daily
- 132. No Toys/Objects Less than 1 1/4" Diameter
- 133. Plastic Bags/Balloons/Styrofoam Objects Inaccessible
- 134. Health Consultant/Documentation of Visits
- 135. Infants Held for Bottles/Individual Attn/Tummy Time
- 136. Written Statement/Feeding Schedule from Parent
- 137. Unused Portions of Liquids Discarded
- 138. Clean Bottles/Disp. Bottles/Approved Bottle Washing
- 139. Food Served from Dish or Whole Jar Served
- 140. Bottles Individually Identified w/Child's Name

Outdoor Play Space-Under Three:

- 141. Play Space Fenced
- 142. Outdoor Equipment: Dev. Appropriate

School Age Children Endorsement 19a-79-11

- 143. Approved Endorsement
- 144. Activity choices appropriate
- 145. Ratio: 1 Staff to 10 Children
- 146. Group Size: Max. 20 Children
- 147. Education Consultant Appropriate

Night Care Endorsement 19a-79-12 (10pm-5am)

- 148. Approved Endorsement
- 149. Written Program Plan/Supervision
- 150. Staff Awake/Available
- 151. Cot/Crib/Bedding/Toiletries/Sleep Apparel
- 152. Individual Storage of Personal Items
- 153. Bedding/Sleeping Apparel Laundered Weekly

Monitoring of Diabetes 19a-79-13 *No Children enrolled.*

- 154. Written Policies/Procedures
- 155. On Site Staff Trained in First Aid/Glucose Testing
- 156. Training Current/Documented
- 157. Supervision of Self Administration
- 158. Equipment/Supplies: Labeled/Inaccessible
- 159. Signed Agreement w/Parent Regarding Equipment
- 160. Materials Discarded Appropriately
- 161. Authorized Prescriber/Parent Permission
- 162. Documentation of Test Results/Actions Taken
- 163. Daily Written Parent Notifications

Signature of OEC Representative 	Written Corrective Action Plan Due to OEC by: 8/31/23	Signature of Person in Charge
Print Name: Johanne Dalu		Print Name: Tina Gladden

SUPPLEMENTAL REPORT OF INSPECTION

Name of Program/Provider: YWCA Growing Tree Early Learning Center License # 15312 Date: 8/17/23

Observations/Corrections needed:



- #9 Fire Marshal Certificate not current.
- #27 Observed logs not current. Annual review of policies and education program by Education and Health consultants are not current (5/1/22 Ed / 3/1/22 Health)
- #45 Observed 2 small shelves not secured (PS1-PS2), 2 cubbies not secured (T1), telephone wire wall plate came off the wall (PS2)
- #60 Observed dangling cords (inf) (PS1)
- #66 Air temperature in PS1 at 8:48am was 64°, 2 thermometers were not affixed to the wall in PS2 and T3.
- #70 Observed 2 mats not secured (PS1 & PS2) in dramatic play area and under sensory table.
- #89 Observed broken top of pipe (wall against door (T2) sharp edges.
- #103 Observed backpack with children medications accessible to children (PS1). Put on child shelf and 1 albuterol without child's name (no labeling)

Discussion

- First Aid manual exterior First Aid Kit.
- 1 stained ceiling tile in T3 bathroom
- #23 Director training: ~~has~~ been in position for more than 1 year.

S = Substantiated NS = Not Substantiated P = Pending (if applicable)

Operators/providers are required by regulations and statutes to be in compliance at all times.

Signature: Print Name: Johanne DalbSignature: Print Name: Tina Gladden

CORRECTIVE PLAN SHALL BE RETURNED TO

OEC BY: 8/31/23