

Initial Unannounced Full/Partial Follow-up Location Change Investigation Other _____

SUPPLEMENTAL REPORT OF INSPECTION

Name of Program/Provider: The Learning Center Date: 10/2/2 Time: 8:50

Location Address: 131 Leeder Hill Dr. #1 Hamden Telephone #: 475 655-2488

e-mail address: 131learningcenter@gmail.com License #: 70645 Expiration Date: 4/30/26

Capacity: 116/48 # of Children Present: 27 # of Staff Present: 9

**Consent to Inspect
Family Child Care Home**

I agree to allow the Office of Early Childhood to have access to and inspect this facility and all child care records as required by Family Child Care Home Regulations.

Provider/Applicant/Substitute's Signature _____

Purpose of visit: Investigation 2023-946

Observations/Corrections needed:

- (NS) 19a-79-3a(b)(8)(A) Manage child behavior - insufficient evidence to support a regulatory violation.
- (S) 19a-79-7a(e)(16) Measures to prevent vermin - the entrance door in back hallway of licensed space had a door which was rotted at the bottom and ^{had} a space large enough for pests to enter facility was observed. Did not observe droppings of rodents as alleged in complaint.
- (S) 19a-79-7a(e)(11) Garbage removed at least daily - observed a garbage can containing some used diapers and assorted garbage in an unused classroom (Tod. B) on a Monday morning, indicating that the garbage had not been taken out on Friday evening in that room.
- (S) 19a-79-7a(e)(5) Floors/rugs clean/in good repair - observed rugs in large activity room, infant room and some toddler rooms that were stained requiring cleaning

(S) = Substantiated (NS) = Not Substantiated P = Pending (if applicable)

Operators/providers are required by regulations and statutes to be in compliance at all times.

CORRECTIVE PLAN SHALL BE RETURNED TO
OEC BY: 10/16/23

Signature: Karen Hicks

(OEC Representative)

Print Name: Karen Hicks

Signature: Tyshell Gore

(Person in Charge)

Print Name: Tyshell Gore

SUPPLEMENTAL REPORT OF INSPECTION

Name of Program/Provider: The Learning Center License # 70645 Date: 10/2/23

Observations/Corrections needed:

⑤ 19a-79-7a(c)(2) Building in state of good repair - observed a sink leaking into the cabinet below it where children's diapers were being stored. Observed a cabinet in room that had doors unhinged and were being kept on by straps meant to prevent children from opening cabinet doors. (Both observed in transition classroom)

⑤ 19a-79-10(j) Infants held for bottle feeding - observed an infant sitting on the floor drinking a bottle. Observed an infant sitting in an "exersaucer" drinking a bottle.

S = Substantiated NS = Not Substantiated P = Pending (if applicable)

Operators/providers are required by regulations and statutes to be in compliance at all times.

Signature: Karen Hicks
(OEC Representative)
Print Name: Karen Hicks

CORRECTIVE PLAN SHALL BE RETURNED TO

OEC BY: 10/16/23

Signature: Tyshell Gore
(Person in Charge)
Print Name: Tyshell Gore