

Curaleaf
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 10/06/2023
Report Date: 10/25/2023
NELabs Report ID: 2391566-13

Product ID: 2309679F3-SN

Product Type: Flower

Microbiology	Results (CFU)	Limits (CFU)	Methods
Total Aerobic Microbial Count	4,500	100,000	AOAC 990.12
Total Yeast & Mold Count	100	100,000	AOAC 2014.05
<i>Aspergillus (flavus, fumigatus, terreus, niger)</i>	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	FDA BAM
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w ^a)
CBDV	----
CBDA	0.06
CBGA	0.56
CBG	<LOQ
CBD	----
THCV	----
CBN	----
Δ^9 THC	0.21
CBL	----
CBC	----
THCA	24.43
Total Cannabinoids	25.26 %
Total THC: 21.64 %	

^a: percentages reported by dry weight

Moisture	Results
Water Content (% w/w)	14.1
Water Activity (Aw)	0.55

Terpenes by GC-MS	Results (% w/w ^a)
α -Pinene	<0.10
Camphene	<0.10
β -Myrcene	0.46
β -Pinene	<0.10
3-Carene	----
α -Terpinene	----
Limonene	0.20
Ocimene	----
p-Cymene	----
γ -Terpinene	----
Terpinolene	----
Linalool	<0.10
(-)-Isopulegol	----
Geraniol	----
β -Caryophyllene	0.13
α -Humulene	<0.10
cis-Nerolidol	----
trans-Nerolidol	----
Guaiol	<0.10
α -Bisabolol	----
Total Terpenes: 0.79 %	

^a: percentages reported by dry weight



Curaleaf
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 10/06/2023
Report Date: 10/25/2023
NELabs Report ID: 2391566-10

Product ID: 2309679F3-SN

Product Type: Flower

Pesticides by LC-MS/MS	Results	Limits
Per Sample $\geq$ 0.5g	Not Detected	Below Action Levels
Pass/Fail: PASS		

Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg	Below Detection	Below Action Levels
Pass/Fail: PASS		

Mycotoxins by LC-MS/MS	Results ($\mu\text{g/kg}$)	Limits ($\mu\text{g/kg}$)
Aflatoxins (B1, B2, G1, G2)	<20 each	<20 each
Ochratoxin-A	<20	<20
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 10/06/2023.

Date:	Reviewed by: <i>Michelle Szylobryt</i>	Released by: <i>Zachary Cannone</i>
10/25/2023	Michelle Szylobryt, QA / QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787
PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

