



DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oeclicensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	BUNNY VILLAGE CHILD CARE AND DEVELOPMENT CENTER				License Number	DCCC.70053	Date of Inspection	12/14/2023		
					Expiration Date	4/30/2024	Time of Inspection	08:28 AM		
Address	215 BRIDGEPORT AVE SHELTON CT 06484-3283				Telephone	(203) 924-2737	Licensed Capacity	71		
					Hours of Operation	MONDAY THROUGH FRIDAY 6:30AM TO 6:00PM	Infant/Toddler Capacity	32		
Is this a Change of Address?	Yes?		No?	X			Summer Care	Open		
New Address					Minimum Age Served	6 weeks	Maximum Age Served	12 years	Water Supply	Public Water
					Program's Email	Melissa.swan@bunnyvillage.com				
Operator	BUNNY VILLAGE CHILD CARE AND DEVELOPMENT CENTER LLC				Name of Inspector	Kristi Morgan				
Director	AMANDA LUBRICO				Inspector's Email	kristi.morgan@ct.gov				
Key: Compliant = X Non-Compliant = O	# of Infants - Toddlers Present	14	# of Total Children Present	25	# of Staff Present	9	Type of Inspection	UNANNOUNCED INSPECTION - FULL		

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 03/17/2022	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

O	5. Notification of Change	Failed to provide notification of change of personnel changes. Change in head teacher not sent in within 5 days of the change.	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time	
X	7. Daily Attendance Records- staff and children		
ITEMS POSTED – ACCESSIBLE			
X	8. License		
X	9. Fire Marshal certificate		
	Date	03/03/2023	
X	10. OEC Complaint procedure		
	11. Food Service Certificate	<u>N/A?</u>	
	Date	X	
X	12. Menus		
X	13. Emergency plans		
X	14. No Smoking Signs		
X	15. Radon Test	<u>N/A?</u>	
	Date	Results	
	03/16/20	1.3	
X	15a. Developmental Milestones		
X	15b. Access		
X	15bb. Endorsements		
STAFFING 19a-79-4a			
X	15c. Staffing		
X	16. Staff Health records – TB tests		
X	17. Professional development		
X	18. Disciplinary actions		
X	18b. Background checks		

X	19. Designated Head Teacher					
X	20. Two Staff present					
X	20a. Staff Qualities					
X	21. Ratio: 1 staff to 10 children					
X	21b. Supervision					
X	22. Group Size – maximum 20 children					
X	23. Designated director - Training					
X	24. CPR Certified Staff (Group Home N/A)					
X	25. First Aid Trained Staff					
X	26. Consultants- Agreements and Contracts					
X	27. Logs – Visits documented					
	Not in Compliance?	Education	Health	Social Service	Dental	Dietician N/A? X
	Contracts					
	Logs					
Do they take children swimming?N		SWIMMING				
X	28. Non-swimmers identified					
X	29. Staff/Child Ratios					
X	30. CPR certified staff (20 years of age)					
X	31. Lifeguard certified - supervision					
RECORD KEEPING 19a-79-5a						
X	32. Enrollment information					
X	33. Emergency medical permission					
X	34. Authorized release permission					
X	35. Field trip permission					
X	36. Transportation permission					

X	37. Child health records and immunizations	
O	38. Individual care plan (signed by parents and staff)	Failed to maintain complete individual care plans for children. 1 Child's care plan not signed by all staff responsible for their care.
X	39. Injury, Illness, Accident reports	
HEALTH AND SAFETY 19a-79-6a		
X	40. Nutritious snacks and meals (required food groups)	
X	41. Proper refrigeration (max 45°)	
X	42. Kitchen separated	N/A?
X	43. Hand washing – before eating or food handling	
X	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory	
PHYSICAL PLANT 19a-79-7a		
O	45. License premises – clean, good repair, hazard free	Failed to maintain the building, equipment and services. Observed unsecured shelves and equipment in preschool (lego shelf), Purple room (cots), Red room (cots and cubbies), Blue room (plastic drawers) and baby room (plastic drawers)
X	47b. Plans for new construction, expansion, renovation or conversion	
X	48. Sanitary drinking fountains – disposable cups	
X	49. Lead Water Test (N/A?) 03/02/2023	Bacterial/Chemical Test (N/A?) X
X	50. Walkways maintained	
X	51. Designated staff toilet/sink	
X	52. All openings for ventilation screened	
X	53. Windows protected to prevent falls	
X	54. Glass protected up to 36"	
X	55. Overhead doors – locking devices, spring protectors	
X	56. Exits, Hallways and Stairs unobstructed	

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
O	60. Electrical safety – outlets/cords	Failed to ensure that electrical outlets are covered with safety covers or are approved safety outlets. Observed 2 outlets in the preschool room not protected.
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
O	67. Water temperature 60° – 115°	Failed to ensure that water temperature is between 60-115 degrees. Observed 1 sink in the purple room measuring at 117.5 degrees and the other sink. In the purple room measuring at 51.5 degrees; observed the sink in the blue room measuring at 125.1 degrees.
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
O	76. Potentially hazardous substances locked	Failed to ensure that potentially hazardous substances are stored in a locked area. Observed maintenance closet in main hallway unlocked with cleaners and other chemicals inside; observed Lysol disinfectant wipes in the first aid bag on a low shelf by the entrance door.
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails	
X	79. Pets – maintained, care plan	Y/N N
X	80. Operable CO detector on each level	N/A? Y
X	81. Program space-adequate square footage per child	
X	82. Equipment clean, good repair, safe, non-toxic	
X	83. Cots stored, maintained, adequate number	
X	84. Developmentally appropriate equipment	
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
X	86. No weapons, no facsimile of a firearm on premises	
OUTDOOR SPACE		
X	87. Outdoor space - adequate square footage per child	
X	88. Impact absorbing material under equipment	
O	89. Playground free from hazards	Failed to ensure the playground is free of glass, debris, holes and other hazards. Observed rope climber to be in disrepair. Rope is fraying and not connected in some areas; observed swings chains to be rusty.
X	92. Equipment anchored, safely arranged	
O	93. Outdoor play area protected, fenced	Failed to protect outdoor play area from traffic, bodies of water, gullies and other hazards. When fence height was measured at 3'3", 3'8" and 3'10" along the areas with wood chips and by the gate to the playground.
X	94. Drinking water available, accessible	
EDUCATIONAL REQUIREMENTS 19a-79-8a		
X	95. Written plan for daily program available to parents/staff	
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
ADMINISTRATION OF MEDICATIONS 19a-79-9a		
X	97. Written policies, procedures	
X	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS

<input type="radio"/>	99. Administration, parent permission, MAR	Failed to maintain written parent permission for medication for 1 topical ointment; 1 parent permission missing start and end date.
<input type="radio"/>	100. Labeling, storage	Failed to maintain proper labeling of medication when 2 topical ointments were not labeled with the child's name.

ORAL/TOPICAL/INHALENT MEDICATIONS

<input checked="" type="checkbox"/>	101. Med trained staff, certificates O/T/I Injectable Y Y	
<input type="radio"/>	102. Authorized prescriber, parent permission, MAR	Failed to maintain current written orders for 2 emergency medications.
<input type="radio"/>	103. Labeling, storage	Failed to maintain proper labeling of medication when 1 emergency medication did not have the original prescription label or original container.
<input type="radio"/>	104. Unused, expired meds returned/disposed	Failed to ensure that expired medication is destroyed or returned to the parent when 1 emergency medication on site was expired.

SELF-ADMINISTRATION

<input checked="" type="checkbox"/>	105. Authorized prescriber, parent permission, MAR	
<input checked="" type="checkbox"/>	106. Labeling, storage	
<input checked="" type="checkbox"/>	107. Approved petition for special medication authorization	

INFANT/TODDLER ENDORSEMENT 19a-79-10

Yes	Is there an approved endorsement?	
<input checked="" type="checkbox"/>	109. Approved endorsement	
<input checked="" type="checkbox"/>	110. Ratio: 1 staff to 4 children	
<input checked="" type="checkbox"/>	111. Group size: no larger than 8	
<input checked="" type="checkbox"/>	112. Physical barriers, groups of 8 (indoors and outdoors)	
<input type="radio"/>	113. Adequate sinks in program space	Failed to designate sinks for diaper changing and hand washing of staff and children. Observed paint brushes on sink in red room; food particles in sink in baby room.
<input checked="" type="checkbox"/>	114. Free standing, well-constructed, safe cribs	
<input checked="" type="checkbox"/>	115. Washable cots	
<input checked="" type="checkbox"/>	116. Chairs for feeding, stable, safety straps, locking tray	
<input checked="" type="checkbox"/>	117. Developmentally appropriate tables, chairs, equipment	
<input checked="" type="checkbox"/>	118. Refrigerators and food prop facilities	

X	119. Diaper area-sturdy, safety rail, nonporous, exclusive use			
X	120. Diaper area-washed, disinfected			
X	121. Diaper area-disposable paper sheets			
X	122. Covered waste receptacle			
X	123. Diaper changing policy posted, followed			
X	124. Hand washing policy posted, followed			
X	125. Individual storage of personal items			
X	126. Cribs/cots washed and disinfected			
X	127. Under 12 months- placed on back for sleeping			
X	128. Alternate sleep position-equipment, medical documentation	Yes	No	
			X	
X	129. Crib, bed used for infant sleeping			
X	130. Crib, bed free from observable hazards			
X	131. Infant toys separate, washed, disinfected daily			
X	132. No toys, objects less than 1/1/4" diameter			
X	133. Plastic bags, balloons, Styrofoam objects inaccessible			
X	134. Health consultant, doc. of visits			
X	135. Infants held for bottles, indiv. attention, tummy time			
X	136. Written statement, feeding schedule from parent			
O	137. Unused portions of liquids discarded	Failed to ensure that unused portions of liquids are discarded after each feeding. Staff indicated that unused formula goes back into the refrigerator to be sent home.		
X	138. Clean Bottles, disp. bottles, approved bottle washing			
X	139. Food served from dish or whole jar served			
X	140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
Yes	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
X	143. Approved endorsement	
X	144. Activity choices appropriate	
X	145. Ratio – 1 staff to 10 children	
X	146. Group size – maximum 20 children	
X	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	




<u>YES or NO?</u> Yes	WERE VIOLATIONS CITED DURING THIS VISIT?
--------------------------	---

DISCUSSIONS:

1. 1 child's file missing work information for the father.
2. 1 child's file missing updated immunization documentation.
3. Age appropriate tables and chairs not observed for school aged children.
4. Annual policy training not observed for 1 staff.

COMMENTS:

NOTE: Items left blank on this form were not monitored during this visit.
 Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.
APPLICANTS: You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
Kristi Morgan (Printed Name)	Kristi Morgan (Printed Name)	12/28/2023	Amanda Lubrico (Printed Name)