



DIVISION OF LICENSING
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oe.licensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	ROTARY/YMCA TEEN CENTER				License Number	DCCC.15891	Date of Inspection	12/14/2023
					Expiration Date	4/30/2025	Time of Inspection	12:58 PM
Address	55 SOUTH ELM STREET				Telephone	(203) 284-7448	Licensed Capacity	25
	WALLINGFORD CT 06492				Hours of Operation	2:30PM-6:00PM	Infant/Toddler Capacity	0
Is this a Change of Address?	Yes?		No?	X			Summer Care	Closed
New Address					Minimum Age Served	10 years	Maximum Age Served	13 years
					Program's Email	ewalter@wallingfordymca.org		
Operator	YOUNG MENS CHRISTIAN ASSOCIATION OF WALLINGFORD INC.				Name of Inspector	Jenn Schulz		
Director	EMILY WALTER				Inspector's Email	jennifer.schulz@ct.gov		
Key: Compliant = X Non-Compliant = O	# of Infants - Toddlers Present	0	# of Total Children Present	5	# of Staff Present	4	Type of Inspection	UNANNOUNCED INSPECTION - FULL

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 11/13/2023	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	
ITEMS POSTED – ACCESSIBLE		
X	8. License	
X	9. Fire Marshal certificate	
	Date	05/22/2022
X	10. OEC Complaint procedure	
	11. Food Service Certificate	N/A?
	Date	X
O	12. Menus	Failed to prepare and post menus at least 1 week in advance
X	13. Emergency plans	
X	14. No Smoking Signs	
X	15. Radon Test	N/A?
	Date	Results
	04/04/20	0.3
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. Endorsements	
STAFFING 19a-79-4a		
X	15c. Staffing	
X	16. Staff Health records – TB tests	
X	17. Professional development	
X	18. Disciplinary actions	
X	18b. Background checks	

X	19. Designated Head Teacher					
X	20. Two Staff present					
X	20a. Staff Qualities					
	21. Ratio: 1 staff to 10 children					
X	21b. Supervision					
	22. Group Size – maximum 20 children					
X	23. Designated director - Training					
X	24. CPR Certified Staff (Group Home N/A)					
X	25. First Aid Trained Staff					
X	26. Consultants- Agreements and Contracts					
X	27. Logs – Visits documented					
	Not in Compliance?	Education	Health	Social Service	Dental	Dietician N/A? X
	Contracts					
	Logs					
Do they take children swimming?N		SWIMMING				
X	28. Non-swimmers identified					
X	29. Staff/Child Ratios					
X	30. CPR certified staff (20 years of age)					
X	31. Lifeguard certified - supervision					
RECORD KEEPING 19a-79-5a						
X	32. Enrollment information					
X	33. Emergency medical permission					
X	34. Authorized release permission					
X	35. Field trip permission					
X	36. Transportation permission					

<input type="radio"/>	37. Child health records and immunizations	Failed to maintain a health record for 1 child in care	
<input checked="" type="checkbox"/>	38. Individual care plan (signed by parents and staff)		
<input checked="" type="checkbox"/>	39. Injury, Illness, Accident reports		
HEALTH AND SAFETY 19a-79-6a			
<input type="radio"/>	40. Nutritious snacks and meals (required food groups)	Failed to provide nutritionally adequate snacks when Staff served snack consisting of 1 food group.	
<input checked="" type="checkbox"/>	41. Proper refrigeration (max 45°)		
<input checked="" type="checkbox"/>	42. Kitchen separated	N/A?	
<input type="radio"/>	43. Hand washing – before eating or food handling	Failed to ensure staff and children wash their hands before eating or handling food with soap and water	
<input checked="" type="checkbox"/>	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory		
PHYSICAL PLANT 19a-79-7a			
<input checked="" type="checkbox"/>	45. License premises – clean, good repair, hazard free		
<input checked="" type="checkbox"/>	47b. Plans for new construction, expansion, renovation or conversion		
<input checked="" type="checkbox"/>	48. Sanitary drinking fountains – disposable cups		
<input checked="" type="checkbox"/>	49. Lead Water Test (N/A?) 11/22/2023	Bacterial/Chemical Test (N/A?)	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	50. Walkways maintained		
<input checked="" type="checkbox"/>	51. Designated staff toilet/sink		
	52. All openings for ventilation screened		
<input checked="" type="checkbox"/>	53. Windows protected to prevent falls		
	54. Glass protected up to 36"		
<input checked="" type="checkbox"/>	55. Overhead doors – locking devices, spring protectors		
<input checked="" type="checkbox"/>	56. Exits, Hallways and Stairs unobstructed		

	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
O	76. Potentially hazardous substances locked	Failed to ensure that potentially hazardous substances are stored in a locked area on second floor. Observed Rustoleum, window spray, cleaning sprays in an unlocked closet in licensed space.
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails	
X	79. Pets – maintained, care plan	Y/N N
X	80. Operable CO detector on each level	N/A? Y
X	81. Program space-adequate square footage per child	
O	82. Equipment clean, good repair, safe, non-toxic	Failed to ensure that equipment is free from rust, when the radiator in the Childrens bathroom observed to have rust across the baseboard.
	83. Cots stored, maintained, adequate number	
X	84. Developmentally appropriate equipment	
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
X	86. No weapons, no facsimile of a firearm on premises	
OUTDOOR SPACE		
X	87. Outdoor space - adequate square footage per child	
X	88. Impact absorbing material under equipment	
X	89. Playground free from hazards	
X	92. Equipment anchored, safely arranged	
X	93. Outdoor play area protected, fenced	
X	94. Drinking water available, accessible	
EDUCATIONAL REQUIREMENTS 19a-79-8a		
X	95. Written plan for daily program available to parents/staff	
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
ADMINISTRATION OF MEDICATIONS 19a-79-9a		
X	97. Written policies, procedures	
X	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS						
X	99. Administration, parent permission, MAR					
X	100. Labeling, storage	Failed to maintain proper labeling of medication when an Auvi-Q auto-injector was observed without a prescription label, not labeled.				
ORAL/TOPICAL/INHALENT MEDICATIONS						
X	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">O/T/I</td> <td style="width: 90%; text-align: center;">Injectable</td> </tr> <tr> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
X	102. Authorized prescriber, parent permission, MAR					
O	103. Labeling, storage	Failed to maintain proper labeling of medication when an Auvi- Q auto injector observed on site, without a prescription label, not identified with child's name.				
X	104. Unused, expired meds returned/disposed					
SELF-ADMINISTRATION						
X	105. Authorized prescriber, parent permission, MAR					
X	106. Labeling, storage					
X	107. Approved petition for special medication authorization					
No	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10				
	109. Approved endorsement					
	110. Ratio: 1 staff to 4 children					
	111. Group size: no larger than 8					
	112. Physical barriers, groups of 8 (indoors and outdoors)					
	113. Adequate sinks in program space					
	114. Free standing, well-constructed, safe cribs					
	115. Washable cots					
	116. Chairs for feeding, stable, safety straps, locking tray					
	117. Developmentally appropriate tables, chairs, equipment					
	118. Refrigerators and food prop facilities					

119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
120. Diaper area- washed, disinfected			
121. Diaper area- disposable paper sheets			
122. Covered waste receptacle			
123. Diaper changing policy posted, followed			
124. Hand washing policy posted, followed			
125. Individual storage of personal items			
126. Cribs/cots washed and disinfected			
127. Under 12 months- placed on back for sleeping			
128. Alternate sleep position- equipment, medical documentation	Yes	No	
129. Crib, bed used for infant sleeping			
130. Crib, bed free from observable hazards			
131. Infant toys separate, washed, disinfected daily			
132. No toys, objects less than 1/1/4" diameter			
133. Plastic bags, balloons, Styrofoam objects inaccessible			
134. Health consultant, doc. of visits			
135. Infants held for bottles, indiv. attention, tummy time			
136. Written statement, feeding schedule from parent			
137. Unused portions of liquids discarded			
138. Clean Bottles, disp. bottles, approved bottle washing			
139. Food served from dish or whole jar served			
140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

	141. Play space fenced	
	142. Outdoor equipment developmentally appropriate	
Yes	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
X	143. Approved endorsement	
X	144. Activity choices appropriate	
X	145. Ratio – 1 staff to 10 children	
X	146. Group size – maximum 20 children	
X	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

