



DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oe.licensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	PHYLLIS BODEL CHILDCARE CTR AT YALE SCH OF MEDICINE SOUTH				License Number	DCCC.70190	Date of Inspection	12/15/2023		
					Expiration Date	8/31/2026	Time of Inspection	09:05 AM		
Address	100 CHURCH ST S NEW HAVEN CT 06519-1703				Telephone	(203) 737-1436	Licensed Capacity	62		
					Hours of Operation	7:30AM-5:30PM MONDAY-FRIDAY	Infant/Toddler Capacity	40		
Is this a Change of Address?	Yes?		No?	X			Summer Care	Open		
New Address					Minimum Age Served	6 weeks	Maximum Age Served	12 years	Water Supply	Public Water
					Program's Email	kyle.miller@yale.edu				
Operator	PHYLLIS BODEL CHILDCARE CTR YALE SCHOOL OF MEDICINE				Name of Inspector	Bridget Merrill				
Director	KYLE S MILLER				Inspector's Email	bridget.merrill@ct.gov				
Key:	Compliant = X	# of Infants - Toddlers Present	22	# of Total Children Present	37	# of Staff Present	16	Type of Inspection	UNANNOUNCED INSPECTION - FULL	
Non-Compliant = O										

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 05/19/2022	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	
ITEMS POSTED – ACCESSIBLE		
X	8. License	
X	9. Fire Marshal certificate	
	Date	01/09/2023
X	10. OEC Complaint procedure	
	11. Food Service Certificate	N/A?
	Date	X
X	12. Menus	
X	13. Emergency plans	
X	14. No Smoking Signs	
X	15. Radon Test	N/A?
	Date	Results
	01/12/20	.5
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. Endorsements	
STAFFING 19a-79-4a		
X	15c. Staffing	
○	16. Staff Health records – TB tests	Failed to maintain TB test with results for 1 staff
○	17. Professional development	Failed to document new employee orientation for 3 staff & failed to document annual policy and procedure training for all staff.
X	18. Disciplinary actions	
X	18b. Background checks	

X	19. Designated Head Teacher	
X	20. Two Staff present	
X	20a. Staff Qualities	
X	21. Ratio: 1 staff to 10 children	
X	21b. Supervision	
X	22. Group Size – maximum 20 children	
X	23. Designated director - Training	
X	24. CPR Certified Staff (Group Home N/A)	
X	25. First Aid Trained Staff	
X	26. Consultants- Agreements and Contracts	
X	27. Logs – Visits documented	
	Not in Compliance?	Education
	Contracts	Health
	Logs	Social Service
		Dental
		Dietician N/A? X
Do they take children swimming? N SWIMMING		
X	28. Non-swimmers identified	
X	29. Staff/Child Ratios	
X	30. CPR certified staff (20 years of age)	
X	31. Lifeguard certified - supervision	
RECORD KEEPING 19a-79-5a		
O	32. Enrollment information	Failed to maintain enrollment information for 1 child.
X	33. Emergency medical permission	
X	34. Authorized release permission	
X	35. Field trip permission	
X	36. Transportation permission	

X	37. Child health records and immunizations	
O	38. Individual care plan (signed by parents and staff)	Failed to maintain complete individual care plans for 1 child. The individual care plan was missing parent(s) signature(s).
X	39. Injury, Illness, Accident reports	
HEALTH AND SAFETY 19a-79-6a		
X	40. Nutritious snacks and meals (required food groups)	
X	41. Proper refrigeration (max 45°)	
X	42. Kitchen separated	N/A?
X	43. Hand washing – before eating or food handling	
X	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory	
PHYSICAL PLANT 19a-79-7a		
O	45. License premises – clean, good repair, hazard free	Failed to maintain the building, equipment and services when torn padding was observed on 2 of 3 high chairs in Ladybugs.
X	47b. Plans for new construction, expansion, renovation or conversion	
X	48. Sanitary drinking fountains – disposable cups	
X	49. Lead Water Test (N/A?) 11/14/2022	Bacterial/Chemical Test (N/A?) X
X	50. Walkways maintained	
X	51. Designated staff toilet/sink	
X	52. All openings for ventilation screened	
X	53. Windows protected to prevent falls	
X	54. Glass protected up to 36"	
X	55. Overhead doors – locking devices, spring protectors	
X	56. Exits, Hallways and Stairs unobstructed	

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
O	67. Water temperature 60° – 115°	Failed to ensure that water temperature is between 60-115 degrees. Hot water temperature at Ladybugs hand wash sink is 118.4* and 115.7* at hand wash sink in Caterpillars.
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
X	76. Potentially hazardous substances locked	
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails		
X	79. Pets – maintained, care plan	Y/N N	
O	80. Operable CO detector on each level	N/A? Y	Failed to maintain documentation of at least 1 operable carbon monoxide detector on each occupied level.
X	81. Program space-adequate square footage per child		
X	82. Equipment clean, good repair, safe, non-toxic		Observed torn padding on 2 of 3 high chairs in Ladybugs.. Failed to ensure that equipment is sturdy and safely constructed.
X	83. Cots stored, maintained, adequate number		
X	84. Developmentally appropriate equipment		
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N	
X	86. No weapons, no facsimile of a firearm on premises		
OUTDOOR SPACE			
X	87. Outdoor space - adequate square footage per child		
X	88. Impact absorbing material under equipment		
X	89. Playground free from hazards		
X	92. Equipment anchored, safely arranged		
X	93. Outdoor play area protected, fenced		
X	94. Drinking water available, accessible		
EDUCATIONAL REQUIREMENTS 19a-79-8a			
X	95. Written plan for daily program available to parents/staff		
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up	
ADMINISTRATION OF MEDICATIONS 19a-79-9a			
X	97. Written policies, procedures		
X	98. Training outline on file		

NONPRESCRIPTION TOPICAL MEDICATIONS		
O	99. Administration, parent permission, MAR	Failed to maintain written parent permission for 1 diaper cream for 1 child in Dragonflies.
X	100. Labeling, storage	

ORAL/TOPICAL/INHALENT MEDICATIONS						
X	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; padding: 2px;">O/T/I</td> <td style="padding: 2px;">Injectable</td> </tr> <tr> <td style="text-align: center; padding: 2px;">Y</td> <td style="text-align: center; padding: 2px;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
X	102. Authorized prescriber, parent permission, MAR					
X	103. Labeling, storage					
X	104. Unused, expired meds returned/disposed					

SELF-ADMINISTRATION		
X	105. Authorized prescriber, parent permission, MAR	
X	106. Labeling, storage	
X	107. Approved petition for special medication authorization	

		INFANT/TODDLER ENDORSEMENT 19a-79-10
Yes	Is there an approved endorsement?	
X	109. Approved endorsement	
X	110. Ratio: 1 staff to 4 children	
X	111. Group size: no larger than 8	
X	112. Physical barriers, groups of 8 (indoors and outdoors)	
X	113. Adequate sinks in program space	
X	114. Free standing, well-constructed, safe cribs	
X	115. Washable cots	
X	116. Chairs for feeding, stable, safety straps, locking tray	
X	117. Developmentally appropriate tables, chairs, equipment	
X	118. Refrigerators and food prep facilities	

X	119. Diaper area- sturdy, safety rail, nonporous, exclusive use					
X	120. Diaper area- washed, disinfected					
X	121. Diaper area- disposable paper sheets					
X	122. Covered waste receptacle					
X	123. Diaper changing policy posted, followed					
X	124. Hand washing policy posted, followed					
X	125. Individual storage of personal items					
X	126. Cribs/cots washed and disinfected					
X	127. Under 12 months- placed on back for sleeping					
X	128. Alternate sleep position- equipment, medical documentation	<table border="1"> <tr> <td>Yes</td> <td>No</td> </tr> <tr> <td></td> <td>X</td> </tr> </table>	Yes	No		X
Yes	No					
	X					
X	129. Crib, bed used for infant sleeping					
X	130. Crib, bed free from observable hazards					
X	131. Infant toys separate, washed, disinfected daily					
O	132. No toys, objects less than 1/1/4" diameter	Failed to ensure that shock absorbing materials don't present a choking hazard to children. Observed wood chips less than 1.25in accessible to children under age 3 on the playground without a supervision plan.				
X	133. Plastic bags, balloons, Styrofoam objects inaccessible					
X	134. Health consultant, doc. of visits					
X	135. Infants held for bottles, indiv. attention, tummy time					
X	136. Written statement, feeding schedule from parent					
X	137. Unused portions of liquids discarded					
X	138. Clean Bottles, disp. bottles, approved bottle washing					
X	139. Food served from dish or whole jar served					
X	140. Bottles individually identified with child's name					

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
Yes	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
X	143. Approved endorsement	
X	144. Activity choices appropriate	
X	145. Ratio – 1 staff to 10 children	
X	146. Group size – maximum 20 children	
X	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS




	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	

YES or NO? Yes	WERE VIOLATIONS CITED DURING THIS VISIT?
--------------------------	---

DISCUSSIONS:

COMMENTS:

NOTE: Items left blank on this form were not monitored during this visit.
 Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.
APPLICANTS: You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
Bridget Merrill (Printed Name)	 (Printed Name)	12/29/2023	Audrey A Creely (Printed Name)