



DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oc.licensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	BEEHIVE CHILDRENS CENTER NM				License Number	DCCC.16870		Date of Inspection	12/22/2023	
					Expiration Date	6/30/2027		Time of Inspection	09:15 AM	
Address	278 DANBURY RD NEW MILFORD CT 06776-4300				Telephone	(860) 355-8534		Licensed Capacity	124	
					Hours of Operation	M-F 6:30AM - 6:30PM		Infant/Toddler Capacity	45	
Is this a Change of Address?	Yes?		No?	X				Summer Care	Open	
New Address					Minimum Age Served	6 weeks	Maximum Age Served	11 years	Water Supply	Public Water
					Program's Email	admin@beehivechildrenscenter.com				
Operator	BEEHIVE CHILDRENS CENTER LM LLC				Name of Inspector	Jaime Fortin				
Director	Allison B Cacace				Inspector's Email	jaime.fortin@ct.gov				
Key: Compliant = X Non-Compliant = O	# of Infants - Toddlers Present	23	# of Total Children Present	44	# of Staff Present	10	Type of Inspection	UNANNOUNCED INSPECTION - FULL		

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 09/20/2023	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	
ITEMS POSTED – ACCESSIBLE		
X	8. License	
X	9. Fire Marshal certificate	
	Date	11/27/2023
X	10. OEC Complaint procedure	
	11. Food Service Certificate	<u>N/A?</u>
	Date	X
X	12. Menus	
X	13. Emergency plans	
X	14. No Smoking Signs	
X	15. Radon Test	<u>N/A?</u>
	Date	Results
	04/19/20	
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. Endorsements	
STAFFING 19a-79-4a		
X	15c. Staffing	
X	16. Staff Health records – TB tests	
X	17. Professional development	
X	18. Disciplinary actions	
O	18b. Background checks	Failed to ensure staff have completed background checks when inspector observed a staff working in classrooms without completed background check

X	19. Designated Head Teacher					
X	20. Two Staff present					
X	20a. Staff Qualities					
X	21. Ratio: 1 staff to 10 children					
X	21b. Supervision					
X	22. Group Size – maximum 20 children					
X	23. Designated director - Training					
X	24. CPR Certified Staff (Group Home N/A)					
X	25. First Aid Trained Staff					
X	26. Consultants- Agreements and Contracts					
X	27. Logs – Visits documented					
	Not in Compliance?	Education	Health	Social Service	Dental	Dietician N/A? X
	Contracts					
	Logs					
	Do they take children swimming?	N SWIMMING				
X	28. Non-swimmers identified					
X	29. Staff/Child Ratios					
X	30. CPR certified staff (20 years of age)					
X	31. Lifeguard certified - supervision					
RECORD KEEPING 19a-79-5a						
X	32. Enrollment information					
X	33. Emergency medical permission					
X	34. Authorized release permission					
X	35. Field trip permission					
X	36. Transportation permission					

<input type="radio"/>	37. Child health records and immunizations	Failed to maintain complete health records for 1 child. Physical not on site	
<input type="radio"/>	38. Individual care plan (signed by parents and staff)	For 1 child with emergency medication	
<input checked="" type="checkbox"/>	39. Injury, Illness, Accident reports		
HEALTH AND SAFETY 19a-79-6a			
<input checked="" type="checkbox"/>	40. Nutritious snacks and meals (required food groups)		
<input checked="" type="checkbox"/>	41. Proper refrigeration (max 45°)		
<input checked="" type="checkbox"/>	42. Kitchen separated	N/A?	
<input checked="" type="checkbox"/>	43. Hand washing – before eating or food handling		
<input checked="" type="checkbox"/>	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory		
PHYSICAL PLANT 19a-79-7a			
<input checked="" type="checkbox"/>	45. License premises – clean, good repair, hazard free		
<input checked="" type="checkbox"/>	47b. Plans for new construction, expansion, renovation or conversion		
<input checked="" type="checkbox"/>	48. Sanitary drinking fountains – disposable cups		
<input checked="" type="checkbox"/>	49. Lead Water Test (N/A?) 01/25/2023	Bacterial/Chemical Test (N/A?)	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	50. Walkways maintained		
<input checked="" type="checkbox"/>	51. Designated staff toilet/sink		
<input checked="" type="checkbox"/>	52. All openings for ventilation screened		
<input checked="" type="checkbox"/>	53. Windows protected to prevent falls		
<input checked="" type="checkbox"/>	54. Glass protected up to 36"		
<input checked="" type="checkbox"/>	55. Overhead doors – locking devices, spring protectors		
<input checked="" type="checkbox"/>	56. Exits, Hallways and Stairs unobstructed		

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
O	69. Walls, ceilings, floors and rugs – clean, good repair	Failed to maintain walls, ceilings, floors and rugs in a good state of repair- Gross motor space stage has a hole in the wall- not good repair. Floor not clean in 3's room and wall not clean near garbage can
O	70. Rugs secure	Failed to ensure that rugs are secured to the floor in rooms toddler B, school age, preschool 3 and 4
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
X	76. Potentially hazardous substances locked	
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails	
X	79. Pets – maintained, care plan	Y/N N
X	80. Operable CO detector on each level	N/A? Y
X	81. Program space-adequate square footage per child	
O	82. Equipment clean, good repair, safe, non-toxic	Failed to ensure that equipment is clean and safe for children- 3 torn chairs; blue rug not clean in 3's room, Brown rug in prek 4 not clean
X	83. Cots stored, maintained, adequate number	
X	84. Developmentally appropriate equipment	
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
X	86. No weapons, no facsimile of a firearm on premises	
OUTDOOR SPACE		
X	87. Outdoor space - adequate square footage per child	
X	88. Impact absorbing material under equipment	
X	89. Playground free from hazards	
X	92. Equipment anchored, safely arranged	
X	93. Outdoor play area protected, fenced	
X	94. Drinking water available, accessible	
EDUCATIONAL REQUIREMENTS 19a-79-8a		
X	95. Written plan for daily program available to parents/staff	
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
ADMINISTRATION OF MEDICATIONS 19a-79-9a		
X	97. Written policies, procedures	
X	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS						
X	99. Administration, parent permission, MAR					
X	100. Labeling, storage	Failed to maintain proper storage of medication- Per staff parent brings in emergency Medication when needed, not left at program.				
ORAL/TOPICAL/INHALENT MEDICATIONS						
X	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center;">O/T/I</td> <td style="width: 50%; text-align: center;">Injectable</td> </tr> <tr> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
	O/T/I	Injectable				
Y	Y					
X	102. Authorized prescriber, parent permission, MAR					
○	103. Labeling, storage	Failed to maintain proper storage of medication when child with emergency medication does not have emergency medication on site daily per staff				
X	104. Unused, expired meds returned/disposed					
SELF-ADMINISTRATION						
X	105. Authorized prescriber, parent permission, MAR					
X	106. Labeling, storage					
X	107. Approved petition for special medication authorization					
Yes	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10				
X	109. Approved endorsement					
X	110. Ratio: 1 staff to 4 children					
X	111. Group size: no larger than 8					
X	112. Physical barriers, groups of 8 (indoors and outdoors)					
X	113. Adequate sinks in program space					
X	114. Free standing, well-constructed, safe cribs					
X	115. Washable cots					
X	116. Chairs for feeding, stable, safety straps, locking tray					
X	117. Developmentally appropriate tables, chairs, equipment					
X	118. Refrigerators and food prop facilities					

X	119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
X	120. Diaper area- washed, disinfected			
X	121. Diaper area- disposable paper sheets			
X	122. Covered waste receptacle			
X	123. Diaper changing policy posted, followed			
X	124. Hand washing policy posted, followed			
X	125. Individual storage of personal items			
X	126. Cribs/cots washed and disinfected			
X	127. Under 12 months- placed on back for sleeping			
X	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			X	
X	129. Crib, bed used for infant sleeping			
X	130. Crib, bed free from observable hazards			
X	131. Infant toys separate, washed, disinfected daily			
X	132. No toys, objects less than 1/1/4" diameter			
X	133. Plastic bags, balloons, Styrofoam objects inaccessible			
X	134. Health consultant, doc. of visits			
X	135. Infants held for bottles, indiv. attention, tummy time			
X	136. Written statement, feeding schedule from parent			
X	137. Unused portions of liquids discarded			
X	138. Clean Bottles, disp. bottles, approved bottle washing			
X	139. Food served from dish or whole jar served			
X	140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
Yes	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
X	143. Approved endorsement	
X	144. Activity choices appropriate	
X	145. Ratio – 1 staff to 10 children	
X	146. Group size – maximum 20 children	
X	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	

YES or NO?
Yes




WERE VIOLATIONS CITED DURING THIS VISIT?

DISCUSSIONS:

Gross motor space not used daily and below 68 degrees-program states when in use they put heat on in morning to reach 68.

COMMENTS:

NOTE: Items left blank on this form were not monitored during this visit.
Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.
APPLICANTS: You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
Jaime Fortin (Printed Name)	Jaime Fortin (Printed Name)	01/05/2024	Allison B Cacace (Printed Name)