



Connecticut Office of  
Early Childhood

## DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103  
Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552  
Email: [oeclicensing@ct.gov](mailto:oeclicensing@ct.gov) Website: [www.ctoec.org](http://www.ctoec.org)

### CHILD CARE CENTER/GROUP CHILD CARE HOME FOLLOW UP/PARTIAL INSPECTION

Program Name	KINDERCARE LEARNING CENTER #301810				License Number	DCCC.16193	Date of Inspection	12/27/2023
					Expiration Date	12/31/2025	Time of Inspection	09:24 AM
Address	110 MILES DRIVE  WALLINGFORD CT 06492				Telephone	(203) 269-7730	Total Capacity	144
					Days and Hours	FROM: M-F 6:30AM-6:30PM; PM	Under Three Capacity	64
#Children Present	60	# Under 3 Present	35	# Staff Present	15	Summer Care	Open	
Purpose of Inspection	Follow up to full inspection dated 10/19/2023				Name of Inspector	Jenn Schulz		
Program's Email	301810@klcorp.com				Inspector's Email	jennifer.schulz@ct.gov		

### Violations

Statute and/or Regulation	Description	Comments
[19a-79-2a(d)(2)(B)]	001a-False/Misleading Statements	Program knowingly furnished or made false or misleading statement(s) when the Director submitted a licensing corrective action plan to the agency signed and dated 11/20/23 indicating their educational consultant has agreed and signed off on the interim head teacher plan, with the exact date corrected listed as
[19a-79-3a(e)(6)]	013-Emergency Plans	Failed to post the Fire emergency plans in a conspicuous location.
[19a-79-4a(c)(1), 19a-79-11(f)&/or19a-79-12(b)(1)]	019-Designated Head Teacher/60%	Failed to maintain an approved head teacher on site for 60% of the operating hours. Failed to submit an Interim Head teacher plan to the agency.
[19a-79-6a and/or 19a-79-7a]	045-License Premise Clean/Good Repair/Safe	Failed to maintain the building, equipment and services in state of good repair: observed soiled toy shelving throughout classrooms to have accumulated dust, dried paint, glitter, and cobwebs. Observed changing tables throughout under 3 classrooms to have accumulated dust and debris in corners and
[19a-79-7a(e)(1) &/or 19a-79-12(b)(8)]	066-Air Temp 65 degrees, Thermometer Affixed	Failed to ensure that every area used by children has a thermometer affixed to the wall in infants 1, Todd's B classrooms and failed to ensure one thermometer was in working order, in Toddler D room.
[19a-79-7a(e)(5)]	069-Walls/Ceilings/Floors/Rugs: Clean/Good Repair	Failed to maintain walls, ceilings, floors and rugs in a good state of repair when walls throughout the program space were observed to have sticky residue in classrooms and hallways. Observed painted walls in Todd D, multiage 2, multiage 1 and toddler E and F and hallway to have areas of paint peeled,
[19a-79-7a(e)(5)]	070-Rugs Secured	Failed to ensure that rugs are secured to the floor multiage 2 and multiage 1.
[19a-79-7a(e)(10)]	076-Potentially Hazardous Substances Locked	Failed to ensure that potentially hazardous substances are stored in a locked area when cabinet in the children's bathroom of Multiage 1 was observed to be unlocked with disinfectant/sanitizer, multi-surface cleaner and sanitizer bottles stored in cabinet. Cabinet located directly over the children's toilet.

[19a-79-7a(e)(11)]	077-Garbage/Rubbish Disposed Daily	Failed to ensure garbage and rubbish is moved to an exterior waste area daily when overflowing garbage cans were observed on two playgrounds.
[19a-79-7a(g)]	082-Equipment Clean/Good Repair/Safe/Non-toxic	Failed to ensure that equipment is free from protruding nails, rust, toxic material and other hazards when the climber on the over 3 playground was observed to have rusting stairs, platforms to have surface material peeling off revealing rusting metal with sharp edges accessible.
[19a-79-7a(g)(4) and/or 19a-79-7a(h)]	089-Playground Free From Hazards	Failed to ensure the playground is free of debris, when used tissues, paper towels, Gatorade bottle, wrappers and other trash were observed through playground space on over 3 playground and under 3 playground with climber.
[19a-79-10(d)(1)]	113-Adequate Sinks in Program Space	Failed to designate sinks for diaper changing and hand washing of staff and children. Observed the only sink in Toddler F room to have scarves stored in the sink basin.
[19a-79-10(h)(2)]	133-Plastic Bags/Balloons/Styrofoam Objects Inaccessible	Failed to ensure plastic bags, balloons and styrofoam objects are not accessible to children when a roll of plastic bags was observed on the changing table, next to the paper and gloves in Toddler E.
[19a-79-10(k)(1)]	136-Written Statement/Feeding Schedule from Parent	Failed to maintain a written statement specifying the feeding schedule for infants indicating the serving of breast milk and/or formula.

### Other Findings - In Compliance

Statute and/or Regulation	Description	Comments
[19a-79-3a(e)(9)]	015-Radon Test	
[19-79-6a(a)(6) and/or 19a-79-7a(d)(4)]	052-All Openings for Ventilation Screened	
[19a-79-7a(d)(11)]	062-Required Toilets/Sinks/Supplies	
[19a-79-10(c)(2) and/or 19a-79-4a(c)(6)]	110-Under Three Endorsement: Ratio: 1 Staff to 4 Children	

[19a-79-10(c)(3)]	111-Under Three Endorsement: Group Size no Larger than 8	
[19a-79-10(e)(4)]	120-Washed/Disinfected	
[19a-79-10(e)(5)]	121-Disposable Paper Sheets	




**YES/NO: Yes**      **WERE VIOLATIONS CITED DURING THIS VISIT?**

**Discussions:**

Observed staff to be cleaning sinks and vacuuming multiage 2 after we completed the initial walk through.

**Comments:**

**NOTE:** Items left blank on this form were not monitored during this visit.  
Only the regulations marked as compliant or non-compliant were monitored or discussed.  
**APPLICANTS:** You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
Jenn Schulz (Printed Name)	Patricia Tyburski (Printed Name)	01/10/2024	Lindsay Schmidt (Printed Name)