



DIVISION OF LICENSING
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oc.licensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	GRACE DAYCARE & LEARNING CENTER				License Number	DCCC.70592	Date of Inspection	01/25/2024		
					Expiration Date	12/31/2024	Time of Inspection	11:47 AM		
Address	2 SAINT ROCH AVE				Telephone	(203) 517-9547	Licensed Capacity	76		
	GREENWICH CT 06830-6234				Hours of Operation	MONDAY-FRIDAY 8:00AM-5:00PM	Infant/Toddler Capacity	59		
Is this a Change of Address?	Yes?		No?	X			Summer Care	Open		
New Address					Minimum Age Served	3 months	Maximum Age Served	5 years	Water Supply	Public Water
					Program's Email	Fritz@gracedaycares.com				
Operator	GRACE DAYCARE & LEARNING CENTER GREENWICH LLC				Name of Inspector	Cathy Anderson				
Director	FRITZ CHERY				Inspector's Email	catherine.anderson@ct.gov				
Key: Compliant = X Non-Compliant = O	# of Infants - Toddlers Present	24	# of Total Children Present	34	# of Staff Present	14	Type of Inspection	UNANNOUNCED INSPECTION - FULL		

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 10/01/2023	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	
ITEMS POSTED – ACCESSIBLE		
X	8. License	
X	9. Fire Marshal certificate	
	Date	12/31/2023
X	10. OEC Complaint procedure	
O	11. Food Service Certificate	<u>N/A?</u>
	Date	12/31/2022
		Failed to post current Food Service Certificate in a conspicuous location. The license that is posted expired on 12/31/2023. Please send OEC a copy of current license.
X	12. Menus	
X	13. Emergency plans	
X	14. No Smoking Signs	
X	15. Radon Test	<u>N/A?</u>
	Date	Results
	11/30/20	1.1
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. Endorsements	
STAFFING 19a-79-4a		
X	15c. Staffing	
X	16. Staff Health records – TB tests	
X	17. Professional development	
X	18. Disciplinary actions	
X	18b. Background checks	

<input checked="" type="checkbox"/>	19. Designated Head Teacher																					
<input checked="" type="checkbox"/>	20. Two Staff present																					
<input checked="" type="checkbox"/>	20a. Staff Qualities																					
<input checked="" type="checkbox"/>	21. Ratio: 1 staff to 10 children																					
<input checked="" type="checkbox"/>	21b. Supervision																					
<input checked="" type="checkbox"/>	22. Group Size – maximum 20 children																					
<input checked="" type="checkbox"/>	23. Designated director - Training																					
<input checked="" type="checkbox"/>	24. CPR Certified Staff (Group Home N/A)																					
<input checked="" type="checkbox"/>	25. First Aid Trained Staff																					
<input type="radio"/>	26. Consultants-Agreements and Contracts	Failed to maintain current consultant agreements for dental consultant.																				
<input checked="" type="checkbox"/>	27. Logs – Visits documented																					
	Not in Compliance?	<table border="1"> <thead> <tr> <th>Education</th> <th>Health</th> <th>Social Service</th> <th>Dental</th> <th>Dietician N/A?</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td><input type="radio"/></td> <td></td> </tr> <tr> <td>Contracts</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Logs</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Education	Health	Social Service	Dental	Dietician N/A?				<input type="radio"/>		Contracts					Logs				
Education	Health	Social Service	Dental	Dietician N/A?																		
			<input type="radio"/>																			
Contracts																						
Logs																						
	Do they take children swimming?	N SWIMMING																				
<input checked="" type="checkbox"/>	28. Non-swimmers identified																					
<input checked="" type="checkbox"/>	29. Staff/Child Ratios																					
<input checked="" type="checkbox"/>	30. CPR certified staff (20 years of age)																					
<input checked="" type="checkbox"/>	31. Lifeguard certified - supervision																					
RECORD KEEPING 19a-79-5a																						
<input checked="" type="checkbox"/>	32. Enrollment information																					
<input checked="" type="checkbox"/>	33. Emergency medical permission																					
<input checked="" type="checkbox"/>	34. Authorized release permission																					
<input checked="" type="checkbox"/>	35. Field trip permission																					
<input checked="" type="checkbox"/>	36. Transportation permission																					

<input type="radio"/>	37. Child health records and immunizations	Failed to maintain complete health records for children for 1 out of 10 health records missing exam date, chronic illness section is blank and 1 out of 10 missing child can participate.	
<input checked="" type="checkbox"/>	38. Individual care plan (signed by parents and staff)		
<input checked="" type="checkbox"/>	39. Injury, Illness, Accident reports		
HEALTH AND SAFETY 19a-79-6a			
<input checked="" type="checkbox"/>	40. Nutritious snacks and meals (required food groups)		
<input checked="" type="checkbox"/>	41. Proper refrigeration (max 45°)		
<input checked="" type="checkbox"/>	42. Kitchen separated	N/A?	
<input checked="" type="checkbox"/>	43. Hand washing – before eating or food handling		
<input checked="" type="checkbox"/>	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory		
PHYSICAL PLANT 19a-79-7a			
<input type="radio"/>	45. License premises – clean, good repair, hazard free	Failed to maintain the building, equipment and services Room 4-microwave open button is broke and staff need to open it with a crayon. Infant room-microwave has rust areas. Room 1-desk cords at childs level not secured, red cord by radiator poses a tripping hazards and 1 cubby not	
<input checked="" type="checkbox"/>	47b. Plans for new construction, expansion, renovation or conversion		
<input checked="" type="checkbox"/>	48. Sanitary drinking fountains – disposable cups		
<input checked="" type="checkbox"/>	49. Lead Water Test (N/A?) 12/12/2022	Bacterial/Chemical Test (N/A?)	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	50. Walkways maintained		
<input checked="" type="checkbox"/>	51. Designated staff toilet/sink		
<input checked="" type="checkbox"/>	52. All openings for ventilation screened		
<input checked="" type="checkbox"/>	53. Windows protected to prevent falls		
<input checked="" type="checkbox"/>	54. Glass protected up to 36"		
<input checked="" type="checkbox"/>	55. Overhead doors – locking devices, spring protectors		
<input checked="" type="checkbox"/>	56. Exits, Hallways and Stairs unobstructed		

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
X	76. Potentially hazardous substances locked	
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails	
X	79. Pets – maintained, care plan	Y/N N
X	80. Operable CO detector on each level	N/A? Y
X	81. Program space-adequate square footage per child	
X	82. Equipment clean, good repair, safe, non-toxic	
X	83. Cots stored, maintained, adequate number	
X	84. Developmentally appropriate equipment	
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
X	86. No weapons, no facsimile of a firearm on premises	
OUTDOOR SPACE		
X	87. Outdoor space - adequate square footage per child	
X	88. Impact absorbing material under equipment	
O	89. Playground free from hazards	Failed to ensure the playground is free of glass, debris, holes and other hazards when top of climber has wood that is splitting and soft, playground equipment and fence is covered in moss, bikes has rust and 1 bench has a protruding a nail.
X	92. Equipment anchored, safely arranged	
O	93. Outdoor play area protected, fenced	Failed to ensure that the fence protects children when the fence is broke and leaves a 6 feet by 6 feet gap and in corner the bottom barrier is broke on fence and leaves a 12 inch gap.
X	94. Drinking water available, accessible	
EDUCATIONAL REQUIREMENTS 19a-79-8a		
X	95. Written plan for daily program available to parents/staff	
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
ADMINISTRATION OF MEDICATIONS 19a-79-9a		
X	97. Written policies, procedures	
X	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS						
X	99. Administration, parent permission, MAR					
X	100. Labeling, storage					
ORAL/TOPICAL/INHALENT MEDICATIONS						
X	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">O/T/I</td> <td style="width: 90%; text-align: center;">Injectable</td> </tr> <tr> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
O	102. Authorized prescriber, parent permission, MAR	Failed to maintain written order from prescriber for 2 medications. Failed to maintain current written orders for 2 medications on site.				
O	103. Labeling, storage	Failed to maintain proper storage of medication for Nystatin. The nystatin was stored under open changing table.				
X	104. Unused, expired meds returned/disposed					
SELF-ADMINISTRATION						
X	105. Authorized prescriber, parent permission, MAR					
X	106. Labeling, storage					
X	107. Approved petition for special medication authorization					
Yes	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10				
X	109. Approved endorsement					
X	110. Ratio: 1 staff to 4 children					
X	111. Group size: no larger than 8					
O	112. Physical barriers, groups of 8 (indoors and outdoors)	Failed to maintain a physical barrier separating each group of 8 children indoors in the infant room. A crib is used as a barrier which has a gap on bottom.				
X	113. Adequate sinks in program space					
X	114. Free standing, well-constructed, safe cribs					
X	115. Washable cots					
X	116. Chairs for feeding, stable, safety straps, locking tray					
X	117. Developmentally appropriate tables, chairs, equipment					
X	118. Refrigerators and food prep facilities					

X	119. Diaper area- sturdy, safety rail, nonporous, exclusive use					
X	120. Diaper area- washed, disinfected					
X	121. Diaper area- disposable paper sheets					
X	122. Covered waste receptacle					
X	123. Diaper changing policy posted, followed					
X	124. Hand washing policy posted, followed					
X	125. Individual storage of personal items					
X	126. Cribs/cots washed and disinfected					
X	127. Under 12 months- placed on back for sleeping					
X	128. Alternate sleep position- equipment, medical documentation	<table border="1"> <tr> <td>Yes</td> <td>No</td> </tr> <tr> <td></td> <td>X</td> </tr> </table>	Yes	No		X
Yes	No					
	X					
X	129. Crib, bed used for infant sleeping					
X	130. Crib, bed free from observable hazards					
X	131. Infant toys separate, washed, disinfected daily					
X	132. No toys, objects less than 1/1/4" diameter					
O	133. Plastic bags, balloons, Styrofoam objects inaccessible	Failed to ensure styrofoam objects are not accessible to children. Observed styrofoam blocks with children teeth marks on them.				
X	134. Health consultant, doc. of visits					
X	135. Infants held for bottles, indiv. attention, tummy time					
X	136. Written statement, feeding schedule from parent					
X	137. Unused portions of liquids discarded					
X	138. Clean Bottles, disp. bottles, approved bottle washing					
X	139. Food served from dish or whole jar served					
X	140. Bottles individually identified with child's name					

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
No	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
	143. Approved endorsement	
	144. Activity choices appropriate	
	145. Ratio – 1 staff to 10 children	
	146. Group size – maximum 20 children	
	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	




<u>YES or NO?</u> Yes	WERE VIOLATIONS CITED DURING THIS VISIT?
--------------------------	---

DISCUSSIONS:

1 staff missing exam date on health form
 Room 4 has items stored on cots. (Books; book bag and tablet)
 1 diaper cream without an permission form
 Send OEC head teacher plan

COMMENTS:

NOTE: Items left blank on this form were not monitored during this visit.
 Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.
APPLICANTS: You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
Cathy Anderson (Printed Name)	 (Printed Name)	02/08/2024	Angelica Cifuentes (Printed Name)