

CTPharma
280 Dividend Dr.
Rocky Hill, CT 06067

Date Received: 01/24/2024
Report Date: 02/06/2024
NELabs Report ID: 2492490-12

Product ID: BMK090523-1

Microbiology	Results (CFU)	Limits (CFU)	Methods
Total Aerobic Microbial Count	550	100,000	AOAC 990.12
Total Yeast & Mold Count	800	100,000	AOAC 2014.05
<i>Aspergillus (flavus, fumigatus, terreus, niger)</i>	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	FDA BAM
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w ^a)
CBDV	
CBDA	<LOQ
CBGA	3.09
CBG	<LOQ
CBD	
THCV	
CBN	
Δ ⁹ THC	0.57
CBL	
CBC	
THCA	26.73
Total Cannabinoids	30.39%
Total THC: 24.01%	

^a: percentages reported by dry weight

Moisture	Results
Water Content (% w/w)	13.3
Water Activity (Aw)	0.51

Terpenes by GC-MS	Results (% w/w ^a)
α-Pinene	0.04
Camphene	
β-Myrcene	0.14
β-Pinene	0.07
3-Carene	0.01
α-Terpinene	0.01
Limonene	0.07
Ocimene	0.08
p-Cymene	
γ-Terpinene	0.01
Terpinolene	0.25
Linalool	0.01
(-)-Isopulegol	
Geraniol	
β-Caryophyllene	0.19
α-Humulene	0.05
cis-Nerolidol	
trans-Nerolidol	
Guaiol	
α-Bisabolol	
Total Terpenes: 0.93%	

^a: percentages reported by dry weight



CTPharma
280 Dividend Dr.
Rocky Hill, CT 06067

Date Received: 01/24/2024
Report Date: 02/06/2024
NELabs Report ID: 2492490-12

Product ID: BMK090523-1

Pesticides by LC-MS/MS	Results	Limits
Per Sample $\geq$ 0.5g	Not Detected	Below Action Levels
Pass/Fail: PASS		

Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg	Below Detection	Below Action Levels
Pass/Fail: PASS		

Mycotoxins by LC-MS/MS	Results ($\mu\text{g/kg}$)	Limits ($\mu\text{g/kg}$)
Aflatoxins (B1, B2, G1, G2)	<20 each	<20 each
Ochratoxin-A	<20	<20
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 01/24/2024.

Date:	Reviewed by: <i>Michelle Szylobryt</i>	Released by: <i>Zachary Cannone</i>
02/06/24	Michelle Szylobryt, QA / QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).

