



DIVISION OF LICENSING
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: ocelicensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	LITTLE ANGELS WORKSHOP				License Number	DCCC.70609	Date of Inspection	02/07/2024		
		Expiration Date	4/30/2025		Time of Inspection	08:55 AM				
Address	711 NEW BRITAIN AVE HARTFORD CT 06106-4040				Telephone	(860) 436-0486		Licensed Capacity	28	
		Hours of Operation	MONDAY-FRIDAY 7:30AM-5:00PM		Infant/Toddler Capacity	16				
Is this a Change of Address?	Yes?		No?	X	Summer Care	Open				
New Address					Minimum Age Served	6 weeks	Maximum Age Served	5 years	Water Supply	Public Water
					Program's Email	littleangelsworkshop@gmail.com				
Operator	JENESSA BLAKE-WALLACE				Name of Inspector	Johanne Dalo				
Director	JENESSA BLAKE-WALLACE				Inspector's Email	johanne.dalo@ct.gov				
Key: Compliant = X Non-Compliant = O	# of Infants - Toddlers Present	7	# of Total Children Present	10	# of Staff Present	5	Type of Inspection	UNANNOUNCED INSPECTION - FULL		

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 11/21/2023	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
O	3. Annual Staff Policy Training	Failed to maintain documentation of annual staff training on program policies and procedures for 3 staff.
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	
ITEMS POSTED – ACCESSIBLE		
X	8. License	
X	9. Fire Marshal certificate	
	Date	10/18/2023
X	10. OEC Complaint procedure	
	11. Food Service Certificate	N/A?
	Date	X
X	12. Menus	
X	13. Emergency plans	
X	14. No Smoking Signs	
X	15. Radon Test	N/A?
	Date	Results
	04/02/20	0.7p/Ci/L
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. Endorsements	
STAFFING 19a-79-4a		
X	15c. Staffing	
X	16. Staff Health records – TB tests	
O	17. Professional development	Failed to document professional development for at least 1% of total annual hours work for 3 staff.
X	18. Disciplinary actions	
X	18b. Background checks	

<input checked="" type="checkbox"/>	19. Designated Head Teacher																					
<input checked="" type="checkbox"/>	20. Two Staff present																					
<input checked="" type="checkbox"/>	20a. Staff Qualities																					
<input checked="" type="checkbox"/>	21. Ratio: 1 staff to 10 children																					
<input checked="" type="checkbox"/>	21b. Supervision																					
<input checked="" type="checkbox"/>	22. Group Size – maximum 20 children																					
<input type="checkbox"/>	23. Designated director - Training	Failed to ensure director training was conducted within one year of being hired/designated.																				
<input checked="" type="checkbox"/>	24. CPR Certified Staff (Group Home N/A)																					
<input checked="" type="checkbox"/>	25. First Aid Trained Staff																					
<input checked="" type="checkbox"/>	26. Consultants- Agreements and Contracts																					
<input checked="" type="checkbox"/>	27. Logs – Visits documented																					
	Not in Compliance?	<table border="1"> <tr> <td>Education</td> <td>Health</td> <td>Social Service</td> <td>Dental</td> <td>Dietician N/A?</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Contracts</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Logs</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	Education	Health	Social Service	Dental	Dietician N/A?					<input type="checkbox"/>	Contracts					Logs				
Education	Health	Social Service	Dental	Dietician N/A?																		
				<input type="checkbox"/>																		
Contracts																						
Logs																						
	Do they take children swimming?	N SWIMMING																				
<input checked="" type="checkbox"/>	28. Non-swimmers identified																					
<input checked="" type="checkbox"/>	29. Staff/Child Ratios																					
<input checked="" type="checkbox"/>	30. CPR certified staff (20 years of age)																					
<input checked="" type="checkbox"/>	31. Lifeguard certified - supervision																					
RECORD KEEPING 19a-79-5a																						
<input checked="" type="checkbox"/>	32. Enrollment information																					
<input checked="" type="checkbox"/>	33. Emergency medical permission																					
<input type="checkbox"/>	34. Authorized release permission	Failed to maintain complete authorized release permission forms when observed 2 forms on signed by a parent.																				
<input checked="" type="checkbox"/>	35. Field trip permission																					
<input checked="" type="checkbox"/>	36. Transportation permission																					

<input type="radio"/>	37. Child health records and immunizations	Failed to maintain current health records for children for 1 child (last exam 7/28/22) and failed to maintain complete immunization records for children when observed two children without flu shots.	
<input checked="" type="checkbox"/>	38. Individual care plan (signed by parents and staff)		
<input checked="" type="checkbox"/>	39. Injury, Illness, Accident reports		
HEALTH AND SAFETY 19a-79-6a			
<input checked="" type="checkbox"/>	40. Nutritious snacks and meals (required food groups)		
<input checked="" type="checkbox"/>	41. Proper refrigeration (max 45°)		
<input checked="" type="checkbox"/>	42. Kitchen separated	N/A?	
<input checked="" type="checkbox"/>	43. Hand washing – before eating or food handling		
<input checked="" type="checkbox"/>	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory		
PHYSICAL PLANT 19a-79-7a			
<input checked="" type="checkbox"/>	45. License premises – clean, good repair, hazard free		
<input checked="" type="checkbox"/>	47b. Plans for new construction, expansion, renovation or conversion		
<input checked="" type="checkbox"/>	48. Sanitary drinking fountains – disposable cups		
<input checked="" type="checkbox"/>	49. Lead Water Test (N/A?) 03/25/2022	Bacterial/Chemical Test (N/A?)	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	50. Walkways maintained		
<input checked="" type="checkbox"/>	51. Designated staff toilet/sink		
<input checked="" type="checkbox"/>	52. All openings for ventilation screened		
<input type="radio"/>	53. Windows protected to prevent falls	Failed to protect windows to prevent falls when observed loose screens in 2 windows and 1 window did not have any screen.	
<input checked="" type="checkbox"/>	54. Glass protected up to 36"		
<input checked="" type="checkbox"/>	55. Overhead doors – locking devices, spring protectors		
<input checked="" type="checkbox"/>	56. Exits, Hallways and Stairs unobstructed		

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
O	67. Water temperature 60° – 115°	Failed to ensure the water temperature is between 60-115 degrees. Water temperature was measured at 131 in children's bathroom.
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
X	76. Potentially hazardous substances locked	
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails		
X	79. Pets – maintained, care plan	Y/N N	
O	80. Operable CO detector on each level	N/A? Y	Failed to maintain at least 1 operable carbon monoxide detector on each occupied level. No CO detector was observed on 2 floors.
X	81. Program space-adequate square footage per child		
O	82. Equipment clean, good repair, safe, non-toxic		Failed to ensure that equipment is safe for children when observed dramatic play furniture not secured (room C) and observed broken and rust on a heating baseboard (room C).
X	83. Cots stored, maintained, adequate number		
X	84. Developmentally appropriate equipment		
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N	
X	86. No weapons, no facsimile of a firearm on premises		
OUTDOOR SPACE			
X	87. Outdoor space - adequate square footage per child		
X	88. Impact absorbing material under equipment		
X	89. Playground free from hazards		
X	92. Equipment anchored, safely arranged		
X	93. Outdoor play area protected, fenced		
X	94. Drinking water available, accessible		
EDUCATIONAL REQUIREMENTS 19a-79-8a			
X	95. Written plan for daily program available to parents/staff		
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up	
ADMINISTRATION OF MEDICATIONS 19a-79-9a			
X	97. Written policies, procedures		
X	98. Training outline on file		

NONPRESCRIPTION TOPICAL MEDICATIONS						
X	99. Administration, parent permission, MAR					
X	100. Labeling, storage					
ORAL/TOPICAL/INHALENT MEDICATIONS						
X	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; padding: 2px;">O/T/I</td> <td style="padding: 2px;">Injectable</td> </tr> <tr> <td style="text-align: center; padding: 2px;">Y</td> <td style="text-align: center; padding: 2px;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
X	102. Authorized prescriber, parent permission, MAR					
X	103. Labeling, storage					
X	104. Unused, expired meds returned/disposed					
SELF-ADMINISTRATION						
X	105. Authorized prescriber, parent permission, MAR					
X	106. Labeling, storage					
X	107. Approved petition for special medication authorization					
Yes	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10				
X	109. Approved endorsement					
X	110. Ratio: 1 staff to 4 children					
X	111. Group size: no larger than 8					
X	112. Physical barriers, groups of 8 (indoors and outdoors)					
X	113. Adequate sinks in program space					
X	114. Free standing, well-constructed, safe cribs					
X	115. Washable cots					
X	116. Chairs for feeding, stable, safety straps, locking tray					
X	117. Developmentally appropriate tables, chairs, equipment					
X	118. Refrigerators and food prep facilities					

X	119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
X	120. Diaper area- washed, disinfected			
X	121. Diaper area- disposable paper sheets			
X	122. Covered waste receptacle			
X	123. Diaper changing policy posted, followed			
X	124. Hand washing policy posted, followed			
X	125. Individual storage of personal items			
X	126. Cribs/cots washed and disinfected			
X	127. Under 12 months- placed on back for sleeping			
X	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			X	
X	129. Crib, bed used for infant sleeping			
X	130. Crib, bed free from observable hazards			
X	131. Infant toys separate, washed, disinfected daily			
X	132. No toys, objects less than 1/1/4" diameter			
X	133. Plastic bags, balloons, Styrofoam objects inaccessible			
X	134. Health consultant, doc. of visits			
X	135. Infants held for bottles, indiv. attention, tummy time			
X	136. Written statement, feeding schedule from parent			
X	137. Unused portions of liquids discarded			
X	138. Clean Bottles, disp. bottles, approved bottle washing			
X	139. Food served from dish or whole jar served			
X	140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
No	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
	143. Approved endorsement	
	144. Activity choices appropriate	
	145. Ratio – 1 staff to 10 children	
	146. Group size – maximum 20 children	
	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	




<u>YES or NO?</u> Yes	WERE VIOLATIONS CITED DURING THIS VISIT?
--------------------------	---

DISCUSSIONS:

- one rug not secured in children's bathroom.

COMMENTS:

NOTE: Items left blank on this form were not monitored during this visit.
Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.
APPLICANTS: You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
Johanne Dalo (Printed Name)	Johanne Dalo (Printed Name)	02/21/2024	Jenessa Blake-Wallace (Printed Name)