



**DIVISION OF LICENSING**  
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103  
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552  
 Email: [ocelicensing@ct.gov](mailto:ocelicensing@ct.gov) Website: [www.ctoec.org](http://www.ctoec.org)

## CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

<b>Program Name</b>	<b>THE LEARNING CURVE DAYCARE CENTER</b>				<b>License Number</b>	<b>DCCC.70477</b>	<b>Date of Inspection</b>	<b>02/07/2024</b>		
					<b>Expiration Date</b>	<b>2/28/2027</b>	<b>Time of Inspection</b>	<b>08:58 AM</b>		
<b>Address</b>	<b>60 CONNOLLY PKWY BLDG 18</b>				<b>Telephone</b>	<b>(203) 296-3440</b>	<b>Licensed Capacity</b>	<b>53</b>		
	<b>HAMDEN CT 06514-2519</b>				<b>Hours of Operation</b>	<b>MONDAY - FRIDAY 7:30 AM- 6:00 PM</b>	<b>Infant/Toddler Capacity</b>	<b>30</b>		
<b>Is this a Change of Address?</b>	<b>Yes?</b>		<b>No?</b>	<b>X</b>			<b>Summer Care</b>	<b>Open</b>		
<b>New Address</b>					<b>Minimum Age Served</b>	<b>6 weeks</b>	<b>Maximum Age Served</b>	<b>10 years</b>	<b>Water Supply</b>	<b>Public Water</b>
					<b>Program's Email</b>	<b>thelearningcurvedaycare@yahoo.com</b>				
<b>Operator</b>	<b>NADIHA LINDSAY</b>				<b>Name of Inspector</b>	<b>Jenn Schulz</b>				
<b>Director</b>	<b>NADIHA LINDSAY</b>				<b>Inspector's Email</b>	<b>jennifer.schulz@ct.gov</b>				
<b>Key:</b> Compliant = X Non-Compliant = O	<b># of Infants - Toddlers Present</b>	<b>11</b>	<b># of Total Children Present</b>	<b>19</b>	<b># of Staff Present</b>	<b>8</b>	<b>Type of Inspection</b>	<b>UNANNOUNCED INSPECTION - FULL</b>		

### LICENSURE PROCEDURES 19a-79-2a

<b>O</b>	<b>1. Local Health Inspection</b> Date: 12/10/2021	Failed to maintain current local health inspection. Observed he local health inspection on site to be more Han 2 years.
<b>X</b>	<b>1a. False or Misleading Statements</b>	

### ADMINISTRATION 19a-79-3a

<b>X</b>	<b>1b. Administration</b>	
<b>X</b>	<b>1bb. Capacity</b>	
<b>O</b>	<b>2. New Staff – Employee Orientation</b>	Failed to provide new staff-employee orientation for 2 out of 6 student Files observed.
<b>O</b>	<b>3. Annual Staff Policy Training</b>	Failed to train staff on policies, plans and procedures.Observed no documentation of annual review of polices, plans and procedures for 4 out of 6 staff files.
<b>X</b>	<b>3b. Managing child behavior</b>	
<b>X</b>	<b>4. Documentation of Behavior M. Tech Discussed w/parents</b>	
<b>X</b>	<b>4b. Failure to report</b>	

<b>X</b>	5. Notification of Change	
<b>O</b>	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time Failed to implement policies, plans and procedures when staff was observed to not wash their hands before a diaper change and failed to wash the hands of the child before and after the change.
<b>O</b>	7. Daily Attendance Records- staff and children	Failed to record daily attendance for staff when staff attendance records were observed to be missing staff sign out ties for the previous 5 days.
<b>ITEMS POSTED – ACCESSIBLE</b>		
<b>X</b>	8. License	
<b>O</b>	9. Fire Marshal certificate	Failed to maintain a current fire marshal inspection when the Fire marshal inspection to be more than 2 years.
	Date	12/10/2021
<b>X</b>	10. OEC Complaint procedure	
	11. Food Service Certificate	N/A?
	Date	X
<b>X</b>	12. Menus	
<b>X</b>	13. Emergency plans	
<b>X</b>	14. No Smoking Signs	
<b>X</b>	15. Radon Test	N/A?
	Date	Results
	04/11/20	0.4
<b>X</b>	15a. Developmental Milestones	
<b>X</b>	15b. Access	
<b>X</b>	15bb. Endorsements	
<b>STAFFING 19a-79-4a</b>		
<b>X</b>	15c. Staffing	
<b>X</b>	16. Staff Health records – TB tests	
<b>O</b>	17. Professional development	Failed to document current professional development for 4 out of 6 staff files observed.
<b>X</b>	18. Disciplinary actions	
<b>X</b>	18b. Background checks	

<b>X</b>	19. Designated Head Teacher					
<b>X</b>	20. Two Staff present					
<b>X</b>	20a. Staff Qualities					
<b>X</b>	21. Ratio: 1 staff to 10 children					
<b>X</b>	21b. Supervision					
<b>X</b>	22. Group Size – maximum 20 children					
<b>X</b>	23. Designated director - Training					
<b>X</b>	24. CPR Certified Staff (Group Home N/A)					
<b>X</b>	25. First Aid Trained Staff					
<b>X</b>	26. Consultants- Agreements and Contracts					
<b>X</b>	27. Logs – Visits documented					
	Not in Compliance?	<b>Education</b>	<b>Health</b>	<b>Social Service</b>	<b>Dental</b>	<b>Dietician N/A? X</b>
	Contracts					
	Logs					
	Do they take children swimming?	<b>N SWIMMING</b>				
<b>X</b>	28. Non-swimmers identified					
<b>X</b>	29. Staff/Child Ratios					
<b>X</b>	30. CPR certified staff (20 years of age)					
<b>X</b>	31. Lifeguard certified - supervision					
<b>RECORD KEEPING 19a-79-5a</b>						
<b>X</b>	32. Enrollment information					
<b>X</b>	33. Emergency medical permission					
<b>X</b>	34. Authorized release permission					
<b>X</b>	35. Field trip permission					
<b>X</b>	36. Transportation permission					

<b>X</b>	37. Child health records and immunizations	
<b>X</b>	38. Individual care plan (signed by parents and staff)	
<b>X</b>	39. Injury, Illness, Accident reports	
<b>HEALTH AND SAFETY 19a-79-6a</b>		
<b>X</b>	40. Nutritious snacks and meals (required food groups)	
<b>X</b>	41. Proper refrigeration (max 45°)	
<b>X</b>	42. Kitchen separated	N/A?
<b>X</b>	43. Hand washing – before eating or food handling	
<b>X</b>	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory	
<b>PHYSICAL PLANT 19a-79-7a</b>		
<b>O</b>	45. License premises – clean, good repair, hazard free	Failed to maintain the equipment clean and good repair then fronts uppers and lower cabinets were not clean or in good repair(observed dried food and exposed particle board making areas porous)1 door from same cabinet fell off during inspection. Continued in Discussion section of inspection
<b>X</b>	47b. Plans for new construction, expansion, renovation or conversion	
<b>X</b>	48. Sanitary drinking fountains – disposable cups	
<b>X</b>	49. Lead Water Test (N/A?) 01/12/2023	Bacterial/Chemical Test (N/A?) <b>X</b>
<b>X</b>	50. Walkways maintained	
<b>X</b>	51. Designated staff toilet/sink	
<b>X</b>	52. All openings for ventilation screened	
<b>X</b>	53. Windows protected to prevent falls	
<b>X</b>	54. Glass protected up to 36”	
<b>X</b>	55. Overhead doors – locking devices, spring protectors	
<b>X</b>	56. Exits, Hallways and Stairs unobstructed	

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
○	69. Walls, ceilings, floors and rugs – clean, good repair	Failed to maintain walls, ceilings, floors and rugs clean and in a good state of repair when floors and rugs were not clean through out. Observed food and crumbs throughout rugs and floors
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
○	76. Potentially hazardous substances locked	Failed to ensure that potentially hazardous substances are stored in a locked area when staff bathroom was unlocked and cleaners were present on floor and shelf
X	77. Garbage, rubbish disposed daily	

<b>X</b>	78. Stairs protected, good repair, handrails	
<b>X</b>	79. Pets – maintained, care plan	Y/N N
<b>X</b>	80. Operable CO detector on each level	N/A? Y
<b>X</b>	81. Program space-adequate square footage per child	
<b>X</b>	82. Equipment clean, good repair, safe, non-toxic	
<b>X</b>	83. Cots stored, maintained, adequate number	
<b>X</b>	84. Developmentally appropriate equipment	
<b>X</b>	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
<b>X</b>	86. No weapons, no facsimile of a firearm on premises	
<b>OUTDOOR SPACE</b>		
<b>X</b>	87. Outdoor space - adequate square footage per child	
<b>X</b>	88. Impact absorbing material under equipment	
<b>○</b>	89. Playground free from hazards	Failed to ensure the playground is free of hazards when protruding bricks within the fall zones by a little tikes climber,the same climber has cracks on platform
<b>X</b>	92. Equipment anchored, safely arranged	
<b>○</b>	93. Outdoor play area protected, fenced	Failed to ensure that barriers/fencing is four feet in height when fence measures 45-47.5 inches in multiple ares
<b>X</b>	94. Drinking water available, accessible	
<b>EDUCATIONAL REQUIREMENTS 19a-79-8a</b>		
<b>X</b>	95. Written plan for daily program available to parents/staff	
<b>X</b>	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
<b>ADMINISTRATION OF MEDICATIONS 19a-79-9a</b>		
<b>X</b>	97. Written policies, procedures	
<b>X</b>	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS						
<b>X</b>	99. Administration, parent permission, MAR					
<b>X</b>	100. Labeling, storage					
ORAL/TOPICAL/INHALENT MEDICATIONS						
<b>X</b>	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">O/T/I</td> <td style="width: 90%; text-align: center;">Injectable</td> </tr> <tr> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
<b>X</b>	102. Authorized prescriber, parent permission, MAR					
<b>X</b>	103. Labeling, storage					
<b>X</b>	104. Unused, expired meds returned/disposed					
SELF-ADMINISTRATION						
<b>X</b>	105. Authorized prescriber, parent permission, MAR					
<b>X</b>	106. Labeling, storage					
<b>X</b>	107. Approved petition for special medication authorization					
<b>Yes</b>	Is there an approved endorsement?	<b>INFANT/TODDLER ENDORSEMENT 19a-79-10</b>				
<b>X</b>	109. Approved endorsement					
<b>X</b>	110. Ratio: 1 staff to 4 children					
<b>X</b>	111. Group size: no larger than 8					
<b>O</b>	112. Physical barriers, groups of 8 (indoors and outdoors)	<b>Failed to maintain a physical barrier separating each group of 8 children indoors when approved barrier was not in place. A crib was used in its place</b>				
<b>X</b>	113. Adequate sinks in program space					
<b>X</b>	114. Free standing, well-constructed, safe cribs					
<b>X</b>	115. Washable cots					
<b>X</b>	116. Chairs for feeding, stable, safety straps, locking tray					
<b>X</b>	117. Developmentally appropriate tables, chairs, equipment					
<b>X</b>	118. Refrigerators and food prep facilities					

<b>X</b>	119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
<b>X</b>	120. Diaper area- washed, disinfected			
<b>X</b>	121. Diaper area- disposable paper sheets			
<b>X</b>	122. Covered waste receptacle			
<b>X</b>	123. Diaper changing policy posted, followed			
<b>X</b>	124. Hand washing policy posted, followed			
<b>X</b>	125. Individual storage of personal items			
<b>X</b>	126. Cribs/cots washed and disinfected			
<b>X</b>	127. Under 12 months- placed on back for sleeping			
<b>X</b>	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			<b>X</b>	
<b>X</b>	129. Crib, bed used for infant sleeping			
<b>X</b>	130. Crib, bed free from observable hazards			
<b>X</b>	131. Infant toys separate, washed, disinfected daily			
<b>X</b>	132. No toys, objects less than 1/1/4" diameter			
<b>X</b>	133. Plastic bags, balloons, Styrofoam objects inaccessible			
<b>X</b>	134. Health consultant, doc. of visits			
<b>X</b>	135. Infants held for bottles, indiv. attention, tummy time			
<b>X</b>	136. Written statement, feeding schedule from parent			
<b>X</b>	137. Unused portions of liquids discarded			
<b>X</b>	138. Clean Bottles, disp. bottles, approved bottle washing			
<b>X</b>	139. Food served from dish or whole jar served			
<b>X</b>	140. Bottles individually identified with child's name			

**OUTDOOR PLAY SPACE - UNDER THREE**

<b>X</b>	141. Play space fenced	
<b>X</b>	142. Outdoor equipment developmentally appropriate	
<b>Yes</b>	Is there an approved endorsement?	<b>SCHOOL AGE ENDORSEMENT 19a-79-11</b>
<b>X</b>	143. Approved endorsement	
<b>X</b>	144. Activity choices appropriate	
<b>X</b>	145. Ratio – 1 staff to 10 children	
<b>X</b>	146. Group size – maximum 20 children	
<b>X</b>	147. Education Consultant appropriate	
<b>No</b>	Is there an approved endorsement?	<b>NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)</b>
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
<b>N</b>	Child with diabetes enrolled?	<b>MONITORING OF DIABETES 19a-79-13</b>
<b>X</b>	154. Written policies and procedures	
<b>X</b>	155. On site staff trained in first aid, glucose testing	
<b>X</b>	156. Training current and documented	
<b>X</b>	157. Supervision of self-administration	
<b>X</b>	158. Equipment, supplies labeled and inaccessible	

<b>X</b>	159. Signed agreement with parents regarding equipment	
<b>X</b>	160. Materials discarded appropriately	
<b>X</b>	161. Authorized prescriber, parent permission	
<b>X</b>	162. Documentation of test results, actions taken	
<b>X</b>	163. Daily written parent notification	

**ADDITIONAL VIOLATIONS**

<b>X</b>	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
----------	---	------	--

**YES or NO?**  
Yes




**WERE VIOLATIONS CITED DURING THIS VISIT?**

**DISCUSSIONS:**

#45 continued : 1 microwave not secure in preschool. The power cord hangs accessible to children , observed outlet extensions not covered in preschool  
Documentation of Head teacher 60% of operating hours documented.

**COMMENTS:**

**NOTE:** Items left blank on this form were not monitored during this visit.  
Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.  
**APPLICANTS:** You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
<b>Jenn Schulz</b> (Printed Name)	<b>Fil Montanye</b> (Printed Name)	<b>02/21/2024</b>	<b>Nadiha Lindsay</b> (Printed Name)