



FAMILY CHILD CARE HOME SUPPLEMENTAL INSPECTION

Provider	ARMINDA MORALES GUZMAN		License Number	DCFH	Date of Inspection	02/07/2024
			Expiration Date		Time of Inspection	12:56 PM
Address	45 GROVE STREET EAST HAVEN CT 06512		Telephone	(203) 903-6138	Regular Capacity	6
			Days and Hours	Monday-Friday 6AM-5:30PM	School Age Capacity	3
# Children Present	0	# Under 18 months present	0	Summer Care	Open	
Purpose of Inspection	Follow-up for hot water violation cited during full inspection		Name of Inspector	Melina Perez		
Provider's Email	armindamorales72@gmail.com		Inspector's Email	melina.perez@ct.gov		

CONSENT TO INSPECT: I agree to allow the Commissioner or an authorized representative to have access to and inspect the facility and child care records during home inspections as required by Regulations Section 19a-87b-5(h).

Signature of Provider/Applicant/Substitute/Emergency Caregiver

Violations

Statute and/or Regulation	Description	Comments
[-]	000 No Violations	No violations were cited during this inspection

--	--	--

Other Findings-In Compliance		
-------------------------------------	--	--

Statute and/or Regulation	Description	Comments
[19a-87b-10(a)]	004-Capacity	
[19a-87b-5(e)]	006-Infant/Toddler Restriction	
[19a-87b-8a]	021-Background Check	
[19a-87b-9(f)(1)]	039-Safe Space-Sufficient	
[19a-87b-9(h)]	046-Water Temperature	

[19a-87b-9(m) and/or 19a-87b-9(n)]	050-First Aid Supplies	
[19a-87b-10(c)(4)]	066-Flexible and Balanced Schedule	



YES/NO: No **WERE VIOLATIONS CITED DURING THIS VISIT?**

Discussions:

Follow-up inspection was completed today.
 #21 - Applicant was able to obtain access to BCIS system and has printed her roster. Specialist was able to view it during today's follow-up inspection.
 #39 - Outdoor play area was observed during today's follow-up visit. It was observed to be free from observable hazards. The wood with nails, garden hose, and rakes/other tools have all been removed from the yard.
 #46 - Water temperature was measured again during today's follow-up inspection and it was 117.3 degrees.
 #50 - Applicant has purchased an additional instant cold pack, tweezers, scissors, and a 2 inch gauze roller bandage. The items were all observed to be in the first aid kit during today's follow-up inspection.
 #66 - Applicant has created a flexible/written schedule. The schedule was viewed by the specialist during today's follow-up inspection.
 Applicant is now observed to be in compliance with these violations
 Applicant clarified today that she does not own the home. They rent the main level. They do not have access to the basement level of the home; only their landlord does

Comments:

NOTE: Items left blank on this form were not monitored during this visit.
 Only the regulations marked as compliant or non-compliant were monitored or discussed.
APPLICANTS: You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
Melina Perez (Printed Name)	 (Printed Name)		ARMINDA MORALES GUZMAN (Printed Name)