



DIVISION OF LICENSING
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: ocelicensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	SARAH PORTER SCHOOLHOUSE				License Number	DCCC.70720	Date of Inspection	02/08/2024
					Expiration Date	8/31/2027	Time of Inspection	08:50 AM
Address	9 MOUNTAIN RD				Telephone	(860) 409-3543	Licensed Capacity	36
	FARMINGTON CT 06032				Hours of Operation	Monday-Friday 7:30am to 5:00pm	Infant/Toddler Capacity	22
Is this a Change of Address?	Yes?		No?	X			Summer Care	Closed
New Address					Minimum Age Served	6 weeks	Maximum Age Served	5 years
					Program's Email	Lkoehler@missporters.org		
Operator	MISS PORTER'S SCHOOL INC				Name of Inspector	Johanne Dalo		
Director	Elizabeth H Koehler				Inspector's Email	johanne.dalo@ct.gov		
Key: Compliant = X Non-Compliant = O	# of Infants - Toddlers Present	17	# of Total Children Present	23	# of Staff Present	7	Type of Inspection	UNANNOUNCED INSPECTION - FULL

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 08/31/2023	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

O	1b. Administration	(a) Failed to ensure the health and safety of 2 children when diphenhydramine is prescribed to 2 children and no medication on site.
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	
ITEMS POSTED – ACCESSIBLE		
X	8. License	
X	9. Fire Marshal certificate	
	Date	06/22/2023
X	10. OEC Complaint procedure	
	11. Food Service Certificate	<u>N/A?</u>
	Date	X
X	12. Menus	
X	13. Emergency plans	
X	14. No Smoking Signs	
O	15. Radon Test	<u>N/A?</u>
	Date	Results
	10/16/20	0.2pCi/L
	Failed to ensure that the radon test was conducted during the months between November and April.	
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. Endorsements	
STAFFING 19a-79-4a		
X	15c. Staffing	
X	16. Staff Health records – TB tests	
X	17. Professional development	
X	18. Disciplinary actions	
X	18b. Background checks	

X	37. Child health records and immunizations		
O	38. Individual care plan (signed by parents and staff)	Failed to maintain complete individual care plans when observed 3 care plans not signed by all staff caring for the children.	
X	39. Injury, Illness, Accident reports		
HEALTH AND SAFETY 19a-79-6a			
X	40. Nutritious snacks and meals (required food groups)		
X	41. Proper refrigeration (max 45°)		
X	42. Kitchen separated	N/A?	
X	43. Hand washing – before eating or food handling		
X	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory		
PHYSICAL PLANT 19a-79-7a			
X	45. License premises – clean, good repair, hazard free		
X	47b. Plans for new construction, expansion, renovation or conversion		
X	48. Sanitary drinking fountains – disposable cups		
X	49. Lead Water Test (N/A?) 06/14/2023	Bacterial/Chemical Test (N/A?) X	
X	50. Walkways maintained		
X	51. Designated staff toilet/sink		
X	52. All openings for ventilation screened		
X	53. Windows protected to prevent falls		
X	54. Glass protected up to 36"		
X	55. Overhead doors – locking devices, spring protectors		
X	56. Exits, Hallways and Stairs unobstructed		

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
X	76. Potentially hazardous substances locked	
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails		
X	79. Pets – maintained, care plan	Y/N N	
O	80. Operable CO detector on each level	N/A? Y	Failed to maintain at least 1 operable carbon monoxide detector on each occupied level when no CO detector was observed on the top floor.
X	81. Program space-adequate square footage per child		
X	82. Equipment clean, good repair, safe, non-toxic		
X	83. Cots stored, maintained, adequate number		
X	84. Developmentally appropriate equipment		
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N	
X	86. No weapons, no facsimile of a firearm on premises		
OUTDOOR SPACE			
X	87. Outdoor space - adequate square footage per child		
X	88. Impact absorbing material under equipment		
X	89. Playground free from hazards		
X	92. Equipment anchored, safely arranged		
X	93. Outdoor play area protected, fenced		
X	94. Drinking water available, accessible		
EDUCATIONAL REQUIREMENTS 19a-79-8a			
X	95. Written plan for daily program available to parents/staff		
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up	
ADMINISTRATION OF MEDICATIONS 19a-79-9a			
X	97. Written policies, procedures		
O	98. Training outline on file		Failed to maintain outline of medication training on site.

NONPRESCRIPTION TOPICAL MEDICATIONS		
<input type="radio"/>	99. Administration, parent permission, MAR	Failed to maintain complete written parent permission for medication when observed incomplete permission forms (missing: site of administration, the date and time the medication is started and ended, staff signature receiving the permission form)
<input checked="" type="checkbox"/>	100. Labeling, storage	

ORAL/TOPICAL/INHALENT MEDICATIONS						
<input checked="" type="checkbox"/>	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">O/T/I</td> <td style="width: 10%; text-align: center;">Injectable</td> </tr> <tr> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
<input type="radio"/>	102. Authorized prescriber, parent permission, MAR	Failed to maintain complete written orders when observed 2 forms not signed by parents and 1 expired form (01/01/2024).				
<input type="radio"/>	103. Labeling, storage	Failed to maintain proper labeling of medication when observed an epinephrine with a label.				
<input checked="" type="checkbox"/>	104. Unused, expired meds returned/disposed					

SELF-ADMINISTRATION		
<input checked="" type="checkbox"/>	105. Authorized prescriber, parent permission, MAR	
<input checked="" type="checkbox"/>	106. Labeling, storage	
<input checked="" type="checkbox"/>	107. Approved petition for special medication authorization	

		INFANT/TODDLER ENDORSEMENT 19a-79-10
Yes	Is there an approved endorsement?	
<input checked="" type="checkbox"/>	109. Approved endorsement	
<input checked="" type="checkbox"/>	110. Ratio: 1 staff to 4 children	
<input checked="" type="checkbox"/>	111. Group size: no larger than 8	
<input checked="" type="checkbox"/>	112. Physical barriers, groups of 8 (indoors and outdoors)	
<input checked="" type="checkbox"/>	113. Adequate sinks in program space	
<input checked="" type="checkbox"/>	114. Free standing, well-constructed, safe cribs	
<input checked="" type="checkbox"/>	115. Washable cots	
<input checked="" type="checkbox"/>	116. Chairs for feeding, stable, safety straps, locking tray	
<input checked="" type="checkbox"/>	117. Developmentally appropriate tables, chairs, equipment	
<input checked="" type="checkbox"/>	118. Refrigerators and food prop facilities	

X	119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
X	120. Diaper area- washed, disinfected			
X	121. Diaper area- disposable paper sheets			
X	122. Covered waste receptacle			
X	123. Diaper changing policy posted, followed			
X	124. Hand washing policy posted, followed			
X	125. Individual storage of personal items			
X	126. Cribs/cots washed and disinfected			
X	127. Under 12 months- placed on back for sleeping			
X	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			X	
X	129. Crib, bed used for infant sleeping			
X	130. Crib, bed free from observable hazards			
X	131. Infant toys separate, washed, disinfected daily			
X	132. No toys, objects less than 1/1/4" diameter			
X	133. Plastic bags, balloons, Styrofoam objects inaccessible			
X	134. Health consultant, doc. of visits			
X	135. Infants held for bottles, indiv. attention, tummy time			
X	136. Written statement, feeding schedule from parent			
X	137. Unused portions of liquids discarded			
X	138. Clean Bottles, disp. bottles, approved bottle washing			
X	139. Food served from dish or whole jar served			
X	140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
No	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
	143. Approved endorsement	
	144. Activity choices appropriate	
	145. Ratio – 1 staff to 10 children	
	146. Group size – maximum 20 children	
	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	




<u>YES or NO?</u> Yes	WERE VIOLATIONS CITED DURING THIS VISIT?
--------------------------	---

DISCUSSIONS:

- Incomplete administration of medication and epinephrine certificate.
 - 1 staff without statement of good health and 1 staff without TB test.
 - Microwave starting to rust.
 Playground was spit into 2 playgrounds:
 Playground 1 (under three): $(52.3 \times 14.9) - (10 \times 3.2) = 779.27 - 32 = 747.27 / 75 = 9.9$. Ok for 8 children under three (Walls)
 Playground 2 (under three): $(42.3 \times 42.3) = 1789.29 / 75 = 23.85$. Ok for 8 children under three

COMMENTS:

NOTE: Items left blank on this form were not monitored during this visit.
 Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.
APPLICANTS: You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
Johanne Dalo (Printed Name)	Johanne Dalo (Printed Name)	02/22/2024	Elizabeth Koehler (Printed Name)