CTPharma
280 Dividend Dr.
Rocky Hill, CT 06067

Date Received: 01/26/2024
Report Date: 02/08/2024
NELabs Report ID: 2492513-06

Product ID: STC090123

Microbiology	Results (CFU)	Limits (CFU)	Methods
Total Aerobic Microbial Count	100	100,000	AOAC 990.12
Total Yeast & Mold Count	1,800	100,000	AOAC 2014.05
Aspergillus (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic *E. coli*	Not Detected	Not Detected	AOAC 2017.01
Listeria Monocytogenes	Not Detected	Not Detected	AOAC 2016.08
Salmonella species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing *E. coli*	Not Detected	Not Detected	FDA BAM
Pass/Fail: **PASS**			

Cannabinoids by HPLC	Results (% w/w[a])
CBDV	----
CBDA	<LOQ
CBGA	0.99
CBG	<LOQ
CBD	----
THCV	----
CBN	----
Δ^9 THC	0.98
CBL	----
CBC	----
THCA	37.34
Total Cannabinoids	**39.31 %**
Total THC: 33.73 %	

[a]: percentages reported by dry weight

Moisture	Results
Water Content (% w/w)	13.9
Water Activity (Aw)	0.46

Terpenes by GC-MS	Results (% w/w[a])
α-Pinene	0.06
Camphene	0.01
β-Myrcene	0.70
β-Pinene	0.11
3-Carene	----
α-Terpinene	----
Limonene	0.47
Ocimene	0.01
p-Cymene	----
γ-Terpinene	----
Terpinolene	----
Linalool	0.13
(-)-Isopulegol	----
Geraniol	----
β-Caryophyllene	0.71
α-Humulene	0.02
cis-Nerolidol	----
trans-Nerolidol	----
Guaiol	----
α-Bisabolol	----
Total Terpenes: 2.22 %	

[a]: percentages reported by dry weight

CTPharma
280 Dividend Dr.
Rocky Hill, CT 06067

Date Received: 01/26/2024
Report Date: 02/08/2024
NELabs Report ID: 2492513-06

Product ID: STC090123

Pesticides by LC-MS/MS	**Results**	**Limits**
Per Sample ≥ 0.5g	Not Detected	Below Action Levels
Pass/Fail: **PASS**		

Heavy Metals by ICP-MS	**Results**	**Limits**
As, Cd, Pb, Hg	Below Detection	Below Action Levels
Pass/Fail: **PASS**		

Mycotoxins by LC-MS/MS	**Results (µg/kg)**	**Limits (µg/kg)**
Aflatoxins (B1, B2, G1, G2)	<20 each	<20 each
Ochratoxin-A	<20	<20
Pass/Fail: **PASS**		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 01/26/2024.

Date:	Reviewed by:	Released by:
02/08/24	Michelle Szylobryt, QA / QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).