

CTPharma
280 Dividend Dr.
Rocky Hill, CT 06067

Date Received: 02/16/2024
Report Date: 02/26/2024
NELabs Report ID: 2492671-15

Product ID: SBC092923-1

Microbiology	Results (CFU)	Limits (CFU)	Methods
Total Aerobic Microbial Count	<100	100,000	AOAC 990.12
Total Yeast & Mold Count	350	100,000	AOAC 2014.05
<i>Aspergillus (flavus, fumigatus, terreus, niger)</i>	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	FDA BAM
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w ^a)
CBDV	----
CBDA	<LOQ
CBGA	2.65
CBG	0.22
CBD	----
THCV	----
CBN	----
Δ ⁹ THC	1.00
CBL	----
CBC	----
THCA	34.45
Total Cannabinoids	38.32 %
Total THC: 31.21 %	

^a: percentages reported by dry weight

Moisture	Results
Water Content (% w/w)	14.1
Water Activity (Aw)	0.38

Terpenes by GC-MS	Results (% w/w ^a)
α-Pinene	0.06
Camphene	----
β-Myrcene	0.27
β-Pinene	0.12
3-Carene	0.03
α-Terpinene	0.03
Limonene	0.16
Ocimene	----
p-Cymene	----
γ-Terpinene	0.02
Terpinolene	0.51
Linalool	----
(-)-Isopulegol	----
Geraniol	----
β-Caryophyllene	0.34
α-Humulene	0.12
cis-Nerolidol	----
trans-Nerolidol	----
Guaiol	----
α-Bisabolol	----
Total Terpenes: 1.66 %	

^a: percentages reported by dry weight



CTPharma
280 Dividend Dr.
Rocky Hill, CT 06067

Date Received: 02/16/2024
Report Date: 02/26/2024
NELabs Report ID: 2492671-15

Product ID: SBC092923-1

Pesticides by LC-MS/MS	Results	Limits
Per Sample $\geq$ 0.5g	Not Detected	Below Action Levels
Pass/Fail: PASS		

Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg	Below Detection	Below Action Levels
Pass/Fail: PASS		

Mycotoxins by LC-MS/MS	Results ($\mu\text{g/kg}$)	Limits ($\mu\text{g/kg}$)
Aflatoxins (B1, B2, G1, G2)	<20 each	<20 each
Ochratoxin-A	<20	<20
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 02/16/2024.

Date:	Reviewed by: <i>Michelle Szylobryt</i>	Released by: <i>Zachary Cannone</i>
02/26/24	Michelle Szylobryt, QA / QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).

