



DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oc.licensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	BRIGHTPATH - FARMINGTON				License Number	DCCC.15735	Date of Inspection	03/13/2024		
					Expiration Date	3/31/2026	Time of Inspection	09:37 AM		
Address	360 COLT HWY				Telephone	(860) 678-8659	Licensed Capacity	285		
	FARMINGTON CT 06032-2547				Hours of Operation	Monday-Friday 6:30AM-6:00PM	Infant/Toddler Capacity	124		
Is this a Change of Address?	Yes?		No?	X			Summer Care	Open		
New Address					Minimum Age Served	6 weeks	Maximum Age Served	12 years	Water Supply	Public Water
					Program's Email	nwalsh@educationalplaycare.com				
Operator	EDUCATIONAL PLAY CARE, LTD				Name of Inspector	Johanne Dalo				
Director	KRISTIE NICHOLS				Inspector's Email	johanne.dalo@ct.gov				
Key: Compliant = X Non-Compliant = O	# of Infants - Toddlers Present	90	# of Total Children Present	133	# of Staff Present	30	Type of Inspection	UNANNOUNCED INSPECTION - FULL		

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 04/25/2022	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

<input type="radio"/>	5. Notification of Change	Failed to provide notification of change of personnel changes when program did not notified OEC of the change.	
<input checked="" type="checkbox"/>	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time	
<input checked="" type="checkbox"/>	7. Daily Attendance Records- staff and children		
ITEMS POSTED – ACCESSIBLE			
<input checked="" type="checkbox"/>	8. License		
<input checked="" type="checkbox"/>	9. Fire Marshal certificate		
	Date	08/08/2023	
<input checked="" type="checkbox"/>	10. OEC Complaint procedure		
<input checked="" type="checkbox"/>	11. Food Service Certificate	N/A?	
	Date	06/30/2024	
<input checked="" type="checkbox"/>	12. Menus		
<input checked="" type="checkbox"/>	13. Emergency plans		
<input checked="" type="checkbox"/>	14. No Smoking Signs		
<input checked="" type="checkbox"/>	15. Radon Test	N/A?	
	Date	Results	
	01/09/2002	1.3	
<input checked="" type="checkbox"/>	15a. Developmental Milestones		
<input checked="" type="checkbox"/>	15b. Access		
<input checked="" type="checkbox"/>	15bb. Endorsements		
STAFFING 19a-79-4a			
<input checked="" type="checkbox"/>	15c. Staffing		
<input type="radio"/>	16. Staff Health records – TB tests	Failed to maintain medical statement(s) when observed 1 staff without date of physical and 1 staff without documentation of TB test.	
<input checked="" type="checkbox"/>	17. Professional development		
<input checked="" type="checkbox"/>	18. Disciplinary actions		
<input checked="" type="checkbox"/>	18b. Background checks		

<input checked="" type="checkbox"/>	19. Designated Head Teacher																					
<input checked="" type="checkbox"/>	20. Two Staff present																					
<input checked="" type="checkbox"/>	20a. Staff Qualities																					
<input checked="" type="checkbox"/>	21. Ratio: 1 staff to 10 children																					
<input checked="" type="checkbox"/>	21b. Supervision																					
<input checked="" type="checkbox"/>	22. Group Size – maximum 20 children																					
<input checked="" type="checkbox"/>	23. Designated director - Training																					
<input checked="" type="checkbox"/>	24. CPR Certified Staff (Group Home N/A)																					
<input checked="" type="checkbox"/>	25. First Aid Trained Staff																					
<input type="radio"/>	26. Consultants- Agreements and Contracts	Failed to maintain current consultant agreements for Dental consultant																				
<input type="radio"/>	27. Logs – Visits documented	Failed to document annual review of policies, plans, procedures and education programs for their Dental consultant																				
	Not in Compliance?	<table border="1"> <thead> <tr> <th>Education</th> <th>Health</th> <th>Social Service</th> <th>Dental</th> <th>Dietician N/A?</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td><input type="radio"/></td> <td></td> </tr> <tr> <td>Contracts</td> <td></td> <td></td> <td><input type="radio"/></td> <td></td> </tr> <tr> <td>Logs</td> <td></td> <td></td> <td><input type="radio"/></td> <td></td> </tr> </tbody> </table>	Education	Health	Social Service	Dental	Dietician N/A?				<input type="radio"/>		Contracts			<input type="radio"/>		Logs			<input type="radio"/>	
Education	Health	Social Service	Dental	Dietician N/A?																		
			<input type="radio"/>																			
Contracts			<input type="radio"/>																			
Logs			<input type="radio"/>																			
	Do they take children swimming?	N SWIMMING																				
<input checked="" type="checkbox"/>	28. Non-swimmers identified																					
<input checked="" type="checkbox"/>	29. Staff/Child Ratios																					
<input checked="" type="checkbox"/>	30. CPR certified staff (20 years of age)																					
<input checked="" type="checkbox"/>	31. Lifeguard certified - supervision																					
RECORD KEEPING 19a-79-5a																						
<input checked="" type="checkbox"/>	32. Enrollment information																					
<input checked="" type="checkbox"/>	33. Emergency medical permission																					
<input checked="" type="checkbox"/>	34. Authorized release permission																					
<input checked="" type="checkbox"/>	35. Field trip permission																					
<input checked="" type="checkbox"/>	36. Transportation permission																					

<input type="radio"/>	37. Child health records and immunizations	Failed to maintain current health records for children for 5 children and failed to maintain complete immunization records for children for 7 children (flu shot).	
<input checked="" type="checkbox"/>	38. Individual care plan (signed by parents and staff)		
<input checked="" type="checkbox"/>	39. Injury, Illness, Accident reports		
HEALTH AND SAFETY 19a-79-6a			
<input checked="" type="checkbox"/>	40. Nutritious snacks and meals (required food groups)		
<input checked="" type="checkbox"/>	41. Proper refrigeration (max 45°)		
<input checked="" type="checkbox"/>	42. Kitchen separated	N/A?	
<input checked="" type="checkbox"/>	43. Hand washing – before eating or food handling		
<input checked="" type="checkbox"/>	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory		
PHYSICAL PLANT 19a-79-7a			
<input checked="" type="checkbox"/>	45. License premises – clean, good repair, hazard free		
<input checked="" type="checkbox"/>	47b. Plans for new construction, expansion, renovation or conversion		
<input checked="" type="checkbox"/>	48. Sanitary drinking fountains – disposable cups		
<input type="radio"/>	49. Lead Water Test (N/A?) 02/18/2022	Bacterial/Chemical Test (N/A?) <input checked="" type="checkbox"/>	Failed to conduct a lead water test every 2 years
<input checked="" type="checkbox"/>	50. Walkways maintained		
<input checked="" type="checkbox"/>	51. Designated staff toilet/sink		
<input checked="" type="checkbox"/>	52. All openings for ventilation screened		
<input checked="" type="checkbox"/>	53. Windows protected to prevent falls		
<input type="radio"/>	54. Glass protected up to 36"	Failed to protect glass doors, windows or mirrors up to 36" when observed window not protected (inside and from the outside).	
<input checked="" type="checkbox"/>	55. Overhead doors – locking devices, spring protectors		
<input checked="" type="checkbox"/>	56. Exits, Hallways and Stairs unobstructed		

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
O	74. Adequate lighting - 50/30 candle feet	Failed to maintain at least 50 candle feet of light in rooms used for reading, painting and other close work when observed writing area measuring less than 50C/F (preschool 5 measuring 23c/f).
X	75. Light fixtures shielded, shatter proof	
X	76. Potentially hazardous substances locked	
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails	
X	79. Pets – maintained, care plan	Y/N N
X	80. Operable CO detector on each level	N/A? Y
X	81. Program space-adequate square footage per child	
O	82. Equipment clean, good repair, safe, non-toxic	Failed to ensure that equipment is free from rust, toxic material and other hazards when observed cubbies not secured (P1, P3, T11, P5, hallway), rust in microwaves (P2, P1), rusted bottom staff bathroom stall. dramatic play furniture not secured (P1, P2)
X	83. Cots stored, maintained, adequate number	
X	84. Developmentally appropriate equipment	
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
X	86. No weapons, no facsimile of a firearm on premises	
OUTDOOR SPACE		
X	87. Outdoor space - adequate square footage per child	
O	88. Impact absorbing material under equipment	Failed to ensure a minimum of 8 inches of impact absorbing materials when observed a small slide with less than 8 inches (fall zones).
O	89. Playground free from hazards	Failed to ensure the playground is free of glass, debris, holes and other hazards when observed 2 broken chain links protruding and sharp on 2 under three playgrounds.
X	92. Equipment anchored, safely arranged	
X	93. Outdoor play area protected, fenced	
X	94. Drinking water available, accessible	
EDUCATIONAL REQUIREMENTS 19a-79-8a		
X	95. Written plan for daily program available to parents/staff	
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
ADMINISTRATION OF MEDICATIONS 19a-79-9a		
X	97. Written policies, procedures	
X	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS						
X	99. Administration, parent permission, MAR					
X	100. Labeling, storage					
ORAL/TOPICAL/INHALENT MEDICATIONS						
X	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; padding: 2px;">O/T/I</td> <td style="padding: 2px;">Injectable</td> </tr> <tr> <td style="text-align: center; padding: 2px;">Y</td> <td style="text-align: center; padding: 2px;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
X	102. Authorized prescriber, parent permission, MAR					
X	103. Labeling, storage					
X	104. Unused, expired meds returned/disposed					
SELF-ADMINISTRATION						
X	105. Authorized prescriber, parent permission, MAR					
X	106. Labeling, storage					
X	107. Approved petition for special medication authorization					
Yes	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10				
X	109. Approved endorsement					
X	110. Ratio: 1 staff to 4 children					
X	111. Group size: no larger than 8					
X	112. Physical barriers, groups of 8 (indoors and outdoors)					
O	113. Adequate sinks in program space	Failed to maintain a separate sink for purposes other than hand washing after diapering when observed bibs and toys and hand washing sinks (T1, T2)				
X	114. Free standing, well-constructed, safe cribs					
X	115. Washable cots					
X	116. Chairs for feeding, stable, safety straps, locking tray					
X	117. Developmentally appropriate tables, chairs, equipment					
X	118. Refrigerators and food prop facilities					

X	119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
X	120. Diaper area- washed, disinfected			
X	121. Diaper area- disposable paper sheets			
X	122. Covered waste receptacle			
X	123. Diaper changing policy posted, followed			
X	124. Hand washing policy posted, followed			
X	125. Individual storage of personal items			
X	126. Cribs/cots washed and disinfected			
X	127. Under 12 months- placed on back for sleeping			
X	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			X	
X	129. Crib, bed used for infant sleeping			
X	130. Crib, bed free from observable hazards			
X	131. Infant toys separate, washed, disinfected daily			
X	132. No toys, objects less than 1/1/4" diameter			
X	133. Plastic bags, balloons, Styrofoam objects inaccessible			
X	134. Health consultant, doc. of visits			
X	135. Infants held for bottles, indiv. attention, tummy time			
X	136. Written statement, feeding schedule from parent			
X	137. Unused portions of liquids discarded			
X	138. Clean Bottles, disp. bottles, approved bottle washing			
X	139. Food served from dish or whole jar served			
X	140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
Yes	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
X	143. Approved endorsement	
X	144. Activity choices appropriate	
X	145. Ratio – 1 staff to 10 children	
X	146. Group size – maximum 20 children	
X	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

X	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
----------	---	------	--




YES or NO? Yes	WERE VIOLATIONS CITED DURING THIS VISIT?
--------------------------	---

DISCUSSIONS:

- Castle next to the fence, fence not measuring 48 inches.
- Dirty bathroom ceiling vents
- Dirty microwave and dirty refrigerator (T6)

COMMENTS:

NOTE: Items left blank on this form were not monitored during this visit.
Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.
APPLICANTS: You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
Johanne Dalo (Printed Name)	Karen Kellerman (Printed Name)	03/27/2024	Kristie A. Nichols (Printed Name)