



DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oc.licensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	THE RIVERFRONT CHILDREN'S CENTER				License Number	DCCC.14300	Date of Inspection	03/13/2024		
					Expiration Date	11/30/2025	Time of Inspection	12:00 PM		
Address	476 THAMES ST				Telephone	(860) 445-8151	Licensed Capacity	146		
	GROTON CT 06340-3934				Hours of Operation	6:00AM-5:00PM MONDAY-FRIDAY	Infant/Toddler Capacity	40		
Is this a Change of Address?	Yes?		No?	X			Summer Care	Open		
New Address					Minimum Age Served	6 weeks	Maximum Age Served	12 years	Water Supply	Public Water
					Program's Email	Jennifer.zubek@riverfrontchildren.org				
Operator	RIVERFRONT CHILDREN'S CENTER INC				Name of Inspector	Carolynne DeLoreto				
Director	GWEN LAKAWSKY				Inspector's Email	carolynne.deloreto@ct.gov				
Key:	Compliant = X	# of Infants - Toddlers Present	32	# of Total Children Present	82	# of Staff Present	15	Type of Inspection	UNANNOUNCED INSPECTION - FULL	
Non-Compliant = O										

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 04/26/2022	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	Failed to manage child behavior based on developmentally appropriate practice
O	4. Documentation of Behavior M. Tech Discussed w/parents	Failed to maintain documentation that behavior management techniques were discussed with parents when old files have not been updated.
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	
ITEMS POSTED – ACCESSIBLE		
X	8. License	
O	9. Fire Marshal certificate	Failed to maintain a current fire marshal inspection. Send copy.
	Date	02/10/2022
X	10. OEC Complaint procedure	
	11. Food Service Certificate	N/A?
	Date	X
X	12. Menus	
O	13. Emergency plans	Failed to post emergency plans in a conspicuous location when the plans were located in a binder.
X	14. No Smoking Signs	
O	15. Radon Test	N/A?
	Date	Results
	04/28/2015	1.2-2.8
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. Endorsements	
STAFFING 19a-79-4a		
X	15c. Staffing	
X	16. Staff Health records – TB tests	
X	17. Professional development	
X	18. Disciplinary actions	
X	18b. Background checks	

X	19. Designated Head Teacher					
X	20. Two Staff present					
X	20a. Staff Qualities					
X	21. Ratio: 1 staff to 10 children					
X	21b. Supervision					
X	22. Group Size – maximum 20 children					
X	23. Designated director - Training					
X	24. CPR Certified Staff (Group Home N/A)					
X	25. First Aid Trained Staff					
X	26. Consultants- Agreements and Contracts					
X	27. Logs – Visits documented					
	Not in Compliance?	Education	Health	Social Service	Dental	Dietician N/A? X
	Contracts					
	Logs					
	Do they take children swimming?	N SWIMMING				
X	28. Non-swimmers identified					
X	29. Staff/Child Ratios					
X	30. CPR certified staff (20 years of age)					
X	31. Lifeguard certified - supervision					
RECORD KEEPING 19a-79-5a						
X	32. Enrollment information					
X	33. Emergency medical permission					
X	34. Authorized release permission					
X	35. Field trip permission					
X	36. Transportation permission					

X	37. Child health records and immunizations	
O	38. Individual care plan (signed by parents and staff)	Failed to maintain current individual care plans for one inhaler. Health consultant care plan does not match doctors care plan and only one epi pen is on site and plan calls for two.
X	39. Injury, Illness, Accident reports	
HEALTH AND SAFETY 19a-79-6a		
O	40. Nutritious snacks and meals (required food groups)	Failed to provide nutritionally adequate snacks when only one food group is offered most days.
O	41. Proper refrigeration (max 45°)	Failed to maintain proper refrigeration of no more than 45 degrees in kangaroo and blue jays both exceeding fifty degrees.
X	42. Kitchen separated	N/A?
X	43. Hand washing – before eating or food handling	
X	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory	
PHYSICAL PLANT 19a-79-7a		
X	45. License premises – clean, good repair, hazard free	
X	47b. Plans for new construction, expansion, renovation or conversion	
X	48. Sanitary drinking fountains – disposable cups	
X	49. Lead Water Test (N/A?) 04/26/2022	Bacterial/Chemical Test (N/A?) X
X	50. Walkways maintained	
X	51. Designated staff toilet/sink	
X	52. All openings for ventilation screened	
X	53. Windows protected to prevent falls	
X	54. Glass protected up to 36"	
X	55. Overhead doors – locking devices, spring protectors	
X	56. Exits, Hallways and Stairs unobstructed	

O	57. Individual storage of clothing and bedding	Failed to ensure that children's bedding is stored individually when it was stored between cots and was hanging out and touching in blue jays.
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
X	76. Potentially hazardous substances locked	
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails		
O	79. Pets – maintained, care plan	Y/N Y	Failed to maintain procedures for the care, maintenance and access to children of pets or other animals for one fish in cardinal.
X	80. Operable CO detector on each level	N/A? Y	
X	81. Program space-adequate square footage per child		
X	82. Equipment clean, good repair, safe, non-toxic		
X	83. Cots stored, maintained, adequate number		
X	84. Developmentally appropriate equipment		
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N	
X	86. No weapons, no facsimile of a firearm on premises		
OUTDOOR SPACE			
X	87. Outdoor space - adequate square footage per child		
X	88. Impact absorbing material under equipment		
O	89. Playground free from hazards		Failed to ensure the playground is free of glass, debris, holes and other hazards on the large back playground when a broken wooden gate and trash was observed. There is a wire not secured on the sidewalk. The sandbox is in a state of disrepair on large playground.
X	92. Equipment anchored, safely arranged		
O	93. Outdoor play area protected, fenced		Observed gaps under the fence exceeding four inches on the backside of large playground.
X	94. Drinking water available, accessible		
EDUCATIONAL REQUIREMENTS 19a-79-8a			
X	95. Written plan for daily program available to parents/staff		
X	96. Schedule – Activity choices and Program		Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
ADMINISTRATION OF MEDICATIONS 19a-79-9a			
X	97. Written policies, procedures		
X	98. Training outline on file		

NONPRESCRIPTION TOPICAL MEDICATIONS						
X	99. Administration, parent permission, MAR					
X	100. Labeling, storage					
ORAL/TOPICAL/INHALENT MEDICATIONS						
X	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">O/T/I</td> <td style="width: 90%; text-align: center;">Injectable</td> </tr> <tr> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
X	102. Authorized prescriber, parent permission, MAR					
X	103. Labeling, storage					
○	104. Unused, expired meds returned/disposed	Failed to ensure that expired medication is destroyed or returned to the parent when two Benadryl were expired and not replaced with new medication.				
SELF-ADMINISTRATION						
X	105. Authorized prescriber, parent permission, MAR					
X	106. Labeling, storage					
X	107. Approved petition for special medication authorization					
Yes	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10				
X	109. Approved endorsement					
X	110. Ratio: 1 staff to 4 children					
X	111. Group size: no larger than 8					
X	112. Physical barriers, groups of 8 (indoors and outdoors)					
X	113. Adequate sinks in program space					
X	114. Free standing, well-constructed, safe cribs					
X	115. Washable cots					
X	116. Chairs for feeding, stable, safety straps, locking tray					
X	117. Developmentally appropriate tables, chairs, equipment					
X	118. Refrigerators and food prep facilities					

X	119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
X	120. Diaper area- washed, disinfected			
X	121. Diaper area- disposable paper sheets			
X	122. Covered waste receptacle			
X	123. Diaper changing policy posted, followed			
X	124. Hand washing policy posted, followed			
X	125. Individual storage of personal items			
X	126. Cribs/cots washed and disinfected			
X	127. Under 12 months- placed on back for sleeping			
X	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			X	
X	129. Crib, bed used for infant sleeping			
X	130. Crib, bed free from observable hazards			
X	131. Infant toys separate, washed, disinfected daily			
X	132. No toys, objects less than 1/1/4" diameter			
X	133. Plastic bags, balloons, Styrofoam objects inaccessible			
X	134. Health consultant, doc. of visits			
X	135. Infants held for bottles, indiv. attention, tummy time			
O	136. Written statement, feeding schedule from parent	Failed to maintain a written statement specifying the feeding schedule for infants in butterfly.		
X	137. Unused portions of liquids discarded			
X	138. Clean Bottles, disp. bottles, approved bottle washing			
X	139. Food served from dish or whole jar served			
X	140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
Yes	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
X	143. Approved endorsement	
X	144. Activity choices appropriate	
X	145. Ratio – 1 staff to 10 children	
X	146. Group size – maximum 20 children	
X	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	




<u>YES or NO?</u> Yes	WERE VIOLATIONS CITED DURING THIS VISIT?
--------------------------	---

DISCUSSIONS:

Discussed locking cleaning spray bottles in preschool and only one bottle out in under three rooms. Back house approved temporarily during renovations and is no longer in use or licensed for care. Beluga school age room is now staff lounge and a change form will be sent to remove it from the license capacity.

COMMENTS:

NOTE: Items left blank on this form were not monitored during this visit.
Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.
APPLICANTS: You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
Carolynne DeLoreto (Printed Name)	 (Printed Name)	03/27/2024	Jennifer Zubek (Printed Name)