

Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 03/06/2024
Report Date: 03/13/2024
NELabs Report ID: 2492823-01

Product ID: 4BBZ61-A

Biotrack ID 0880599232825739

Microbiology	Results (CFU)	Limits (CFU)	Methods
Total Aerobic Microbial Count	<100	100,000	AOAC 990.12
Total Yeast & Mold Count	500	100,000	AOAC 2014.05
<i>Aspergillus (flavus, fumigatus, terreus, niger)</i>	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	FDA BAM
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w ^a)
CBDV	----
CBDA	<LOQ
CBGA	<LOQ
CBG	<LOQ
CBD	----
THCV	----
CBN	----
Δ ⁹ THC	0.57
CBL	----
CBC	----
THCA	23.98
Total Cannabinoids	24.55
Total THC: 21.60 %	

^a: percentages reported by dry weight

Terpenes by GC-MS	Results (% w/w ^a)
α-Pinene	0.04
β-Myrcene	0.18
β-Pinene	0.08
δ-Limonene	0.27
α-Terpinolene	0.01
Linalool	0.30
β-Caryophyllene	0.33
α-Humulene	0.10
Carophyllene Oxide	----
α-Bisabolol	----
Total Terpenes: 1.31 %	

^a: percentages reported by dry weight

Moisture	Results
Water Content (% w/w)	15.7
Water Activity (Aw)	0.57



Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 03/06/2024
Report Date: 03/13/2024
NELabs Report ID: 2492823-01

Product ID: 4BBZ61-A

Biotrack ID 0880599232825739

Pesticides by LC-MS/MS	Results	Limits
Per Sample $\geq$ 0.5g	Not Detected	Below Action Levels
Pass/Fail: PASS		

Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg	Below Detection	Below Action Levels
Pass/Fail: PASS		

Mycotoxins by LC-MS/MS	Results ($\mu\text{g/kg}$)	Limits ($\mu\text{g/kg}$)
Aflatoxins (B1, B2, G1, G2)	<20 each	<20 each
Ochratoxin-A	<20	<20
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 03/06/2024.

Date:	Reviewed by: 	Released by: 
03/13/2024	Garrett Johnson, QA / QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787
PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

