

Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 03/13/2024
Report Date: 03/20/2024
NELabs Report ID: 2492885-06

Product ID: 4BCJ41-C

Biotrack ID: 4904577483207690

Microbiology	Results (CFU)	Limits (CFU)	Methods
Total Aerobic Microbial Count	<100	100,000	AOAC 990.12
Total Yeast & Mold Count	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	FDA BAM
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w)
CBDV	----
CBDA	<LOQ
CBGA	0.88
CBG	<LOQ
CBD	----
THCV	----
CBN	----
Δ^9 THC	0.28
Δ^8 THC	----
CBL	----
THCA	31.71
CBC	----
Total Cannabinoids: 32.87 %	
Total THC (0.877*THCA+THC): 28.09 %	

^a: percentages calculated on dry weight basis

Terpenes by GC-MS	Results (% w/w)
α -Pinene	0.09
β -Myrcene	0.32
β -Pinene	0.08
Limonene	0.86
α -Terpinolene	0.02
Linalool	0.52
β -Caryophyllene	0.50
α -Humulene	0.13
Caryophyllene Oxide	----
α -Bisabolol	0.09
Total Terpenes: 2.61 %	

^a: percentages calculated on dry weight basis

Moisture	Results
Water Content (% w/w)	14.4
Water Activity (Aw)	0.54



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787
PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258
State of CT: ACTL.0000004



Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 03/13/2024
Report Date: 03/20/2024
NELabs Report ID: 2492885-06


Product ID: 4BCJ41-C
Biotrack ID: 4904577483207690

Pesticides by LC-MS/MS	Results	Limits
Per Sample $\geq 0.5g$	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

Mycotoxins by LC-MS/MS	Results ($\mu g/kg$)	Limits ($\mu g/kg$)
Aflatoxins (B1, B2, G1, G2)	<20 each	<20 each
Ochratoxin-A	<20	<20
Pass/Fail: PASS		

Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 03/13/2024.

Date:	Reviewed by: 	Released by: 
03/20/2024	Garrett Johnson, QA/QC	Zachary Canzone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787
PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258
State of CT: ACTL.0000004

