



## DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103  
Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552  
Email: [oeclicensing@ct.gov](mailto:oeclicensing@ct.gov) Website: [www.ctoec.org](http://www.ctoec.org)

### FAMILY CHILD CARE HOME SUPPLEMENTAL INSPECTION

<b>Provider</b>	REVA THELWELL		<b>License Number</b>	DCFH	<b>Date of Inspection</b>	03/25/2024
			<b>Expiration Date</b>		<b>Time of Inspection</b>	01:50 PM
<b>Address</b>	162 COLTON ST WINDSOR CT 06095-3430		<b>Telephone</b>	(860) 890-3318	<b>Regular Capacity</b>	6
			<b>Days and Hours</b>	Monday-Sunday 7AM-5PM	<b>School Age Capacity</b>	3
<b># Children Present</b>	0	<b># Under 18 months present</b>	0	<b>Summer Care</b>	Open	
<b>Purpose of Inspection</b>	Follow-up for Violations Cited During Initial Inspection on 3/05/2024		<b>Name of Inspector</b>	Melina Perez		
<b>Provider's Email</b>	revathelwell@icloud.com		<b>Inspector's Email</b>	melina.perez@ct.gov		

**CONSENT TO INSPECT:** I agree to allow the Commissioner or an authorized representative to have access to and inspect the facility and child care records during home inspections as required by Regulations Section 19a-87b-5(h).

Signature of Provider/Applicant/Substitute/Emergency Caregiver

### Violations

Statute and/or Regulation	Description	Comments
[-]	000 No Violations	No violations were cited during this inspection

--	--	--

**Other Findings-In Compliance**

Statute and/or Regulation	Description	Comments
[19a-87b-10(a)]	004-Capacity	
[19a-87b-5(e)]	006-Infant/Toddler Restriction	
[19a-87b-8a]	021-Background Check	
[19a-87b-9(b)]	023-Freedom of Hazards	
[19a-87b-9(c)]	024-Harmful Substances and Materials Inaccessible	

[19a-87b-9(d)(4)(D)]	031-Stairways: Protected/Handrails	
[19a-87b-9(d)(5)]	032-Emergency Plan	
[19a-87b-9(d)(8)]	036-Fire Extinguisher	



**YES/NO:** No      **WERE VIOLATIONS CITED DURING THIS VISIT?**

**Discussions:**

#21 - Observed the applicant now has access to her BCIS roster. Provider now has a printed copy of her roster.  
 #23 - Observed the bottom drawer of the bathroom cabinet is no longer broken/falling over. The drawer has been nailed shut and therefore is no longer able to open/fall.  
 #24 - Listerine mouthwash, anti-itch/body lotion cream, and Crest toothpaste were no longer observed to be accessible to children as they have been removed from the bathroom countertop and placed higher up out of reach of children.  
 #31 - Observed an eye hook lock has been installed on the door in the kitchen leading directly to the basement stairs.  
 #32 - Observed the applicant has completed her emergency plan.  
 #36 - Observed the applicant's fire extinguisher has been mounted.  
 #39 - Observed the shed door has been repaired and a lock for additional protection has also been installed making the gardening tools inaccessible to children.  
 #44 - Observed the trash can in the bathroom now has a lid.  
 #50 - Observed a CPR mouth barrier, a roll of hypoallergenic adhesive tape, 2 inch gauze roll bandage, and 2 instant cold packs have been added to her First Aid Kit.  
 #66 - Observed the applicant now has a flexible and balanced written schedule.  
 #68 - Observed the applicant now has appropriate rest provisions for all ages.  
 \*\*Now that the applicant has proper rest provisions; specialist went over safe sleep regulations with her again\*\*

**Comments:**

**NOTE:** Items left blank on this form were not monitored during this visit.  
 Only the regulations marked as compliant or non-compliant were monitored or discussed.  
**APPLICANTS:** You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)		<b>DATE CORRECTIONS DUE BY:</b>	 (Signature of Person in Charge)
Melina Perez (Printed Name)			REVA THELWELL (Printed Name)