



DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oeclicensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	KIDS WORLD CHILDCARE				License Number	DCCC.15710	Date of Inspection	03/27/2024		
					Expiration Date	3/31/2026	Time of Inspection	01:04 PM		
Address	465 W MAIN ST NORWICH CT 06360-5439				Telephone	(860) 892-5437	Licensed Capacity	61		
					Hours of Operation	SUNDAY THROUGH SATURDAY FROM: 6:00 AM TO: 10:00PM	Infant/Toddler Capacity	32		
Is this a Change of Address?	Yes?		No?	X			Summer Care	Open		
New Address					Minimum Age Served	6 weeks	Maximum Age Served	12 years	Water Supply	Public Water
					Program's Email	kidsworldchildcare@yahoo.com				
Operator	KIDS WORLD CHILDCARE LLC				Name of Inspector	Carolynne DeLoreto				
Director	SARAH HOLMES				Inspector's Email	carolynne.deloreto@ct.gov				
Key: Compliant = X Non-Compliant = O	# of Infants - Toddlers Present	24	# of Total Children Present	42	# of Staff Present	14	Type of Inspection	UNANNOUNCED INSPECTION - FULL		

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 03/14/2023	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	
ITEMS POSTED – ACCESSIBLE		
X	8. License	
X	9. Fire Marshal certificate	
	Date	10/03/2023
X	10. OEC Complaint procedure	
	11. Food Service Certificate	N/A?
	Date	X
X	12. Menus	
X	13. Emergency plans	
X	14. No Smoking Signs	
X	15. Radon Test	N/A?
	Date	Results
	04/30/2001	.8
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. Endorsements	
STAFFING 19a-79-4a		
X	15c. Staffing	
X	16. Staff Health records – TB tests	
X	17. Professional development	
X	18. Disciplinary actions	
X	18b. Background checks	

X	37. Child health records and immunizations	
X	38. Individual care plan (signed by parents and staff)	
X	39. Injury, Illness, Accident reports	
HEALTH AND SAFETY 19a-79-6a		
X	40. Nutritious snacks and meals (required food groups)	
X	41. Proper refrigeration (max 45°)	
X	42. Kitchen separated	N/A?
X	43. Hand washing – before eating or food handling	
X	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory	
PHYSICAL PLANT 19a-79-7a		
O	45. License premises – clean, good repair, hazard free	Failed to maintain the building, equipment and services when the ceiling in preschool is peeling. The bookcase in three's is not secured to the wall and is leaning. Cots are stored in the three's bathroom and were not covered.
X	47b. Plans for new construction, expansion, renovation or conversion	
X	48. Sanitary drinking fountains – disposable cups	
X	49. Lead Water Test (N/A?) 07/14/2023	Bacterial/Chemical Test (N/A?) X
X	50. Walkways maintained	
X	51. Designated staff toilet/sink	
X	52. All openings for ventilation screened	
X	53. Windows protected to prevent falls	
X	54. Glass protected up to 36"	
X	55. Overhead doors – locking devices, spring protectors	
X	56. Exits, Hallways and Stairs unobstructed	

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
O	76. Potentially hazardous substances locked	Failed to ensure that potentially hazardous substances are stored in a locked area when there were several containers of cleaning supplies in toddler bathroom.
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails	
X	79. Pets – maintained, care plan	Y/N N
X	80. Operable CO detector on each level	N/A? Y
X	81. Program space-adequate square footage per child	
X	82. Equipment clean, good repair, safe, non-toxic	
X	83. Cots stored, maintained, adequate number	
X	84. Developmentally appropriate equipment	
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
X	86. No weapons, no facsimile of a firearm on premises	
OUTDOOR SPACE		
X	87. Outdoor space - adequate square footage per child	
X	88. Impact absorbing material under equipment	
X	89. Playground free from hazards	
X	92. Equipment anchored, safely arranged	
X	93. Outdoor play area protected, fenced	
X	94. Drinking water available, accessible	
EDUCATIONAL REQUIREMENTS 19a-79-8a		
X	95. Written plan for daily program available to parents/staff	
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
ADMINISTRATION OF MEDICATIONS 19a-79-9a		
X	97. Written policies, procedures	
X	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS						
X	99. Administration, parent permission, MAR					
X	100. Labeling, storage					
ORAL/TOPICAL/INHALENT MEDICATIONS						
X	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; padding: 2px;">O/T/I</td> <td style="padding: 2px;">Injectable</td> </tr> <tr> <td style="text-align: center; padding: 2px;">Y</td> <td style="text-align: center; padding: 2px;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
O	102. Authorized prescriber, parent permission, MAR	Failed to maintain complete written orders for one epi pen authorization that was missing start and end dates and dosage.				
X	103. Labeling, storage					
X	104. Unused, expired meds returned/disposed					
SELF-ADMINISTRATION						
X	105. Authorized prescriber, parent permission, MAR					
X	106. Labeling, storage					
X	107. Approved petition for special medication authorization					
Yes	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10				
X	109. Approved endorsement					
X	110. Ratio: 1 staff to 4 children					
X	111. Group size: no larger than 8					
X	112. Physical barriers, groups of 8 (indoors and outdoors)					
X	113. Adequate sinks in program space					
X	114. Free standing, well-constructed, safe cribs					
X	115. Washable cots					
X	116. Chairs for feeding, stable, safety straps, locking tray					
X	117. Developmentally appropriate tables, chairs, equipment					
X	118. Refrigerators and food prep facilities					

X	119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
X	120. Diaper area- washed, disinfected			
X	121. Diaper area- disposable paper sheets			
X	122. Covered waste receptacle			
X	123. Diaper changing policy posted, followed			
X	124. Hand washing policy posted, followed			
X	125. Individual storage of personal items			
X	126. Cribs/cots washed and disinfected			
X	127. Under 12 months- placed on back for sleeping			
X	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			X	
X	129. Crib, bed used for infant sleeping			
X	130. Crib, bed free from observable hazards			
X	131. Infant toys separate, washed, disinfected daily			
X	132. No toys, objects less than 1/1/4" diameter			
X	133. Plastic bags, balloons, Styrofoam objects inaccessible			
X	134. Health consultant, doc. of visits			
X	135. Infants held for bottles, indiv. attention, tummy time			
X	136. Written statement, feeding schedule from parent			
X	137. Unused portions of liquids discarded			
X	138. Clean Bottles, disp. bottles, approved bottle washing			
X	139. Food served from dish or whole jar served			
X	140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
Yes	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
X	143. Approved endorsement	
X	144. Activity choices appropriate	
X	145. Ratio – 1 staff to 10 children	
X	146. Group size – maximum 20 children	
X	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	



YES or NO? Yes	WERE VIOLATIONS CITED DURING THIS VISIT?
--------------------------	---

DISCUSSIONS:

There is a sewer drain at the base of the exterior playground steps which could pose a hazard for the toddlers who utilize the staircase. Strollers are stored on the rock area staff and children used to use to access space.

COMMENTS:

NOTE: Items left blank on this form were not monitored during this visit.
Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.
APPLICANTS: You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of Person in Charge)	DATE CORRECTIONS DUE BY:
Carolynne DeLoreto (Printed Name)	Sarah Holmes (Printed Name)	04/10/2024