



**DIVISION OF LICENSING**  
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103  
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552  
 Email: [oeclicensing@ct.gov](mailto:oeclicensing@ct.gov) Website: [www.ctoec.org](http://www.ctoec.org)

## CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

<b>Program Name</b>	<b>LITTLE RED SCHOOLHOUSE</b>				<b>License Number</b>	<b>DCCC.15052</b>	<b>Date of Inspection</b>	<b>04/05/2024</b>
					<b>Expiration Date</b>	<b>9/30/2026</b>	<b>Time of Inspection</b>	<b>10:30 AM</b>
<b>Address</b>	<b>5958 MAIN ST</b>				<b>Telephone</b>	<b>(203) 261-1558</b>	<b>Licensed Capacity</b>	<b>68</b>
	<b>TRUMBULL CT 06611-2413</b>				<b>Hours of Operation</b>	<b>FROM: 7:00AM TO: 5:30PM;</b>	<b>Infant/Toddler Capacity</b>	<b>32</b>
<b>Is this a Change of Address?</b>	<b>Yes?</b>		<b>No?</b>	<b>X</b>			<b>Summer Care</b>	<b>Open</b>
<b>New Address</b>					<b>Minimum Age Served</b>	<b>6 weeks</b>	<b>Maximum Age Served</b>	<b>12 years</b>
					<b>Program's Email</b>	<b>missdianad@hotmail.com</b>		
<b>Operator</b>	<b>DIANA DENKOVICH</b>				<b>Name of Inspector</b>	<b>Terri Ruducha-Roberts</b>		
<b>Director</b>	<b>DIANA DENKOVICH</b>				<b>Inspector's Email</b>	<b>terri.ruducha-roberts@ct.gov</b>		
<b>Key:</b> Compliant = X Non-Compliant = O	<b># of Infants - Toddlers Present</b>	<b>19</b>	<b># of Total Children Present</b>	<b>33</b>	<b># of Staff Present</b>	<b>7</b>	<b>Type of Inspection</b>	<b>UNANNOUNCED INSPECTION - FULL</b>

### LICENSURE PROCEDURES 19a-79-2a

<b>O</b>	<b>1. Local Health Inspection</b>	Failed to maintain local health inspection when it was not available for review
	<b>Date:</b>	
<b>X</b>	<b>1a. False or Misleading Statements</b>	

### ADMINISTRATION 19a-79-3a

<b>X</b>	<b>1b. Administration</b>	
<b>X</b>	<b>1bb. Capacity</b>	
<b>X</b>	<b>2. New Staff – Employee Orientation</b>	
<b>X</b>	<b>3. Annual Staff Policy Training</b>	
<b>O</b>	<b>3b. Managing child behavior</b>	Failed to manage child behavior based on developmentally appropriate practice when a three year old was observed in a high chair. Staff reported she was running around the room which is why she was placed in the high chair.
<b>X</b>	<b>4. Documentation of Behavior M. Tech Discussed w/parents</b>	
<b>X</b>	<b>4b. Failure to report</b>	

<b>X</b>	5. Notification of Change	
<b>O</b>	6. Program policies	<p>Including discipline, supervision, child protection, general operating, personnel, closing time</p> <p>Failed to maintain written policies, plans and procedures when they were not available for review</p>
<b>X</b>	7. Daily Attendance Records- staff and children	
<b>ITEMS POSTED – ACCESSIBLE</b>		
<b>X</b>	8. License	
<b>X</b>	9. Fire Marshal certificate	
	Date	05/25/2023
<b>X</b>	10. OEC Complaint procedure	
	11. Food Service Certificate	N/A?
	Date	X
<b>X</b>	12. Menus	
<b>X</b>	13. Emergency plans	
<b>X</b>	14. No Smoking Signs	
<b>X</b>	15. Radon Test	N/A?
	Date	Results
	12/26/1997	1.2 and
<b>X</b>	15a. Developmental Milestones	
<b>X</b>	15b. Access	
<b>X</b>	15bb. Endorsements	
<b>STAFFING 19a-79-4a</b>		
<b>X</b>	15c. Staffing	
<b>X</b>	16. Staff Health records – TB tests	
<b>X</b>	17. Professional development	
<b>X</b>	18. Disciplinary actions	
<b>X</b>	18b. Background checks	

<b>X</b>	19. Designated Head Teacher					
<b>X</b>	20. Two Staff present					
<b>X</b>	20a. Staff Qualities					
<b>X</b>	21. Ratio: 1 staff to 10 children					
<b>X</b>	21b. Supervision					
<b>X</b>	22. Group Size – maximum 20 children					
<b>X</b>	23. Designated director - Training					
<b>X</b>	24. CPR Certified Staff (Group Home N/A)					
<b>X</b>	25. First Aid Trained Staff					
<b>X</b>	26. Consultants- Agreements and Contracts					
<b>X</b>	27. Logs – Visits documented					
	Not in Compliance?	<b>Education</b>	<b>Health</b>	<b>Social Service</b>	<b>Dental</b>	<b>Dietician N/A? X</b>
	Contracts					
	Logs					
	Do they take children swimming?	<b>N SWIMMING</b>				
<b>X</b>	28. Non-swimmers identified					
<b>X</b>	29. Staff/Child Ratios					
<b>X</b>	30. CPR certified staff (20 years of age)					
<b>X</b>	31. Lifeguard certified - supervision					
<b>RECORD KEEPING 19a-79-5a</b>						
<b>X</b>	32. Enrollment information					
<b>X</b>	33. Emergency medical permission					
<b>X</b>	34. Authorized release permission					
<b>X</b>	35. Field trip permission					
<b>X</b>	36. Transportation permission					

<b>X</b>	37. Child health records and immunizations		
<b>O</b>	38. Individual care plan (signed by parents and staff)	Failed to maintain complete individual care plans when staff have not signed the care plan	
<b>X</b>	39. Injury, Illness, Accident reports		
<b>HEALTH AND SAFETY 19a-79-6a</b>			
<b>X</b>	40. Nutritious snacks and meals (required food groups)		
<b>X</b>	41. Proper refrigeration (max 45°)		
<b>X</b>	42. Kitchen separated	N/A?	
<b>X</b>	43. Hand washing – before eating or food handling		
<b>X</b>	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory		
<b>PHYSICAL PLANT 19a-79-7a</b>			
<b>X</b>	45. License premises – clean, good repair, hazard free		
<b>X</b>	47b. Plans for new construction, expansion, renovation or conversion		
<b>X</b>	48. Sanitary drinking fountains – disposable cups		
<b>X</b>	49. Lead Water Test (N/A?) 03/07/2023	Bacterial/Chemical Test (N/A?) <b>X</b>	
<b>X</b>	50. Walkways maintained		
<b>X</b>	51. Designated staff toilet/sink		
<b>X</b>	52. All openings for ventilation screened		
<b>X</b>	53. Windows protected to prevent falls		
<b>X</b>	54. Glass protected up to 36”		
<b>X</b>	55. Overhead doors – locking devices, spring protectors		
<b>X</b>	56. Exits, Hallways and Stairs unobstructed		

<b>X</b>	57. Individual storage of clothing and bedding	
<b>X</b>	58. Smoking prohibited	
<b>X</b>	59. Matches and lighters inaccessible	
<b>X</b>	60. Electrical safety – outlets/cords	
<b>X</b>	61. Toileting needs met	
<b>X</b>	62. Required toilets, sinks, supplies	
<b>X</b>	63. Potty chairs – nonporous, emptied, disinfected	
<b>X</b>	64. Hand washing after toileting – staff and children	
<b>X</b>	65. Ventilation in toilet rooms	
<b>X</b>	66. Air temperature 65 degrees, thermometer affixed	
<b>X</b>	67. Water temperature 60° – 115°	
<b>X</b>	68. Portable space heaters	
<b>X</b>	69. Walls, ceilings, floors and rugs – clean, good repair	
<b>X</b>	70. Rugs secure	
<b>X</b>	71. Hot water, steam pipes protected	
<b>X</b>	72. Working phone on each level	
<b>X</b>	73. Emergency numbers posted	
<b>X</b>	74. Adequate lighting - 50/30 candle feet	
<b>X</b>	75. Light fixtures shielded, shatter proof	
<b>X</b>	76. Potentially hazardous substances locked	
<b>X</b>	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails	
	79. Pets – maintained, care plan	Y/N N
X	80. Operable CO detector on each level	N/A? Y
X	81. Program space-adequate square footage per child	
O	82. Equipment clean, good repair, safe, non-toxic	Failed to ensure that equipment is clean and safe for children when 5 high chairs are not clean, when 4 pack n plays do not have manufacture mattresses that fit snuggly as observed for children older than 12 months
X	83. Cots stored, maintained, adequate number	
X	84. Developmentally appropriate equipment	
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
X	86. No weapons, no facsimile of a firearm on premises	
<b>OUTDOOR SPACE</b>		
X	87. Outdoor space - adequate square footage per child	
O	88. Impact absorbing material under equipment	Failed to ensure a minimum of 8 inches of impact absorbing materials in the under three play space.
X	89. Playground free from hazards	
O	92. Equipment anchored, safely arranged	Failed to ensure outdoor equipment is arranged in such a way as to avoid accidents
X	93. Outdoor play area protected, fenced	
X	94. Drinking water available, accessible	
<b>EDUCATIONAL REQUIREMENTS 19a-79-8a</b>		
X	95. Written plan for daily program available to parents/staff	
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
<b>ADMINISTRATION OF MEDICATIONS 19a-79-9a</b>		
O	97. Written policies, procedures	Failed to maintain written administration of medication policies and procedures when they were not available for review
X	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS						
<b>X</b>	99. Administration, parent permission, MAR					
<b>X</b>	100. Labeling, storage					
ORAL/TOPICAL/INHALENT MEDICATIONS						
<b>X</b>	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">O/T/I</td> <td style="width: 90%; text-align: center;">Injectable</td> </tr> <tr> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
<b>X</b>	102. Authorized prescriber, parent permission, MAR					
<input type="radio"/>	103. Labeling, storage	Failed to maintain proper storage of medication when 4 ointments were accessible to children. One in an under three classroom and 3 in the front entrance hallway				
<input type="radio"/>	104. Unused, expired meds returned/disposed	When 3 topical ointments accessible in the front door hallway are no longer used per owner were not returned to the parent and an epi pen that expired 11/23 was not returned to the parent				
SELF-ADMINISTRATION						
<b>X</b>	105. Authorized prescriber, parent permission, MAR					
<b>X</b>	106. Labeling, storage					
<b>X</b>	107. Approved petition for special medication authorization					
<b>Yes</b>	Is there an approved endorsement?	<b>INFANT/TODDLER ENDORSEMENT 19a-79-10</b>				
<b>X</b>	109. Approved endorsement					
<b>X</b>	110. Ratio: 1 staff to 4 children					
<b>X</b>	111. Group size: no larger than 8					
<b>X</b>	112. Physical barriers, groups of 8 (indoors and outdoors)					
<b>X</b>	113. Adequate sinks in program space					
<b>X</b>	114. Free standing, well-constructed, safe cribs					
<b>X</b>	115. Washable cots					
<b>X</b>	116. Chairs for feeding, stable, safety straps, locking tray					
<b>X</b>	117. Developmentally appropriate tables, chairs, equipment					
<b>X</b>	118. Refrigerators and food prep facilities					

<b>X</b>	119. Diaper area- sturdy, safety rail, nonporous, exclusive use					
<b>X</b>	120. Diaper area- washed, disinfected					
<b>X</b>	121. Diaper area- disposable paper sheets					
<b>X</b>	122. Covered waste receptacle					
<b>X</b>	123. Diaper changing policy posted, followed					
<b>X</b>	124. Hand washing policy posted, followed					
<b>X</b>	125. Individual storage of personal items					
<b>X</b>	126. Cribs/cots washed and disinfected					
<b>X</b>	127. Under 12 months- placed on back for sleeping					
<b>X</b>	128. Alternate sleep position- equipment, medical documentation	<table border="1"> <tr> <td>Yes</td> <td>No</td> </tr> <tr> <td></td> <td><b>X</b></td> </tr> </table>	Yes	No		<b>X</b>
Yes	No					
	<b>X</b>					
<b>X</b>	129. Crib, bed used for infant sleeping					
<b>O</b>	130. Crib, bed free from observable hazards	Failed to ensure that soft surfaces and gas-trapping objects are not placed under or with an infant for sleeping as observed as infant was laying down to go to sleep and she had a stuffed animal in her crib				
<b>X</b>	131. Infant toys separate, washed, disinfected daily					
<b>X</b>	132. No toys, objects less than 1/1/4" diameter					
<b>X</b>	133. Plastic bags, balloons, Styrofoam objects inaccessible					
<b>X</b>	134. Health consultant, doc. of visits					
<b>X</b>	135. Infants held for bottles, indiv. attention, tummy time					
<b>X</b>	136. Written statement, feeding schedule from parent					
<b>X</b>	137. Unused portions of liquids discarded					
<b>X</b>	138. Clean Bottles, disp. bottles, approved bottle washing					
<b>X</b>	139. Food served from dish or whole jar served					
<b>X</b>	140. Bottles individually identified with child's name					

**OUTDOOR PLAY SPACE - UNDER THREE**

<b>X</b>	141. Play space fenced	
<b>X</b>	142. Outdoor equipment developmentally appropriate	
<b>Yes</b>	Is there an approved endorsement?	<b>SCHOOL AGE ENDORSEMENT 19a-79-11</b>
<b>X</b>	143. Approved endorsement	
<b>X</b>	144. Activity choices appropriate	
<b>X</b>	145. Ratio – 1 staff to 10 children	
<b>X</b>	146. Group size – maximum 20 children	
<b>X</b>	147. Education Consultant appropriate	
<b>No</b>	Is there an approved endorsement?	<b>NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)</b>
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
<b>N</b>	Child with diabetes enrolled?	<b>MONITORING OF DIABETES 19a-79-13</b>
<b>X</b>	154. Written policies and procedures	
<b>X</b>	155. On site staff trained in first aid, glucose testing	
<b>X</b>	156. Training current and documented	
<b>X</b>	157. Supervision of self-administration	
<b>X</b>	158. Equipment, supplies labeled and inaccessible	

<b>X</b>	159. Signed agreement with parents regarding equipment	
<b>X</b>	160. Materials discarded appropriately	
<b>X</b>	161. Authorized prescriber, parent permission	
<b>X</b>	162. Documentation of test results, actions taken	
<b>X</b>	163. Daily written parent notification	

**ADDITIONAL VIOLATIONS**

<b>X</b>	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
----------	---	------	--




<b>YES or NO?</b> Yes	<b>WERE VIOLATIONS CITED DURING THIS VISIT?</b>
--------------------------	---

**DISCUSSIONS:**

First aid manual copyright date is 2012  
 Observed all windows seed with plastic, owner reports local health required due to lead paint concerns.  
 Windows are going to be replaced, discussed requirements for lead paint removal.

**COMMENTS:**

**NOTE:** Items left blank on this form were not monitored during this visit.  
 Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.  
**APPLICANTS:** You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY: <b>04/19/2024</b>	 (Signature of Person in Charge)
<b>Terri Ruducha-Roberts</b> (Printed Name)	<b>Dianna Denkovitch</b> (Printed Name)		<b>Dianna Denkovitch</b> (Printed Name)