

Curaleaf
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 05/03/2024
Report Date: 05/10/2024
NELabs Report ID: 2493335-09

Product ID: 2404089F4-AT-T

Biotrack ID: 7007 6022 1740 8031

Microbiology	Results (CFU)	Limits (CFU)	Methods
Total Aerobic Microbial Count	1,100	100,000	AOAC 990.12
Total Yeast & Mold Count	200	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	qPCR
Pass/Fail: PASS			


Cannabinoids by HPLC	Results (% w/w)
CBDV	----
CBDA	<LOQ
CBGA	0.84
CBG	<LOQ
CBD	----
THCV	----
CBN	----
Δ^9 THC	0.35
Δ^8 THC	----
CBL	----
THCA	18.83
CBC	----
Total Cannabinoids: 20.02 %	
Total THC (0.877*THCA)+THC: 16.86 %	

^a: percentages calculated on dry weight basis

Terpenes by GC-MS	Results (% w/w)
α -Pinene	<0.10
β -Myrcene	0.43
β -Pinene	<0.10
Limonene	0.49
α -Terpinolene	<0.10
Linalool	0.29
β -Caryophyllene	0.21
α -Humulene	<0.10
Caryophyllene Oxide	----
α -Bisabolol	----
Total Terpenes: 1.42 %	

^a: percentages calculated on dry weight basis

Moisture	Results
Water Content (% w/w)	15.8
Water Activity (Aw)	0.54



Curaleaf
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 05/03/2024
Report Date: 05/10/2024
NELabs Report ID: 2493335-09

Product ID: 2404089F4-AT-T


Biotrack ID: 7007 6022 1740 8031

Pesticides by LC-MS/MS	Results	Limits
Per Sample $\geq 0.5g$	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

Mycotoxins by LC-MS/MS	Results ($\mu g/kg$)	Limits ($\mu g/kg$)
Aflatoxins (B1, B2, G1, G2)	<20 each	<20 each
Ochratoxin-A	<20	<20
Pass/Fail: PASS		

Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 05/03/2024.

Date:	Reviewed by: 	Released by: 
05/10/2024	Garrett Johnson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787
PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258
State of CT: ACTL.0000004

