

Emerald Canning Partners, LLC

1244 Old Clinton Road

Westbrook, CT 06498

Date Received: 04/23/2024

Report Date: 05/03/2024

NE Labs Report ID: 2493231-01

Product ID: WANA-BB-8613

Biotrack ID: 7964 7327 3839 1442

Microbiology	Results (CFU)	Limits (CFU)	Methods
Total Aerobic Microbial Count	<100	100,000	AOAC 990.12
Total Yeast & Mold Count	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	FDA BAM
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w)
CBDV	----
CBDA	----
CBGA	----
CBG	0.003
CBD	<LOQ
THCV	0.001
CBN	0.002
Δ^9 THC	0.099
Δ^8 THC	----
CBL	----
THCA	<LOQ
CBC	----

Total Cannabinoids: **0.11 %**

Total THC (0.877*THCA)+THC: **0.099 %**


Dosing Information	mg per edible
Δ^9 THC	4.6

Dosing Information	g per edible
Average Weight	4.5993

Terpenes by GC-MS	Results (% w/w)
α -Pinene	----
β -Myrcene	----
β -Pinene	----
Limonene	----
α -Terpinolene	----
Linalool	----
β -Caryophyllene	----
α -Humulene	----
Caryophyllene Oxide	----
α -Bisabolol	----
Total Terpenes: BELOW DETECTION	

Moisture	Results
Water Activity (Aw)	0.66

Residual Solvent	Results (% w/w)
by GC-MS	
Ethanol	<LOQ



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004



Emerald Canning Partners, LLC

1244 Old Clinton Road

Westbrook, CT 06498

Date Received: 04/23/2024

Report Date: 05/03/2024

NELabs Report ID: 2493231-01


Product ID: WANA-BB-8613

Biotrack ID: 7964 7327 3839 1442

Pesticides by LC-MS/MS	Results	Limits
Per Sample $\geq 0.5g$	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

Mycotoxins by LC-MS/MS	Results ($\mu g/kg$)	Limits ($\mu g/kg$)
Aflatoxins (B1, B2, G1, G2)	<20 each	<20 each
Ochratoxin-A	<20	<20
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 04/23/2024.

Date:	Reviewed by: 	Released by: 
05/03/24	Garrett Johnson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

