



DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oc.licensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	THE LEARNING EXPERIENCE - TRUMBULL				License Number	DCCC.70558	Date of Inspection	05/29/2024		
					Expiration Date	8/31/2024	Time of Inspection	10:50 AM		
Address	2285 RESERVOIR AVE TRUMBULL CT 06611-4752				Telephone	(203) 220-8959	Licensed Capacity	132		
					Hours of Operation	MONDAY-FRIDAY 6:30AM-6:30PM	Infant/Toddler Capacity	72		
Is this a Change of Address?	Yes?		No?	X			Summer Care	Open		
New Address					Minimum Age Served	6 weeks	Maximum Age Served	6 years	Water Supply	Public Water
					Program's Email	trumbull@tlechildcare.com				
Operator	WEST 84 LLC				Name of Inspector	Terri Ruducha-Roberts				
Director	ALEXIS PICKERING				Inspector's Email	terri.ruducha-roberts@ct.gov				
Key:	Compliant = X	# of Infants - Toddlers Present	32	# of Total Children Present	68	# of Staff Present	16	Type of Inspection	UNANNOUNCED INSPECTION - FULL	
Non-Compliant = O										

LICENSURE PROCEDURES 19a-79-2a

O	1. Local Health Inspection	Failed to maintain current local health inspection
	Date: 07/23/2021	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	
ITEMS POSTED – ACCESSIBLE		
X	8. License	
O	9. Fire Marshal certificate	Failed to maintain a current fire marshal inspection
	Date	07/19/2022
X	10. OEC Complaint procedure	
X	11. Food Service Certificate	N/A?
	Date	03/31/2025
X	12. Menus	
O	13. Emergency plans	Failed to post emergency plans in a conspicuous location
X	14. No Smoking Signs	
X	15. Radon Test	N/A?
	Date	Results
	01/30/2020	"Below"
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. Endorsements	
STAFFING 19a-79-4a		
X	15c. Staffing	
O	16. Staff Health records – TB tests	Failed to maintain medical statement(s) when 3 were not available for review, And 3 were expired
O	17. Professional development	Failed to document professional development for all staff when logs were not completed
X	18. Disciplinary actions	
X	18b. Background checks	

X	19. Designated Head Teacher					
X	20. Two Staff present					
X	20a. Staff Qualities					
X	21. Ratio: 1 staff to 10 children					
X	21b. Supervision					
X	22. Group Size – maximum 20 children					
X	23. Designated director - Training					
X	24. CPR Certified Staff (Group Home N/A)					
X	25. First Aid Trained Staff					
X	26. Consultants- Agreements and Contracts					
X	27. Logs – Visits documented					
	Not in Compliance?	Education	Health	Social Service	Dental	Dietician N/A?
	Contracts					
	Logs					
	Do they take children swimming?	N SWIMMING				
X	28. Non-swimmers identified					
X	29. Staff/Child Ratios					
X	30. CPR certified staff (20 years of age)					
X	31. Lifeguard certified - supervision					
RECORD KEEPING 19a-79-5a						
X	32. Enrollment information					
X	33. Emergency medical permission					
X	34. Authorized release permission					
X	35. Field trip permission					
X	36. Transportation permission					

<input type="radio"/>	37. Child health records and immunizations	Failed to maintain current health records for children when 3 were expired . Failed to maintain current immunization records for children when 3 had no flu immunization documentation for the most recent flu season	
<input checked="" type="checkbox"/>	38. Individual care plan (signed by parents and staff)		
<input checked="" type="checkbox"/>	39. Injury, Illness, Accident reports		
HEALTH AND SAFETY 19a-79-6a			
<input checked="" type="checkbox"/>	40. Nutritious snacks and meals (required food groups)		
<input checked="" type="checkbox"/>	41. Proper refrigeration (max 45°)		
<input checked="" type="checkbox"/>	42. Kitchen separated	N/A?	
<input checked="" type="checkbox"/>	43. Hand washing – before eating or food handling		
<input checked="" type="checkbox"/>	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory		
PHYSICAL PLANT 19a-79-7a			
<input type="radio"/>	45. License premises – clean, good repair, hazard free	Failed to maintain the building, equipment and services when a concrete wall at walkway to playground in disrepair. Observed chunk of concrete on ground, Plexiglass in infant B room not clean on all cribs, microwave door in infant room B, shelving in disrepair as padding coming off and wood exposed in Tod C	
<input checked="" type="checkbox"/>	47b. Plans for new construction, expansion, renovation or conversion		
<input checked="" type="checkbox"/>	48. Sanitary drinking fountains – disposable cups		
<input checked="" type="checkbox"/>	49. Lead Water Test (N/A?) 05/20/2022	Bacterial/Chemical Test (N/A?)	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	50. Walkways maintained		
<input checked="" type="checkbox"/>	51. Designated staff toilet/sink		
<input checked="" type="checkbox"/>	52. All openings for ventilation screened		
<input checked="" type="checkbox"/>	53. Windows protected to prevent falls		
<input checked="" type="checkbox"/>	54. Glass protected up to 36”		
<input checked="" type="checkbox"/>	55. Overhead doors – locking devices, spring protectors		
<input checked="" type="checkbox"/>	56. Exits, Hallways and Stairs unobstructed		

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
○	67. Water temperature 60° – 115°	Failed to ensure the water temperature is between 60-115 degrees in all rooms when measured between 120.3-131.5 degrees
X	68. Portable space heaters	
○	69. Walls, ceilings, floors and rugs – clean, good repair	Failed to maintain walls, ceilings, floors and rugs in a good state of repair as wall in hallway in disrepair
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
X	76. Potentially hazardous substances locked	
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails	
X	79. Pets – maintained, care plan	Y/N N
X	80. Operable CO detector on each level	N/A? Y
X	81. Program space-adequate square footage per child	
X	82. Equipment clean, good repair, safe, non-toxic	
X	83. Cots stored, maintained, adequate number	
X	84. Developmentally appropriate equipment	
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
X	86. No weapons, no facsimile of a firearm on premises	
OUTDOOR SPACE		
X	87. Outdoor space - adequate square footage per child	
X	88. Impact absorbing material under equipment	
X	89. Playground free from hazards	
X	92. Equipment anchored, safely arranged	
X	93. Outdoor play area protected, fenced	
X	94. Drinking water available, accessible	
EDUCATIONAL REQUIREMENTS 19a-79-8a		
X	95. Written plan for daily program available to parents/staff	
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
ADMINISTRATION OF MEDICATIONS 19a-79-9a		
X	97. Written policies, procedures	
X	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS						
X	99. Administration, parent permission, MAR					
X	100. Labeling, storage					
ORAL/TOPICAL/INHALENT MEDICATIONS						
X	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; padding: 2px;">O/T/I</td> <td style="padding: 2px;">Injectable</td> </tr> <tr> <td style="text-align: center; padding: 2px;">Y</td> <td style="text-align: center; padding: 2px;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
X	102. Authorized prescriber, parent permission, MAR					
X	103. Labeling, storage					
X	104. Unused, expired meds returned/disposed					
SELF-ADMINISTRATION						
X	105. Authorized prescriber, parent permission, MAR					
X	106. Labeling, storage					
X	107. Approved petition for special medication authorization					
Yes	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10				
X	109. Approved endorsement					
X	110. Ratio: 1 staff to 4 children					
X	111. Group size: no larger than 8					
X	112. Physical barriers, groups of 8 (indoors and outdoors)					
X	113. Adequate sinks in program space					
X	114. Free standing, well-constructed, safe cribs					
X	115. Washable cots					
X	116. Chairs for feeding, stable, safety straps, locking tray					
X	117. Developmentally appropriate tables, chairs, equipment					
X	118. Refrigerators and food prop facilities					

X	119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
X	120. Diaper area- washed, disinfected			
X	121. Diaper area- disposable paper sheets			
X	122. Covered waste receptacle			
X	123. Diaper changing policy posted, followed			
X	124. Hand washing policy posted, followed			
X	125. Individual storage of personal items			
X	126. Cribs/cots washed and disinfected			
X	127. Under 12 months- placed on back for sleeping			
X	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			X	
X	129. Crib, bed used for infant sleeping			
X	130. Crib, bed free from observable hazards			
X	131. Infant toys separate, washed, disinfected daily			
X	132. No toys, objects less than 1/1/4" diameter			
X	133. Plastic bags, balloons, Styrofoam objects inaccessible			
X	134. Health consultant, doc. of visits			
X	135. Infants held for bottles, indiv. attention, tummy time			
X	136. Written statement, feeding schedule from parent			
X	137. Unused portions of liquids discarded			
X	138. Clean Bottles, disp. bottles, approved bottle washing			
X	139. Food served from dish or whole jar served			
X	140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
Yes	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
X	143. Approved endorsement	
X	144. Activity choices appropriate	
X	145. Ratio – 1 staff to 10 children	
X	146. Group size – maximum 20 children	
X	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	



YES or NO?
Yes

WERE VIOLATIONS CITED DURING THIS VISIT?

DISCUSSIONS/COMMENTS

Open crackers observed in cabinet of room ps2
 Observed toys in 1 handwashing sink
 Observed 1 teacher place art work on diaper table in twaddler B

NOTE: Items left blank on this form were not monitored during this visit.
 Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.
APPLICANTS: You *MAY NOT OPERATE* until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of Person in Charge)	DATE CORRECTIONS DUE BY:
Terri Ruducha-Roberts (Printed Name)	06/12/2024	Alexis Pickering (Printed Name)