



DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oc.licensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	CONGREGATION B'NAI ISRAEL NURSERY SCHOOL				License Number	DCCC.13158	Date of Inspection	05/30/2024	
					Expiration Date	5/31/2026	Time of Inspection	08:22 AM	
Address	2710 PARK AVE BRIDGEPORT CT 06604-1302				Telephone	(203) 258-3154	Licensed Capacity	128	
					Hours of Operation	MONDAY-FRIDAY 7:00AM-6:00PM	Infant/Toddler Capacity	52	
Is this a Change of Address?	Yes?		No?	X			Summer Care	Open	
New Address					Minimum Age Served	3 months	Maximum Age Served	5 years	
					Water Supply		Public Water		
					Program's Email	acohen@cbibpt.org			
Operator	CONGREGATION B'NAI ISRAEL				Name of Inspector	Cathy Anderson			
Director	ALEXA COHEN				Inspector's Email	catherine.anderson@ct.gov			
Key:	Compliant = X	# of Infants - Toddlers Present	48	# of Total Children Present	114	# of Staff Present	45	Type of Inspection	UNANNOUNCED INSPECTION - FULL
Non-Compliant = O									

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 10/01/2023	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	

ITEMS POSTED – ACCESSIBLE

X	8. License	
O	9. Fire Marshal certificate	Failed to maintain a current fire marshal inspection when observed the certificate posted expired 3/14/2024 Please send a copy to OEC
	Date	03/14/2023
X	10. OEC Complaint procedure	
	11. Food Service Certificate	N/A?
	Date	X
X	12. Menus	
X	13. Emergency plans	
X	14. No Smoking Signs	
X	15. Radon Test	N/A?
	Date	Results
	04/21/1998	1.0
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. Endorsements	

STAFFING 19a-79-4a

X	15c. Staffing	
X	16. Staff Health records – TB tests	
X	17. Professional development	
X	18. Disciplinary actions	
O	18b. Background checks	Failed to ensure staff have completed background checks for 2 staff working with children.

X	19. Designated Head Teacher					
X	20. Two Staff present					
X	20a. Staff Qualities					
X	21. Ratio: 1 staff to 10 children					
X	21b. Supervision					
X	22. Group Size – maximum 20 children					
X	23. Designated director - Training					
X	24. CPR Certified Staff (Group Home N/A)					
X	25. First Aid Trained Staff					
X	26. Consultants- Agreements and Contracts					
X	27. Logs – Visits documented					
	Not in Compliance?	Education	Health	Social Service	Dental	Dietician N/A? X
	Contracts					
	Logs					
	Do they take children swimming?	N SWIMMING				
X	28. Non-swimmers identified					
X	29. Staff/Child Ratios					
X	30. CPR certified staff (20 years of age)					
X	31. Lifeguard certified - supervision					
RECORD KEEPING 19a-79-5a						
X	32. Enrollment information					
X	33. Emergency medical permission					
X	34. Authorized release permission					
X	35. Field trip permission					
X	36. Transportation permission					

<input type="radio"/>	37. Child health records and immunizations	Failed to maintain current health records for children when observed 1 child health record is expired and 1 child health record is not complete.	
<input type="radio"/>	38. Individual care plan (signed by parents and staff)	Failed to maintain individual care plans for 4 children that have allergies or chronic illness and 10 care plan not signed by all staff responsible for child.	
<input checked="" type="checkbox"/>	39. Injury, Illness, Accident reports		
HEALTH AND SAFETY 19a-79-6a			
<input checked="" type="checkbox"/>	40. Nutritious snacks and meals (required food groups)		
<input checked="" type="checkbox"/>	41. Proper refrigeration (max 45°)		
<input checked="" type="checkbox"/>	42. Kitchen separated	N/A?	
<input checked="" type="checkbox"/>	43. Hand washing – before eating or food handling		
<input checked="" type="checkbox"/>	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory		
PHYSICAL PLANT 19a-79-7a			
<input type="radio"/>	45. License premises – clean, good repair, hazard free	Failed to maintain the building, equipment when observed: Room 117-microwave has food splatter and rust spots Room 121-toilet seat is worn in areas, bathroom has lots of storage and microwave has food splatter Room 112-microwave has rust and teacher supplies in a low drawer continued under discussions	
<input checked="" type="checkbox"/>	47b. Plans for new construction, expansion, renovation or conversion		
<input checked="" type="checkbox"/>	48. Sanitary drinking fountains – disposable cups		
<input type="radio"/>	49. Lead Water Test (N/A?) 07/07/2021	Bacterial/Chemical Test (N/A?) <input checked="" type="checkbox"/>	Failed to conduct a lead water test every 2 years when the 1 on site expired 7-7-2023 Please send a copy to OEC
<input checked="" type="checkbox"/>	50. Walkways maintained		
<input checked="" type="checkbox"/>	51. Designated staff toilet/sink		
<input checked="" type="checkbox"/>	52. All openings for ventilation screened		
<input checked="" type="checkbox"/>	53. Windows protected to prevent falls		
<input checked="" type="checkbox"/>	54. Glass protected up to 36"		
<input checked="" type="checkbox"/>	55. Overhead doors – locking devices, spring protectors		
<input checked="" type="checkbox"/>	56. Exits, Hallways and Stairs unobstructed		

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
O	76. Potentially hazardous substances locked	Failed to ensure that potentially hazardous substances are stored in a locked area when observed microban spray in a low unlocked drawer in Room 208 and Room 116 had sanitizing wipes in a low unlocked cabinet
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails		
X	79. Pets – maintained, care plan	Y/N N	
X	80. Operable CO detector on each level	N/A? Y	
X	81. Program space-adequate square footage per child		
X	82. Equipment clean, good repair, safe, non-toxic		
X	83. Cots stored, maintained, adequate number		
X	84. Developmentally appropriate equipment		
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N	
X	86. No weapons, no facsimile of a firearm on premises		
OUTDOOR SPACE			
X	87. Outdoor space - adequate square footage per child		
X	88. Impact absorbing material under equipment		
X	89. Playground free from hazards		
X	92. Equipment anchored, safely arranged		
X	93. Outdoor play area protected, fenced		
X	94. Drinking water available, accessible		
EDUCATIONAL REQUIREMENTS 19a-79-8a			
X	95. Written plan for daily program available to parents/staff		
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up	
ADMINISTRATION OF MEDICATIONS 19a-79-9a			
X	97. Written policies, procedures		
X	98. Training outline on file		

NONPRESCRIPTION TOPICAL MEDICATIONS		
<input type="radio"/>	99. Administration, parent permission, MAR	Failed to maintain written parent permission for medication for 4 diaper creams
<input checked="" type="checkbox"/>	100. Labeling, storage	

ORAL/TOPICAL/INHALENT MEDICATIONS						
<input checked="" type="checkbox"/>	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">O/T/I</td> <td style="width: 10%; text-align: center;">Injectable</td> </tr> <tr> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
<input type="radio"/>	102. Authorized prescriber, parent permission, MAR	Failed to maintain written order from prescriber for medication for 2 prescription diaper creams. I observed 5 forms were missing the child's addresses and 2 forms are expired.				
<input type="radio"/>	103. Labeling, storage	Failed to maintain proper labeling of medication for 4 medications				
<input type="radio"/>	104. Unused, expired meds returned/disposed	Failed to ensure that unused portions of medication is returned to the parent when observed 1-Auvi-q expired 4/17/2024 1-Auvi-q expired 2/2024				

SELF-ADMINISTRATION		
<input checked="" type="checkbox"/>	105. Authorized prescriber, parent permission, MAR	
<input checked="" type="checkbox"/>	106. Labeling, storage	
<input checked="" type="checkbox"/>	107. Approved petition for special medication authorization	

INFANT/TODDLER ENDORSEMENT 19a-79-10		
Yes	Is there an approved endorsement?	
<input checked="" type="checkbox"/>	109. Approved endorsement	
<input checked="" type="checkbox"/>	110. Ratio: 1 staff to 4 children	
<input checked="" type="checkbox"/>	111. Group size: no larger than 8	
<input checked="" type="checkbox"/>	112. Physical barriers, groups of 8 (indoors and outdoors)	
<input checked="" type="checkbox"/>	113. Adequate sinks in program space	
<input checked="" type="checkbox"/>	114. Free standing, well-constructed, safe cribs	
<input checked="" type="checkbox"/>	115. Washable cots	
<input checked="" type="checkbox"/>	116. Chairs for feeding, stable, safety straps, locking tray	
<input checked="" type="checkbox"/>	117. Developmentally appropriate tables, chairs, equipment	
<input checked="" type="checkbox"/>	118. Refrigerators and food prep facilities	

X	119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
X	120. Diaper area- washed, disinfected			
X	121. Diaper area- disposable paper sheets			
X	122. Covered waste receptacle			
X	123. Diaper changing policy posted, followed			
X	124. Hand washing policy posted, followed			
X	125. Individual storage of personal items			
X	126. Cribs/cots washed and disinfected			
X	127. Under 12 months- placed on back for sleeping			
X	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			X	
X	129. Crib, bed used for infant sleeping			
X	130. Crib, bed free from observable hazards			
X	131. Infant toys separate, washed, disinfected daily			
X	132. No toys, objects less than 1/1/4" diameter			
X	133. Plastic bags, balloons, Styrofoam objects inaccessible			
X	134. Health consultant, doc. of visits			
X	135. Infants held for bottles, indiv. attention, tummy time			
X	136. Written statement, feeding schedule from parent			
X	137. Unused portions of liquids discarded			
X	138. Clean Bottles, disp. bottles, approved bottle washing			
X	139. Food served from dish or whole jar served			
X	140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
No	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
	143. Approved endorsement	
	144. Activity choices appropriate	
	145. Ratio – 1 staff to 10 children	
	146. Group size – maximum 20 children	
	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	




YES or NO?
Yes

WERE VIOLATIONS CITED DURING THIS VISIT?

DISCUSSIONS/COMMENTS

Continued violation 45-
 Room 203-1 knife in a low drawer
 Room 201-2 apple slicers in a low drawer and 2 cubby's not secured
 Wooden play refrigerators not secured throughout
 Discussed
 1 bin of small Pom poms on a shelf in room 117
 Soft chairs stored on cots in Room 116
 1 car has a piece of sharp plastic on 1 area

NOTE: Items left blank on this form were not monitored during this visit.
 Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.
APPLICANTS: You *MAY NOT OPERATE* until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY: 06/13/2024	 (Signature of Person in Charge)
Cathy Anderson (Printed Name)	 (Printed Name)		Alexa Cohen (Printed Name)