



DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oeclicensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	KINDERCARE LEARNING CENTER #301627					License Number	DCCC.15539		Date of Inspection	06/07/2024	
						Expiration Date	11/30/2024		Time of Inspection	09:30 AM	
Address	146 BERLIN RD CROMWELL CT 06416-1019					Telephone	(860) 613-2263		Licensed Capacity	152	
						Hours of Operation	MONDAY-FRIDAY 6:30AM-6:00PM		Infant/Toddler Capacity	72	
Is this a Change of Address?	Yes?		No?		X				Summer Care	Open	
New Address						Minimum Age Served	6 weeks	Maximum Age Served	12 years	Water Supply	Public Water
						Program's Email	rasya.brown@kindercare.com				
Operator	KINDERCARE EDUCATION LLC					Name of Inspector	Betty Mayer				
Director	RASYA BROWN					Inspector's Email	elizabeth.mayer@ct.gov				
Key:	Compliant = X	# of Infants - Toddlers Present	48	# of Total Children Present	75	# of Staff Present	19	Type of Inspection	UNANNOUNCED INSPECTION - FULL		
Non-Compliant = O											

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 01/10/2024	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
O	4. Documentation of Behavior M. Tech Discussed w/parents	Failed to maintain documentation that behavior management techniques were discussed with parents for two children.
X	4b. Failure to report	

X	5. Notification of Change		
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time	
X	7. Daily Attendance Records- staff and children		
ITEMS POSTED – ACCESSIBLE			
X	8. License		
X	9. Fire Marshal certificate		
	Date	06/03/2024	
X	10. OEC Complaint procedure		
X	11. Food Service Certificate	N/A?	
	Date		
X	12. Menus		
X	13. Emergency plans		
X	14. No Smoking Signs		
O	15. Radon Test	N/A?	
	Date	Results	Failed to post radon test in a conspicuous location. Radon test not observed.
X	15a. Developmental Milestones		
X	15b. Access		
X	15bb. Endorsements		
STAFFING 19a-79-4a			
X	15c. Staffing		
X	16. Staff Health records – TB tests		
X	17. Professional development		
X	18. Disciplinary actions		
X	18b. Background checks		

X	19. Designated Head Teacher					
X	20. Two Staff present					
X	20a. Staff Qualities					
X	21. Ratio: 1 staff to 10 children					
X	21b. Supervision					
X	22. Group Size – maximum 20 children					
X	23. Designated director - Training					
X	24. CPR Certified Staff (Group Home N/A)					
X	25. First Aid Trained Staff					
X	26. Consultants- Agreements and Contracts					
O	27. Logs – Visits documented	Failed to document annual review of policies, plans, procedures and education programs for the social service and dietician consultant.				
	Not in Compliance?	Education	Health	Social Service	Dental	Dietician N/A?
	Contracts					
	Logs			O		O
	Do they take children swimming?	N SWIMMING				
X	28. Non-swimmers identified					
X	29. Staff/Child Ratios					
X	30. CPR certified staff (20 years of age)					
X	31. Lifeguard certified - supervision					
RECORD KEEPING 19a-79-5a						
O	32. Enrollment information	Failed to maintain complete enrollment information for each child when observed two children with only one's parent work information.				
X	33. Emergency medical permission					
X	34. Authorized release permission					
X	35. Field trip permission					
X	36. Transportation permission					

X	37. Child health records and immunizations		
X	38. Individual care plan (signed by parents and staff)		
X	39. Injury, Illness, Accident reports		
HEALTH AND SAFETY 19a-79-6a			
X	40. Nutritious snacks and meals (required food groups)		
X	41. Proper refrigeration (max 45°)		
X	42. Kitchen separated	N/A?	
X	43. Hand washing – before eating or food handling		
X	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory		
PHYSICAL PLANT 19a-79-7a			
X	45. License premises – clean, good repair, hazard free		
X	47b. Plans for new construction, expansion, renovation or conversion		
X	48. Sanitary drinking fountains – disposable cups		
X	49. Lead Water Test (N/A?) 03/13/2023	Bacterial/Chemical Test (N/A?) X	
X	50. Walkways maintained		
X	51. Designated staff toilet/sink		
X	52. All openings for ventilation screened		
X	53. Windows protected to prevent falls		
X	54. Glass protected up to 36"		
X	55. Overhead doors – locking devices, spring protectors		
X	56. Exits, Hallways and Stairs unobstructed		

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
O	74. Adequate lighting - 50/30 candle feet	Failed to maintain at least 50 candle feet of light in rooms used for reading, painting and other close work in Toddler B Art and Reading Area. Lighting observed at 10 and 14 candlefeet.
X	75. Light fixtures shielded, shatter proof	
X	76. Potentially hazardous substances locked	
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails		
X	79. Pets – maintained, care plan	Y/N N	
X	80. Operable CO detector on each level	N/A? Y	
X	81. Program space-adequate square footage per child		
X	82. Equipment clean, good repair, safe, non-toxic		
X	83. Cots stored, maintained, adequate number		
X	84. Developmentally appropriate equipment		
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N	
X	86. No weapons, no facsimile of a firearm on premises		
OUTDOOR SPACE			
X	87. Outdoor space - adequate square footage per child		
X	88. Impact absorbing material under equipment		
X	89. Playground free from hazards		
X	92. Equipment anchored, safely arranged		
X	93. Outdoor play area protected, fenced		
X	94. Drinking water available, accessible		
EDUCATIONAL REQUIREMENTS 19a-79-8a			
X	95. Written plan for daily program available to parents/staff		
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up	
ADMINISTRATION OF MEDICATIONS 19a-79-9a			
X	97. Written policies, procedures		
X	98. Training outline on file		

NONPRESCRIPTION TOPICAL MEDICATIONS		
X	99. Administration, parent permission, MAR	
X	100. Labeling, storage	
ORAL/TOPICAL/INHALENT MEDICATIONS		
X	101. Med trained staff, certificates	
	O/T/I Injectable	
	Y Y	
X	102. Authorized prescriber, parent permission, MAR	
X	103. Labeling, storage	
X	104. Unused, expired meds returned/disposed	
SELF-ADMINISTRATION		
X	105. Authorized prescriber, parent permission, MAR	
X	106. Labeling, storage	
X	107. Approved petition for special medication authorization	
Yes	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10
X	109. Approved endorsement	
○	110. Ratio: 1 staff to 4 children	Failed to maintain proper staff/child ratios when observed one child under the age of 3 (2 years 10 months) in Multiage A classroom without parent permission. Observed 1 staff with 10 children.
○	111. Group size: no larger than 8	Failed to maintain proper group size not to exceed 8 children when observed one child under the age of 3 (2 years 10 months) in Multiage A classroom without parent permission. Observed 1 staff and 10 children.
X	112. Physical barriers, groups of 8 (indoors and outdoors)	
X	113. Adequate sinks in program space	
X	114. Free standing, well-constructed, safe cribs	
X	115. Washable cots	
X	116. Chairs for feeding, stable, safety straps, locking tray	
X	117. Developmentally appropriate tables, chairs, equipment	
X	118. Refrigerators and food prop facilities	

X	119. Diaper area-sturdy, safety rail, nonporous, exclusive use			
X	120. Diaper area-washed, disinfected			
X	121. Diaper area-disposable paper sheets			
X	122. Covered waste receptacle			
X	123. Diaper changing policy posted, followed			
X	124. Hand washing policy posted, followed			
X	125. Individual storage of personal items			
X	126. Cribs/cots washed and disinfected			
X	127. Under 12 months- placed on back for sleeping			
X	128. Alternate sleep position-equipment, medical documentation	Yes	No	
			X	
X	129. Crib, bed used for infant sleeping			
X	130. Crib, bed free from observable hazards			
X	131. Infant toys separate, washed, disinfected daily			
X	132. No toys, objects less than 1/1/4" diameter			
X	133. Plastic bags, balloons, Styrofoam objects inaccessible			
X	134. Health consultant, doc. of visits			
X	135. Infants held for bottles, indiv. attention, tummy time			
X	136. Written statement, feeding schedule from parent			
X	137. Unused portions of liquids discarded			
X	138. Clean Bottles, disp. bottles, approved bottle washing			
X	139. Food served from dish or whole jar served			
X	140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
Yes	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
X	143. Approved endorsement	
X	144. Activity choices appropriate	
X	145. Ratio – 1 staff to 10 children	
X	146. Group size – maximum 20 children	
X	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	

YES or NO?
Yes

WERE VIOLATIONS CITED DURING THIS VISIT?

DISCUSSIONS/COMMENTS


Observed stained ceiling tile in Multiage A
 No toilet paper observed in Toddler A/B classroom; toilets dusty
 Small little tykes slide on toddler playground without impact absorbing material
 One tricycle on Preschool playground missing handlebar grippers

NOTE:

Items left blank on this form were not monitored during this visit.

Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.

APPLICANTS: You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

		DATE CORRECTIONS DUE BY:	
(Signature of OEC Representative)	(Signature of OEC Representative)		(Signature of Person in Charge)
Betty Mayer		06/21/2024	Mariana Davis
(Printed Name)	(Printed Name)		(Printed Name)