



DIVISION OF LICENSING
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oeclicensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	NEIGHBORHOOD PRESCHOOL				License Number	DCCC.13071	Date of Inspection	06/11/2024		
					Expiration Date	2/28/2026	Time of Inspection	08:10 AM		
Address	60 LONG LANE MIDDLETOWN CT 06457				Telephone	(860) 685-3710	Licensed Capacity	64		
					Hours of Operation	FROM: 8:00 AM TO:5:00 PM; MONDAY - FRIDAY	Infant/Toddler Capacity	26		
Is this a Change of Address?	Yes?		No?	X			Summer Care	Open		
New Address					Minimum Age Served	3 months	Maximum Age Served	8 years	Water Supply	Public Water
					Program's Email	nps@wesleyan.edu				
Operator	THE NEIGHBORHOOD PRESCHOOL INC				Name of Inspector	Jenn Schulz				
Director	ERIN BROWN				Inspector's Email	jennifer.schulz@ct.gov				
Key:	Compliant = X	# of Infants - Toddlers Present	18	# of Total Children Present	38	# of Staff Present	10	Type of Inspection	UNANNOUNCED INSPECTION - FULL	
	Non-Compliant = O									

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 09/27/2022	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
O	2. New Staff – Employee Orientation	Failed to maintain documentation of new hire orientation in 1 out of 8 staff files observed.
O	3. Annual Staff Policy Training	Failed to maintain documentation of annual review of policies plans and procedure for 1 out of 8 staff files observed.
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	
ITEMS POSTED – ACCESSIBLE		
X	8. License	
X	9. Fire Marshal certificate	
	Date	09/25/2023
X	10. OEC Complaint procedure	
	11. Food Service Certificate	N/A?
	Date	X
X	12. Menus	
X	13. Emergency plans	
X	14. No Smoking Signs	
X	15. Radon Test	N/A?
	Date	Results
	12/27/2022	0.4
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. Endorsements	
STAFFING 19a-79-4a		
X	15c. Staffing	
○	16. Staff Health records – TB tests	Failed to maintain current medical statement(s) for 1 out of 8 staff files observed.
X	17. Professional development	
X	18. Disciplinary actions	
○	18b. Background checks	Failed to ensure staff have completed background checks for 1 staff present, providing direct care to children.

X	19. Designated Head Teacher					
X	20. Two Staff present					
X	20a. Staff Qualities					
X	21. Ratio: 1 staff to 10 children					
X	21b. Supervision					
X	22. Group Size – maximum 20 children					
X	23. Designated director - Training					
X	24. CPR Certified Staff (Group Home N/A)					
X	25. First Aid Trained Staff					
X	26. Consultants- Agreements and Contracts					
X	27. Logs – Visits documented					
	Not in Compliance?	Education	Health	Social Service	Dental	Dietician N/A? X
	Contracts					
	Logs					
	Do they take children swimming?	N SWIMMING				
X	28. Non-swimmers identified					
X	29. Staff/Child Ratios					
X	30. CPR certified staff (20 years of age)					
X	31. Lifeguard certified - supervision					
RECORD KEEPING 19a-79-5a						
X	32. Enrollment information					
X	33. Emergency medical permission					
X	34. Authorized release permission					
X	35. Field trip permission					
X	36. Transportation permission					

X	37. Child health records and immunizations	
O	38. Individual care plan (signed by parents and staff)	Failed to maintain individual care plans for 1 child who Albuterol and Fluticasone in Yellow room and 1 child with Albuterol in Orange room. Failed to maintain complete individual care plans for 1 child in Yellow with Epi-Pen and Benadryl where individual care plan was missing staff signatures.
X	39. Injury, Illness, Accident reports	
HEALTH AND SAFETY 19a-79-6a		
X	40. Nutritious snacks and meals (required food groups)	
X	41. Proper refrigeration (max 45°)	
X	42. Kitchen separated	N/A?
X	43. Hand washing – before eating or food handling	
X	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory	
PHYSICAL PLANT 19a-79-7a		
O	45. License premises – clean, good repair, hazard free	Failed to maintain the building, equipment and services. Observed dress up cubby by door and indoor climber not anchored and soiled microwave in Orange room, indoor climber is not anchored in Green room and dusty vent in staff bathroom.
X	47b. Plans for new construction, expansion, renovation or conversion	
X	48. Sanitary drinking fountains – disposable cups	
X	49. Lead Water Test (N/A?) 09/19/2022	Bacterial/Chemical Test (N/A?) X
X	50. Walkways maintained	
X	51. Designated staff toilet/sink	
X	52. All openings for ventilation screened	
X	53. Windows protected to prevent falls	
X	54. Glass protected up to 36"	
X	55. Overhead doors – locking devices, spring protectors	
X	56. Exits, Hallways and Stairs unobstructed	

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
O	76. Potentially hazardous substances locked	Failed to ensure that potentially hazardous substances are stored in a locked area. Observed Clorox and Glad spray in staff bathroom, laundry room with bleach and cleaners, disinfectant wipes in Blue room, Clorox wipes in Yellow room and liquid starch in Blue room closet to be unlocked.
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails	
X	79. Pets – maintained, care plan	Y/N N
X	80. Operable CO detector on each level	N/A? N
X	81. Program space-adequate square footage per child	
X	82. Equipment clean, good repair, safe, non-toxic	
X	83. Cots stored, maintained, adequate number	
X	84. Developmentally appropriate equipment	
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
X	86. No weapons, no facsimile of a firearm on premises	
OUTDOOR SPACE		
X	87. Outdoor space - adequate square footage per child	
X	88. Impact absorbing material under equipment	
O	89. Playground free from hazards	Failed to ensure that nuts, bolts and screws are tight, and those that protrude are covered or protected. Observed exposed screw ends on under 3 playground fencing.
X	92. Equipment anchored, safely arranged	
X	93. Outdoor play area protected, fenced	
X	94. Drinking water available, accessible	
EDUCATIONAL REQUIREMENTS 19a-79-8a		
X	95. Written plan for daily program available to parents/staff	
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
ADMINISTRATION OF MEDICATIONS 19a-79-9a		
X	97. Written policies, procedures	
X	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS

<input type="radio"/>	99. Administration, parent permission, MAR	Failed to maintain complete written parent permission for medication for 1 diaper cream in Yellow room and 1 diaper cream in Green room with no end date.
<input checked="" type="checkbox"/>	100. Labeling, storage	

ORAL/TOPICAL/INHALENT MEDICATIONS

<input checked="" type="checkbox"/>	101. Med trained staff, certificates O/T/I Injectable Y Y	
<input type="radio"/>	102. Authorized prescriber, parent permission, MAR	Failed to maintain current written orders for Epi-Pen and Benadryl in Blue room which were expired, Albuterol and Epi-Pen orders were expired in Green room and no order was observed for Calamine lotion in Green room. Continued in discussion section...
<input type="radio"/>	103. Labeling, storage	Failed to maintain proper labeling of medication. Observed no label with child's name in Green room for Calamine Lotion and no label for Epi-Pen in Blue room.
<input type="radio"/>	104. Unused, expired meds returned/disposed	Failed to ensure that expired medication is destroyed or returned to the parent. Observed Epi-Pen with expiration date of March 2024 in Green room.

SELF-ADMINISTRATION

<input checked="" type="checkbox"/>	105. Authorized prescriber, parent permission, MAR	
<input checked="" type="checkbox"/>	106. Labeling, storage	
<input checked="" type="checkbox"/>	107. Approved petition for special medication authorization	

INFANT/TODDLER ENDORSEMENT 19a-79-10

Yes	Is there an approved endorsement?	
<input checked="" type="checkbox"/>	109. Approved endorsement	
<input checked="" type="checkbox"/>	110. Ratio: 1 staff to 4 children	
<input checked="" type="checkbox"/>	111. Group size: no larger than 8	
<input checked="" type="checkbox"/>	112. Physical barriers, groups of 8 (indoors and outdoors)	
<input type="radio"/>	113. Adequate sinks in program space	Failed to maintain a separate sink for purposes other than hand washing after diapering. Per staff of Yellow room, toys are put into a hand wash sink in the classroom and washed in the kitchen sink.
<input checked="" type="checkbox"/>	114. Free standing, well-constructed, safe cribs	
<input checked="" type="checkbox"/>	115. Washable cots	
<input type="radio"/>	116. Chairs for feeding, stable, safety straps, locking tray	Failed to maintain safety straps on all high chairs. Observed no safety straps on feeding chairs in Blue and Yellow rooms.
<input checked="" type="checkbox"/>	117. Developmentally appropriate tables, chairs, equipment	
<input checked="" type="checkbox"/>	118. Refrigerators and food prep facilities	

X	119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
X	120. Diaper area- washed, disinfected			
X	121. Diaper area- disposable paper sheets			
X	122. Covered waste receptacle			
X	123. Diaper changing policy posted, followed			
X	124. Hand washing policy posted, followed			
X	125. Individual storage of personal items			
X	126. Cribs/cots washed and disinfected			
X	127. Under 12 months- placed on back for sleeping			
X	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			X	
X	129. Crib, bed used for infant sleeping			
X	130. Crib, bed free from observable hazards			
X	131. Infant toys separate, washed, disinfected daily			
X	132. No toys, objects less than 1/1/4" diameter			
X	133. Plastic bags, balloons, Styrofoam objects inaccessible			
X	134. Health consultant, doc. of visits			
X	135. Infants held for bottles, indiv. attention, tummy time			
X	136. Written statement, feeding schedule from parent			
X	137. Unused portions of liquids discarded			
X	138. Clean Bottles, disp. bottles, approved bottle washing			
X	139. Food served from dish or whole jar served			
X	140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
Yes	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
X	143. Approved endorsement	
X	144. Activity choices appropriate	
X	145. Ratio – 1 staff to 10 children	
X	146. Group size – maximum 20 children	
X	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	

YES or NO?
Yes

WERE VIOLATIONS CITED DURING THIS VISIT?




DISCUSSIONS/COMMENTS

#102 continued- Observed parent permission section of Benadryl and Epi-Pen order not filled out for 1 child in Green room and Albuterol authorization expired August 2023 in Green room.
Items discussed not cited: Observed 1 cheese stick to be unrefrigerated in Orange room. Observed gates to kitchen on Blue and Yellow rooms to be open upon arrival.

NOTE:

Items left blank on this form were not monitored during this visit.
Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.

APPLICANTS: You *MAY NOT OPERATE* until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
Jenn Schulz (Printed Name)	Bridget Merrill (Printed Name)	06/25/2024	Erin Murphy (Printed Name)