



DIVISION OF LICENSING
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oc.licensing@ct.gov Website: www.ctoec.org

**CHILD CARE CENTER/GROUP CHILD CARE HOME
 INSPECTION**

Program Name	BRIGHT HORIZONS CHILDREN'S CENTER OF ORANGE				License Number	DCCC.13450	Date of Inspection	06/12/2024		
					Expiration Date	6/30/2026	Time of Inspection	08:44 AM		
Address	284 SILVERBROOK RD ORANGE CT 06477-3513				Telephone	(203) 799-8033	Licensed Capacity	100		
					Hours of Operation	FROM: 7:00AM TO: 6:00PM; PM HOURS FROM: TO:	Infant/Toddler Capacity	40		
Is this a Change of Address?	Yes?		No?	X			Summer Care	Open		
New Address					Minimum Age Served	6 weeks	Maximum Age Served	9 years	Water Supply	Public Water
					Program's Email	orng@brighthorizons.com				
Operator	BRIGHT HORIZONS CHILDREN'S CENTERS LLC				Name of Inspector	Fil Montanye				
Director	Paula Boyles				Inspector's Email	filomena.montanye@ct.gov				
Key:	Compliant = X	# of Infants - Toddlers Present	14	# of Total Children Present	27	# of Staff Present	7	Type of Inspection	UNANNOUNCED INSPECTION - FULL	
Non-Compliant = O										

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 10/12/2022	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	

ITEMS POSTED – ACCESSIBLE

X	8. License	
X	9. Fire Marshal certificate	
	Date	02/08/2024
X	10. OEC Complaint procedure	
	11. Food Service Certificate	N/A?
	Date	X
X	12. Menus	
X	13. Emergency plans	
X	14. No Smoking Signs	
X	15. Radon Test	N/A?
	Date	Results
	04/22/1998	.0
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. Endorsements	

STAFFING 19a-79-4a

X	15c. Staffing	
X	16. Staff Health records – TB tests	
X	17. Professional development	
X	18. Disciplinary actions	
X	18b. Background checks	

X	19. Designated Head Teacher					
X	20. Two Staff present					
X	20a. Staff Qualities					
X	21. Ratio: 1 staff to 10 children					
X	21b. Supervision					
X	22. Group Size – maximum 20 children					
X	23. Designated director - Training					
X	24. CPR Certified Staff (Group Home N/A)					
X	25. First Aid Trained Staff					
X	26. Consultants- Agreements and Contracts					
X	27. Logs – Visits documented					
	Not in Compliance?	Education	Health	Social Service	Dental	Dietician N/A? X
	Contracts					
	Logs					
	Do they take children swimming?	N SWIMMING				
X	28. Non-swimmers identified					
X	29. Staff/Child Ratios					
X	30. CPR certified staff (20 years of age)					
X	31. Lifeguard certified - supervision					
RECORD KEEPING 19a-79-5a						
X	32. Enrollment information					
X	33. Emergency medical permission					
X	34. Authorized release permission					
X	35. Field trip permission					
X	36. Transportation permission					

X	37. Child health records and immunizations		
O	38. Individual care plan (signed by parents and staff)	Failed to maintain individual care plan for one child with an asthma inhaler	
X	39. Injury, Illness, Accident reports		
HEALTH AND SAFETY 19a-79-6a			
X	40. Nutritious snacks and meals (required food groups)		
X	41. Proper refrigeration (max 45°)		
X	42. Kitchen separated	N/A?	
X	43. Hand washing – before eating or food handling		
X	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory		
PHYSICAL PLANT 19a-79-7a			
X	45. License premises – clean, good repair, hazard free		
X	47b. Plans for new construction, expansion, renovation or conversion		
X	48. Sanitary drinking fountains – disposable cups		
O	49. Lead Water Test (N/A?) 05/18/2022	Bacterial/Chemical Test (N/A?) X	Failed to conduct a lead water test every 2 years last water test dated 5/18/22
X	50. Walkways maintained		
X	51. Designated staff toilet/sink		
X	52. All openings for ventilation screened		
X	53. Windows protected to prevent falls		
X	54. Glass protected up to 36"		
X	55. Overhead doors – locking devices, spring protectors		
X	56. Exits, Hallways and Stairs unobstructed		

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
X	76. Potentially hazardous substances locked	
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails	
X	79. Pets – maintained, care plan	Y/N Y
X	80. Operable CO detector on each level	N/A? Y
X	81. Program space-adequate square footage per child	
X	82. Equipment clean, good repair, safe, non-toxic	
X	83. Cots stored, maintained, adequate number	
X	84. Developmentally appropriate equipment	
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N Y
X	86. No weapons, no facsimile of a firearm on premises	
OUTDOOR SPACE		
X	87. Outdoor space - adequate square footage per child	
X	88. Impact absorbing material under equipment	
X	89. Playground free from hazards	
X	92. Equipment anchored, safely arranged	
X	93. Outdoor play area protected, fenced	
X	94. Drinking water available, accessible	
EDUCATIONAL REQUIREMENTS 19a-79-8a		
X	95. Written plan for daily program available to parents/staff	
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
ADMINISTRATION OF MEDICATIONS 19a-79-9a		
X	97. Written policies, procedures	
X	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS						
X	99. Administration, parent permission, MAR					
X	100. Labeling, storage					
ORAL/TOPICAL/INHALENT MEDICATIONS						
X	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">O/T/I</td> <td style="width: 90%; text-align: center;">Injectable</td> </tr> <tr> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
X	102. Authorized prescriber, parent permission, MAR					
X	103. Labeling, storage					
X	104. Unused, expired meds returned/disposed					
SELF-ADMINISTRATION						
X	105. Authorized prescriber, parent permission, MAR					
X	106. Labeling, storage					
X	107. Approved petition for special medication authorization					
Yes	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10				
X	109. Approved endorsement					
X	110. Ratio: 1 staff to 4 children					
X	111. Group size: no larger than 8					
X	112. Physical barriers, groups of 8 (indoors and outdoors)					
X	113. Adequate sinks in program space					
O	114. Free standing, well-constructed, safe cribs	Failed to maintain crib compliance documentation for 1 crib with a manufacture date of November 2010 and 3 with a date of June 2011. Several cribs had large drawers attached and date was not visible				
X	115. Washable cots					
X	116. Chairs for feeding, stable, safety straps, locking tray					
X	117. Developmentally appropriate tables, chairs, equipment					
X	118. Refrigerators and food prop facilities					

X	119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
X	120. Diaper area- washed, disinfected			
X	121. Diaper area- disposable paper sheets			
X	122. Covered waste receptacle			
X	123. Diaper changing policy posted, followed			
X	124. Hand washing policy posted, followed			
X	125. Individual storage of personal items			
X	126. Cribs/cots washed and disinfected			
X	127. Under 12 months- placed on back for sleeping			
X	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			X	
X	129. Crib, bed used for infant sleeping			
X	130. Crib, bed free from observable hazards			
X	131. Infant toys separate, washed, disinfected daily			
X	132. No toys, objects less than 1/1/4" diameter			
X	133. Plastic bags, balloons, Styrofoam objects inaccessible			
X	134. Health consultant, doc. of visits			
X	135. Infants held for bottles, indiv. attention, tummy time			
X	136. Written statement, feeding schedule from parent			
X	137. Unused portions of liquids discarded			
X	138. Clean Bottles, disp. bottles, approved bottle washing			
X	139. Food served from dish or whole jar served			
X	140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
Yes	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
X	143. Approved endorsement	
X	144. Activity choices appropriate	
X	145. Ratio – 1 staff to 10 children	
X	146. Group size – maximum 20 children	
X	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	




YES or NO?
Yes

WERE VIOLATIONS CITED DURING THIS VISIT?

DISCUSSIONS/COMMENTS

- 1) 1 care plan incomplete
- 2) rust forming on stalls in bathrooms outside of toddler 1 classroom
- 3) 1 screen in multi purpose room has a hole
- 4) caps missing on both sides of one toilet in by toddler 2 bathroom
- 5) corner cabinet door hinge loose on top corner toddler 2 bathroom
- 6) loose faucet on middle sink in k prep room

NOTE: Items left blank on this form were not monitored during this visit.
Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.
APPLICANTS: You *MAY NOT OPERATE* until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY: 06/26/2024	 (Signature of Person in Charge)
Fil Montanye (Printed Name)	 (Printed Name)		Paula Boyles (Printed Name)