



DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oeclicensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	A PLACE TO GROW					License Number	DCCC.70680		Date of Inspection	06/12/2024	
						Expiration Date	12/31/2026		Time of Inspection	09:30 AM	
Address	9 AVONWOOD RD AVON CT 06001-2072					Telephone	(860) 677-6929		Licensed Capacity	56	
						Hours of Operation	Monday-Friday 7am-6pm		Infant/Toddler Capacity	38	
Is this a Change of Address?	Yes?		No?		X				Summer Care	Open	
New Address						Minimum Age Served	6 weeks	Maximum Age Served	12 years	Water Supply	Public Water
						Program's Email	bbtruellc@gmail.com				
Operator	BB TRUE LLC					Name of Inspector	Betty Mayer				
Director	MAKAYLA RAINEY					Inspector's Email	elizabeth.mayer@ct.gov				
Key: Compliant = X Non-Compliant = O	# of Infants – Toddlers Present	34	# of Total Children Present	52	# of Staff Present	12	Type of Inspection	UNANNOUNCED INSPECTION - FULL			

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 12/22/2022	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change		
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time	
X	7. Daily Attendance Records- staff and children		
ITEMS POSTED – ACCESSIBLE			
X	8. License		
X	9. Fire Marshal certificate		
	Date	06/27/2023	
X	10. OEC Complaint procedure		
	11. Food Service Certificate	N/A?	
	Date	X	
X	12. Menus		
X	13. Emergency plans		
X	14. No Smoking Signs		
X	15. Radon Test	N/A?	
	Date	Results	
	10/25/2022	1.4	
X	15a. Developmental Milestones		
X	15b. Access		
X	15bb. Endorsements		
STAFFING 19a-79-4a			
X	15c. Staffing		
X	16. Staff Health records – TB tests		
X	17. Professional development		
X	18. Disciplinary actions		
X	18b. Background checks		

X	19. Designated Head Teacher					
X	20. Two Staff present					
X	20a. Staff Qualities					
X	21. Ratio: 1 staff to 10 children					
X	21b. Supervision					
X	22. Group Size – maximum 20 children					
X	23. Designated director - Training					
X	24. CPR Certified Staff (Group Home N/A)					
X	25. First Aid Trained Staff					
X	26. Consultants- Agreements and Contracts					
X	27. Logs – Visits documented					
	Not in Compliance?	Education	Health	Social Service	Dental	Dietician N/A? X
	Contracts					
	Logs					
	Do they take children swimming?	N SWIMMING				
X	28. Non-swimmers identified					
X	29. Staff/Child Ratios					
X	30. CPR certified staff (20 years of age)					
X	31. Lifeguard certified - supervision					
RECORD KEEPING 19a-79-5a						
X	32. Enrollment information					
X	33. Emergency medical permission					
X	34. Authorized release permission					
X	35. Field trip permission					
X	36. Transportation permission					

X	37. Child health records and immunizations		
O	38. Individual care plan (signed by parents and staff)	Failed to maintain complete individual care plans when observed one care plan for child with albuterol not observed and two care plans missing parent signatures.	
X	39. Injury, Illness, Accident reports		
HEALTH AND SAFETY 19a-79-6a			
X	40. Nutritious snacks and meals (required food groups)		
X	41. Proper refrigeration (max 45°)		
X	42. Kitchen separated	N/A?	
X	43. Hand washing – before eating or food handling		
X	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory		
PHYSICAL PLANT 19a-79-7a			
X	45. License premises – clean, good repair, hazard free		
X	47b. Plans for new construction, expansion, renovation or conversion		
X	48. Sanitary drinking fountains – disposable cups		
X	49. Lead Water Test (N/A?) 10/14/2022	Bacterial/Chemical Test (N/A?) X	
X	50. Walkways maintained		
X	51. Designated staff toilet/sink		
X	52. All openings for ventilation screened		
X	53. Windows protected to prevent falls		
X	54. Glass protected up to 36"		
X	55. Overhead doors – locking devices, spring protectors		
X	56. Exits, Hallways and Stairs unobstructed		

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
X	76. Potentially hazardous substances locked	
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails		
X	79. Pets – maintained, care plan	Y/N N	
X	80. Operable CO detector on each level	N/A? Y	
X	81. Program space-adequate square footage per child		
X	82. Equipment clean, good repair, safe, non-toxic		
X	83. Cots stored, maintained, adequate number		
X	84. Developmentally appropriate equipment		
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N	
X	86. No weapons, no facsimile of a firearm on premises		
OUTDOOR SPACE			
X	87. Outdoor space - adequate square footage per child		
O	88. Impact absorbing material under equipment	Failed to ensure a minimum of 8 inches of impact absorbing material under preschool climbing equipment.	
X	89. Playground free from hazards		
X	92. Equipment anchored, safely arranged		
X	93. Outdoor play area protected, fenced		
X	94. Drinking water available, accessible		
EDUCATIONAL REQUIREMENTS 19a-79-8a			
X	95. Written plan for daily program available to parents/staff		
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up	
ADMINISTRATION OF MEDICATIONS 19a-79-9a			
X	97. Written policies, procedures		
X	98. Training outline on file		

NONPRESCRIPTION TOPICAL MEDICATIONS

X	99. Administration, parent permission, MAR	
X	100. Labeling, storage	

ORAL/TOPICAL/INHALENT MEDICATIONS

X	101. Med trained staff, certificates O/T/I Injectable Y Y	
O	102. Authorized prescriber, parent permission, MAR	Failed to maintain current written orders for one child with epipen. Medication authorization also state to give Benadryl. No Benadryl on site.
O	103. Labeling, storage	Failed to maintain proper storage of medication when observed diazepam not double locked.
O	104. Unused, expired meds returned/disposed	Failed to ensure that unused portions of medication is returned to the parent when albuterol vials and Budesone medication was observed on site and no longer needed.

SELF-ADMINISTRATION

X	105. Authorized prescriber, parent permission, MAR	
X	106. Labeling, storage	
X	107. Approved petition for special medication authorization	

INFANT/TODDLER ENDORSEMENT 19a-79-10

Yes	Is there an approved endorsement?	
X	109. Approved endorsement	
X	110. Ratio: 1 staff to 4 children	
X	111. Group size: no larger than 8	
X	112. Physical barriers, groups of 8 (indoors and outdoors)	
X	113. Adequate sinks in program space	
X	114. Free standing, well-constructed, safe cribs	
X	115. Washable cots	
X	116. Chairs for feeding, stable, safety straps, locking tray	
X	117. Developmentally appropriate tables, chairs, equipment	
X	118. Refrigerators and food prop facilities	

X	119. Diaper area-sturdy, safety rail, nonporous, exclusive use			
X	120. Diaper area-washed, disinfected			
X	121. Diaper area-disposable paper sheets			
X	122. Covered waste receptacle			
O	123. Diaper changing policy posted, followed	Failed to ensure the diaper procedure missing step to wash child and staff hands before diaper change.		
X	124. Hand washing policy posted, followed			
X	125. Individual storage of personal items			
X	126. Cribs/cots washed and disinfected			
X	127. Under 12 months- placed on back for sleeping			
X	128. Alternate sleep position-equipment, medical documentation	Yes	No	
			X	
X	129. Crib, bed used for infant sleeping			
X	130. Crib, bed free from observable hazards			
X	131. Infant toys separate, washed, disinfected daily			
X	132. No toys, objects less than 1/1/4" diameter			
X	133. Plastic bags, balloons, Styrofoam objects inaccessible			
X	134. Health consultant, doc. of visits			
X	135. Infants held for bottles, indiv. attention, tummy time			
X	136. Written statement, feeding schedule from parent			
X	137. Unused portions of liquids discarded			
X	138. Clean Bottles, disp. bottles, approved bottle washing			
X	139. Food served from dish or whole jar served			
X	140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
Yes	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
X	143. Approved endorsement	
X	144. Activity choices appropriate	
X	145. Ratio – 1 staff to 10 children	
X	146. Group size – maximum 20 children	
X	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	

YES or NO?
Yes

WERE VIOLATIONS CITED DURING THIS VISIT?

DISCUSSIONS/COMMENTS

One outlet unprotected in Toddler 3 (near sensory).
Medical emergency plans not posted.
Lysol on fridge in Preschool classroom.
One light not working in preschool classroom.

NOTE: Items left blank on this form were not monitored during this visit.

Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.

APPLICANTS: You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)		DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
Betty Mayer (Printed Name)		06/26/2024	Braid Balabuch (Printed Name)