



DIVISION OF LICENSING
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oeclicensing@ct.gov Website: www.ctoec.org

**CHILD CARE CENTER/GROUP CHILD CARE HOME
 INSPECTION**

Program Name	LITTLE ANGELS CHILDCARE & LEARNING CENTER				License Number	DCCC.14507	Date of Inspection	06/12/2024	
					Expiration Date	9/30/2025	Time of Inspection	08:05 AM	
Address	353 SCOTT SWAMP RD FARMINGTON CT 06032-3448				Telephone	(860) 677-6848	Licensed Capacity	83	
					Hours of Operation	MON-FRI 7:00AM TO: 6:00PM	Infant/Toddler Capacity	47	
Is this a Change of Address?		Yes?		No?		X	Summer Care	Open	
New Address					Minimum Age Served	6 weeks	Maximum Age Served	12 years	
					Program's Email	littleangels1324@gmail.com			
Operator	LITTLE ANGELS CHILDCARE & LEARNING CENTER LLC				Name of Inspector	Dianna Wassenhove			
Director	LORI A MICHALOWSKI				Inspector's Email	dianna.wassenhove@ct.gov			
Key:	Compliant = X	# of Infants - Toddlers Present	16	# of Total Children Present	24	# of Staff Present	7	Type of Inspection	UNANNOUNCED INSPECTION - FULL
Non-Compliant = O									

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 05/16/2024	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
O	3b. Managing child behavior	Failed to manage child behavior based on developmentally appropriate practice when observed two child files with no documentation.
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	
ITEMS POSTED – ACCESSIBLE		
X	8. License	
O	9. Fire Marshal certificate	Failed to maintain a current fire marshal inspection when a current certificate was not on site.
	Date	
X	10. OEC Complaint procedure	
	11. Food Service Certificate	<u>N/A?</u>
	Date	X
O	12. Menus	Failed to prepare and post menus at least 1 week in advance.
X	13. Emergency plans	
X	14. No Smoking Signs	
X	15. Radon Test	<u>N/A?</u>
	Date	Results
	01/30/1997	.6
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. Endorsements	
STAFFING 19a-79-4a		
X	15c. Staffing	
O	16. Staff Health records – TB tests	Failed to maintain current medical statement(s) when observed one staff with no physical and one staff with expired physical.
X	17. Professional development	
X	18. Disciplinary actions	
O	18b. Background checks	Failed to ensure staff have completed background checks when eight were in needs BC status and one was not in the system at all. Four were providing direct care.

<input type="radio"/>	37. Child health records and immunizations	Failed to maintain current health record for one child and one child had no documentation of flu vaccination.	
<input type="radio"/>	38. Individual care plan (signed by parents and staff)	Failed to maintain complete individual care plans when observed five care plans with no parent signatures.	
<input checked="" type="checkbox"/>	39. Injury, Illness, Accident reports		
HEALTH AND SAFETY 19a-79-6a			
<input type="radio"/>	40. Nutritious snacks and meals (required food groups)	Failed to provide nutritionally adequate snacks when observed only one component served for morning snack.	
<input checked="" type="checkbox"/>	41. Proper refrigeration (max 45°)		
	42. Kitchen separated	N/A? <input checked="" type="checkbox"/>	
<input checked="" type="checkbox"/>	43. Hand washing – before eating or food handling		
<input checked="" type="checkbox"/>	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory		
PHYSICAL PLANT 19a-79-7a			
<input type="radio"/>	45. License premises – clean, good repair, hazard free	Failed to maintain the building, equipment and services when observed two doors to toddler classrooms coming apart.	
<input checked="" type="checkbox"/>	47b. Plans for new construction, expansion, renovation or conversion		
<input checked="" type="checkbox"/>	48. Sanitary drinking fountains – disposable cups		
<input checked="" type="checkbox"/>	49. Lead Water Test (N/A?) 04/18/2024	Bacterial/Chemical Test (N/A?) <input checked="" type="checkbox"/>	
<input checked="" type="checkbox"/>	50. Walkways maintained		
<input checked="" type="checkbox"/>	51. Designated staff toilet/sink		
<input checked="" type="checkbox"/>	52. All openings for ventilation screened		
<input checked="" type="checkbox"/>	53. Windows protected to prevent falls		
<input checked="" type="checkbox"/>	54. Glass protected up to 36"		
<input checked="" type="checkbox"/>	55. Overhead doors – locking devices, spring protectors		
<input type="radio"/>	56. Exits, Hallways and Stairs unobstructed	Failed to ensure that exit doorways are not blocked by furniture, toys, or play equipment. Observed storage bins in front of emergency egress door	

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
O	70. Rugs secure	Failed to ensure that rugs are secured to the floor when alphabet rug in preschool is buckled.
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
O	74. Adequate lighting - 50/30 candle feet	Failed to maintain at least 50 candle feet of light in rooms used for reading, painting and other close work when observed preschool blue table at 37, science area 26, yellow table 32, science/math 25 as well as all toddler rooms.
X	75. Light fixtures shielded, shatter proof	
O	76. Potentially hazardous substances locked	Failed to ensure that potentially hazardous substances are stored in a locked area when observed adult medication Golo and Elderberry supplements unlocked, acrylic spray paint and chemicals unlocked at child's reach in preschool room and cabinet next to washer.
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails		
X	79. Pets – maintained, care plan	Y/N Y	
X	80. Operable CO detector on each level	N/A? Y	
X	81. Program space-adequate square footage per child		
X	82. Equipment clean, good repair, safe, non-toxic		
X	83. Cots stored, maintained, adequate number		
X	84. Developmentally appropriate equipment		
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N	
X	86. No weapons, no facsimile of a firearm on premises		
OUTDOOR SPACE			
X	87. Outdoor space - adequate square footage per child		
X	88. Impact absorbing material under equipment		
X	89. Playground free from hazards		
X	92. Equipment anchored, safely arranged		
X	93. Outdoor play area protected, fenced		
X	94. Drinking water available, accessible		
EDUCATIONAL REQUIREMENTS 19a-79-8a			
X	95. Written plan for daily program available to parents/staff		
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up	
ADMINISTRATION OF MEDICATIONS 19a-79-9a			
X	97. Written policies, procedures		
X	98. Training outline on file		

NONPRESCRIPTION TOPICAL MEDICATIONS						
X	99. Administration, parent permission, MAR					
X	100. Labeling, storage					
ORAL/TOPICAL/INHALENT MEDICATIONS						
X	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">O/T/I</td> <td style="width: 90%; text-align: center;">Injectable</td> </tr> <tr> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
O	102. Authorized prescriber, parent permission, MAR	Failed to maintain current written orders when observed Epi-pen with expired doctor's order.				
X	103. Labeling, storage					
X	104. Unused, expired meds returned/disposed					
SELF-ADMINISTRATION						
X	105. Authorized prescriber, parent permission, MAR					
X	106. Labeling, storage					
X	107. Approved petition for special medication authorization					
Yes	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10				
X	109. Approved endorsement					
X	110. Ratio: 1 staff to 4 children					
X	111. Group size: no larger than 8					
X	112. Physical barriers, groups of 8 (indoors and outdoors)					
X	113. Adequate sinks in program space					
X	114. Free standing, well-constructed, safe cribs					
X	115. Washable cots					
O	116. Chairs for feeding, stable, safety straps, locking tray	Failed to maintain safety straps on two bucket seats in the toddler room.				
X	117. Developmentally appropriate tables, chairs, equipment					
X	118. Refrigerators and food prep facilities					

<input type="radio"/>	119. Diaper area-sturdy, safety rail, nonporous, exclusive use	Failed to ensure the exclusive use of the diaper area when observed three diaper areas with artwork, laptop, laundry basket and toys on the changing tables.		
<input checked="" type="checkbox"/>	120. Diaper area-washed, disinfected			
<input checked="" type="checkbox"/>	121. Diaper area-disposable paper sheets			
<input checked="" type="checkbox"/>	122. Covered waste receptacle			
<input checked="" type="checkbox"/>	123. Diaper changing policy posted, followed			
<input checked="" type="checkbox"/>	124. Hand washing policy posted, followed			
<input checked="" type="checkbox"/>	125. Individual storage of personal items			
<input checked="" type="checkbox"/>	126. Cribs/cots washed and disinfected			
<input checked="" type="checkbox"/>	127. Under 12 months- placed on back for sleeping			
<input checked="" type="checkbox"/>	128. Alternate sleep position-equipment, medical documentation	Yes	No	
			<input checked="" type="checkbox"/>	
<input checked="" type="checkbox"/>	129. Crib, bed used for infant sleeping			
<input type="radio"/>	130. Crib, bed free from observable hazards	Failed to ensure that soft surfaces and gas-trapping objects are not placed under or with an infant for sleeping when observed loose fitting crib sheets in three cribs for children under the age of one.		
<input checked="" type="checkbox"/>	131. Infant toys separate, washed, disinfected daily			
<input checked="" type="checkbox"/>	132. No toys, objects less than 1/1/4" diameter			
<input checked="" type="checkbox"/>	133. Plastic bags, balloons, Styrofoam objects inaccessible			
<input checked="" type="checkbox"/>	134. Health consultant, doc. of visits			
<input checked="" type="checkbox"/>	135. Infants held for bottles, indiv. attention, tummy time			
<input checked="" type="checkbox"/>	136. Written statement, feeding schedule from parent			
<input checked="" type="checkbox"/>	137. Unused portions of liquids discarded			
<input checked="" type="checkbox"/>	138. Clean Bottles, disp. bottles, approved bottle washing			
<input checked="" type="checkbox"/>	139. Food served from dish or whole jar served			
<input checked="" type="checkbox"/>	140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
Yes	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
X	143. Approved endorsement	
X	144. Activity choices appropriate	
X	145. Ratio – 1 staff to 10 children	
X	146. Group size – maximum 20 children	
X	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	

YES or NO?
Yes




WERE VIOLATIONS CITED DURING THIS VISIT?

DISCUSSIONS/COMMENTS

1. Mirror in preschool room not secured
 2. School age child of staff present and no file on site
 3. One open outlet in toddler area
 4. One bottle not labeled in toddler room
 5. One ice pack missing from outdoor first aid kit
 6. One child file had no enrollment date
 7. Ensure children are properly buckled in strollers to prevent fall injuries
 8. Head Teacher had no documented professional development accessible
- Both director/owners were covering a classroom through our entire visit.

NOTE: Items left blank on this form were not monitored during this visit.
Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.

APPLICANTS: You *MAY NOT OPERATE* until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
Dianna Wassenhove (Printed Name)	Terri Ruducha Roberts (Printed Name)	06/26/2024	Lori A. Michalowski (Printed Name)