



**DIVISION OF LICENSING**  
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103  
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552  
 Email: [oe.licensing@ct.gov](mailto:oe.licensing@ct.gov) Website: [www.ctoec.org](http://www.ctoec.org)

## CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

<b>Program Name</b>	<b>FIRST CHURCH ACADEMY FOR YOUNG CHILDREN</b>				<b>License Number</b>	<b>DCCC.12168</b>	<b>Date of Inspection</b>	<b>06/26/2024</b>		
					<b>Expiration Date</b>	<b>1/31/2025</b>	<b>Time of Inspection</b>	<b>08:36 AM</b>		
<b>Address</b>	<b>12 SOUTH MAIN STREET WEST HARTFORD CT 06107</b>				<b>Telephone</b>	<b>(860) 232-2106</b>	<b>Licensed Capacity</b>	<b>100</b>		
					<b>Hours of Operation</b>	<b>MONDAY-FRIDAY 7:30AM - 5:30PM</b>	<b>Infant/Toddler Capacity</b>	<b>24</b>		
<b>Is this a Change of Address?</b>	<b>Yes?</b>		<b>No?</b>	<b>X</b>			<b>Summer Care</b>	<b>Open</b>		
<b>New Address</b>					<b>Minimum Age Served</b>	<b>6 weeks</b>	<b>Maximum Age Served</b>	<b>5 years</b>	<b>Water Supply</b>	<b>Public Water</b>
					<b>Program's Email</b>	<b>dquinn@firstchurchacademy.org</b>				
<b>Operator</b>	<b>FIRST CHURCH OF CHRIST CONGREGATIONAL INC</b>				<b>Name of Inspector</b>	<b>Johanne Dalo</b>				
<b>Director</b>	<b>DAWNE A QUINN</b>				<b>Inspector's Email</b>	<b>johanne.dalo@ct.gov</b>				
<b>Key:</b>	<b>Compliant = X</b>	<b># of Infants - Toddlers Present</b>	<b>21</b>	<b># of Total Children Present</b>	<b>46</b>	<b># of Staff Present</b>	<b>13</b>	<b>Type of Inspection</b>	<b>UNANNOUNCED INSPECTION - FULL</b>	
<b>Non-Compliant = O</b>										

### LICENSURE PROCEDURES 19a-79-2a

<b>X</b>	<b>1. Local Health Inspection</b>	
	Date: 08/09/2023	
<b>X</b>	<b>1a. False or Misleading Statements</b>	

### ADMINISTRATION 19a-79-3a

<b>X</b>	<b>1b. Administration</b>	
<b>X</b>	<b>1bb. Capacity</b>	
<b>X</b>	<b>2. New Staff – Employee Orientation</b>	
<b>X</b>	<b>3. Annual Staff Policy Training</b>	
<b>X</b>	<b>3b. Managing child behavior</b>	
<b>X</b>	<b>4. Documentation of Behavior M. Tech Discussed w/parents</b>	
<b>X</b>	<b>4b. Failure to report</b>	

<b>X</b>	5. Notification of Change	
<b>X</b>	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
<b>X</b>	7. Daily Attendance Records- staff and children	
<b>ITEMS POSTED – ACCESSIBLE</b>		
<b>X</b>	8. License	
<b>X</b>	9. Fire Marshal certificate	
	Date	10/28/2022
<b>X</b>	10. OEC Complaint procedure	
	11. Food Service Certificate	<u>N/A?</u>
	Date	X
<b>X</b>	12. Menus	
<b>X</b>	13. Emergency plans	
<b>X</b>	14. No Smoking Signs	
<b>X</b>	15. Radon Test	<u>N/A?</u>
	Date	Results
	12/02/1993	1.7pCi/L
<b>X</b>	15a. Developmental Milestones	
<b>X</b>	15b. Access	
<b>X</b>	15bb. Endorsements	
<b>STAFFING 19a-79-4a</b>		
<b>X</b>	15c. Staffing	
<b>X</b>	16. Staff Health records – TB tests	
<b>X</b>	17. Professional development	
<b>X</b>	18. Disciplinary actions	
<b>X</b>	18b. Background checks	

<b>X</b>	19. Designated Head Teacher					
<b>X</b>	20. Two Staff present					
<b>X</b>	20a. Staff Qualities					
<b>X</b>	21. Ratio: 1 staff to 10 children					
<b>X</b>	21b. Supervision					
<b>X</b>	22. Group Size – maximum 20 children					
<b>X</b>	23. Designated director - Training					
<b>X</b>	24. CPR Certified Staff (Group Home N/A)					
<b>X</b>	25. First Aid Trained Staff					
<b>X</b>	26. Consultants- Agreements and Contracts					
<b>X</b>	27. Logs – Visits documented					
	Not in Compliance?	<b>Education</b>	<b>Health</b>	<b>Social Service</b>	<b>Dental</b>	<b>Dietician N/A? X</b>
	Contracts					
	Logs					
	Do they take children swimming?	<b>N SWIMMING</b>				
<b>X</b>	28. Non-swimmers identified					
<b>X</b>	29. Staff/Child Ratios					
<b>X</b>	30. CPR certified staff (20 years of age)					
<b>X</b>	31. Lifeguard certified - supervision					
<b>RECORD KEEPING 19a-79-5a</b>						
<b>X</b>	32. Enrollment information					
<b>X</b>	33. Emergency medical permission					
<b>X</b>	34. Authorized release permission					
<b>X</b>	35. Field trip permission					
<b>X</b>	36. Transportation permission					

<b>X</b>	37. Child health records and immunizations		
<b>X</b>	38. Individual care plan (signed by parents and staff)		
<b>X</b>	39. Injury, Illness, Accident reports		
<b>HEALTH AND SAFETY 19a-79-6a</b>			
<b>X</b>	40. Nutritious snacks and meals (required food groups)		
<b>X</b>	41. Proper refrigeration (max 45°)		
<b>X</b>	42. Kitchen separated	N/A?	
<b>X</b>	43. Hand washing – before eating or food handling		
<b>X</b>	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory		
<b>PHYSICAL PLANT 19a-79-7a</b>			
<b>X</b>	45. License premises – clean, good repair, hazard free		
<b>X</b>	47b. Plans for new construction, expansion, renovation or conversion		
<b>X</b>	48. Sanitary drinking fountains – disposable cups		
<b>X</b>	49. Lead Water Test (N/A?) 06/07/2023	Bacterial/Chemical Test (N/A?) <b>X</b>	
<b>X</b>	50. Walkways maintained		
<b>X</b>	51. Designated staff toilet/sink		
<b>X</b>	52. All openings for ventilation screened		
<b>O</b>	53. Windows protected to prevent falls	Failed to protect windows to prevent falls when observed window in two's bathroom not protected.	
<b>X</b>	54. Glass protected up to 36"	Failed to protect glass doors, windows or mirrors up to 36"	
<b>X</b>	55. Overhead doors – locking devices, spring protectors		
<b>X</b>	56. Exits, Hallways and Stairs unobstructed		

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
O	76. Potentially hazardous substances locked	Failed to ensure that potentially hazardous substances are stored in a locked area when observed isopropyl alcohol, spray paint, Clorox wipes, and disinfectant spray in pre-K not locked, closet in hallway with cleaning supplies not locked, Lysol wipes not locked.
X	77. Garbage, rubbish disposed daily	

<b>X</b>	78. Stairs protected, good repair, handrails	
<b>X</b>	79. Pets – maintained, care plan	Y/N Y
<b>X</b>	80. Operable CO detector on each level	N/A? Y
<b>X</b>	81. Program space-adequate square footage per child	
<b>O</b>	82. Equipment clean, good repair, safe, non-toxic	Failed to ensure that equipment is clean and safe for children when observed cots leaning in 3's bathroom.
<b>X</b>	83. Cots stored, maintained, adequate number	
<b>X</b>	84. Developmentally appropriate equipment	
<b>X</b>	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
<b>X</b>	86. No weapons, no facsimile of a firearm on premises	
<b>OUTDOOR SPACE</b>		
<b>X</b>	87. Outdoor space - adequate square footage per child	
<b>X</b>	88. Impact absorbing material under equipment	
<b>X</b>	89. Playground free from hazards	
<b>X</b>	92. Equipment anchored, safely arranged	
<b>O</b>	93. Outdoor play area protected, fenced	Failed to ensure that barriers/fencing is four feet in height facing the parking lot. Measuring between 29 and 42 inches.
<b>X</b>	94. Drinking water available, accessible	
<b>EDUCATIONAL REQUIREMENTS 19a-79-8a</b>		
<b>X</b>	95. Written plan for daily program available to parents/staff	
<b>X</b>	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
<b>ADMINISTRATION OF MEDICATIONS 19a-79-9a</b>		
<b>X</b>	97. Written policies, procedures	
<b>X</b>	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS		
<b>X</b>	99. Administration, parent permission, MAR	
<b>O</b>	100. Labeling, storage	Failed to maintain proper storage of medication when observed sunscreen lotion accessible to children.
ORAL/TOPICAL/INHALENT MEDICATIONS		
<b>X</b>	101. Med trained staff, certificates O/T/I    Injectable  Y        Y	
<b>O</b>	102. Authorized prescriber, parent permission, MAR	Failed to maintain current written orders when observed 3 expired written orders.
<b>X</b>	103. Labeling, storage	
<b>X</b>	104. Unused, expired meds returned/disposed	
SELF-ADMINISTRATION		
<b>X</b>	105. Authorized prescriber, parent permission, MAR	
<b>X</b>	106. Labeling, storage	
<b>X</b>	107. Approved petition for special medication authorization	
<b>Yes</b>	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10
<b>X</b>	109. Approved endorsement	
<b>X</b>	110. Ratio: 1 staff to 4 children	
<b>X</b>	111. Group size: no larger than 8	
<b>X</b>	112. Physical barriers, groups of 8 (indoors and outdoors)	
<b>O</b>	113. Adequate sinks in program space	Failed to designate sinks for diaper changing and hand washing of staff and children when observed paintbrush and wash cloth in a hand washing sink (infant room)
<b>X</b>	114. Free standing, well-constructed, safe cribs	
<b>X</b>	115. Washable cots	
<b>X</b>	116. Chairs for feeding, stable, safety straps, locking tray	
<b>X</b>	117. Developmentally appropriate tables, chairs, equipment	
<b>X</b>	118. Refrigerators and food prop facilities	

<b>X</b>	119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
<b>X</b>	120. Diaper area- washed, disinfected			
<b>X</b>	121. Diaper area- disposable paper sheets			
<b>X</b>	122. Covered waste receptacle			
<b>X</b>	123. Diaper changing policy posted, followed			
<b>X</b>	124. Hand washing policy posted, followed			
<b>X</b>	125. Individual storage of personal items			
<b>X</b>	126. Cribs/cots washed and disinfected			
<b>X</b>	127. Under 12 months- placed on back for sleeping			
<b>X</b>	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			<b>X</b>	
<b>X</b>	129. Crib, bed used for infant sleeping			
<b>X</b>	130. Crib, bed free from observable hazards			
<b>X</b>	131. Infant toys separate, washed, disinfected daily			
<b>X</b>	132. No toys, objects less than 1/1/4" diameter			
<b>X</b>	133. Plastic bags, balloons, Styrofoam objects inaccessible			
<b>X</b>	134. Health consultant, doc. of visits			
<b>X</b>	135. Infants held for bottles, indiv. attention, tummy time			
<b>X</b>	136. Written statement, feeding schedule from parent			
<b>X</b>	137. Unused portions of liquids discarded			
<b>X</b>	138. Clean Bottles, disp. bottles, approved bottle washing			
<b>X</b>	139. Food served from dish or whole jar served			
<b>X</b>	140. Bottles individually identified with child's name			

**OUTDOOR PLAY SPACE - UNDER THREE**

<b>X</b>	141. Play space fenced	
<b>X</b>	142. Outdoor equipment developmentally appropriate	
<b>No</b>	Is there an approved endorsement?	<b>SCHOOL AGE ENDORSEMENT 19a-79-11</b>
	143. Approved endorsement	
	144. Activity choices appropriate	
	145. Ratio – 1 staff to 10 children	
	146. Group size – maximum 20 children	
	147. Education Consultant appropriate	
<b>No</b>	Is there an approved endorsement?	<b>NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)</b>
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
<b>N</b>	Child with diabetes enrolled?	<b>MONITORING OF DIABETES 19a-79-13</b>
<b>X</b>	154. Written policies and procedures	
<b>X</b>	155. On site staff trained in first aid, glucose testing	
<b>X</b>	156. Training current and documented	
<b>X</b>	157. Supervision of self-administration	
<b>X</b>	158. Equipment, supplies labeled and inaccessible	

<b>X</b>	159. Signed agreement with parents regarding equipment	
<b>X</b>	160. Materials discarded appropriately	
<b>X</b>	161. Authorized prescriber, parent permission	
<b>X</b>	162. Documentation of test results, actions taken	
<b>X</b>	163. Daily written parent notification	

**ADDITIONAL VIOLATIONS**

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		<b>X</b>	




**YES or NO?**  
Yes

**WERE VIOLATIONS CITED DURING THIS VISIT?**

**DISCUSSIONS/COMMENTS**

- First Aid manual not current.
- 2 enrollment forms without work addresses.
- No home address for parents was observed.
- Window in bathroom not protected to 36 inches (twos)
- Children's cups washed in classroom (infant)

**NOTE:** Items left blank on this form were not monitored during this visit.  
Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.  
**APPLICANTS:** You *MAY NOT OPERATE* until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
<b>Johanne Dalo</b> (Printed Name)	<b>Kristi Morgan</b> (Printed Name)	<b>07/10/2024</b>	<b>Dawne Quinn</b> (Printed Name)