



Connecticut Office of
Early Childhood

DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
Email: oc.licensing@ct.gov Website: www.ctoec.org

FAMILY CHILD CARE HOME INSPECTION

Provider	LEONIDAS PADILLA				License Number	DCFH.57105	Date of Inspection	06/27/2024
					Expiration Date	10/31/2026	Time of Inspection	09:13 AM
Address	51 LEXINGTON AVE FL 1 WATERBURY CT 06710-1435				Telephone	(203) 560-5258	Regular Capacity	6
					Days and Hours	MONDAY-FRIDAY 6:30AM-4:00PM	School Age Capacity	3
Is this a Change of Address?	Yes?	<input checked="" type="checkbox"/>	No?	<input type="checkbox"/>			Summer Care	Open
New Address	150 Manhan St. Apt 6-8 Waterbury CT 06710				Type of Inspection	CHANGE OF ADDRESS		
	# of Infants - Toddlers Present	0	# of Total Children Present	3	Inspector's Name	Alexandra Rodriguez		
Provider's Email	germany1421@gmail.com				Inspector's Email	alexandra.rodriguez@ct.gov		

Key:
Compliant = X
Non-Compliant = O

Consent to Inspect: I agree to allow the Commissioner or an authorized representative to have access to and inspect the facility and child care records during home inspections as required by Regulations Section 19a-87b-5(h). *FR*

Signature of Provider/Substitute/Applicant

TERMS OF REGISTRATION 19a-87b-5

X	4. Capacity	
X	5. Non-transferability of license	Pending?
X	6. Infant/Toddler Restriction	
X	7. License Posted	
X	8. Parent Access to OEC Phone Number	
X	9. Photo ID	
X	10. Requests for Information	
X	11. Notification of Change	

QUALIFICATION OF PROVIDER 19a-87b-6

X	12. Awareness of, Understanding of Regulations	
X	13. Medical statement	
	Expiration date:	02/15/2026
X	14. First Aid Certificate	
	Expiration date:	02/21/2026

<input checked="" type="checkbox"/>	15. CPR Certificate		
	Expiration date:		
	02/21/2026		
<input checked="" type="checkbox"/>	16. Judgment		
MEMBERS OF THE HOUSEHOLD 19a-87b-7			
<input checked="" type="checkbox"/>	17. Medical Statement		
<input checked="" type="checkbox"/>	18. Household Environment		
QUALIFICATIONS OF STAFF 19a-87b-8			
<input checked="" type="checkbox"/>	19. Substitute or Assistant	Y/N	
	Type of Staff :	N	
<input checked="" type="checkbox"/>	20. Emergency Caregiver		
COMPREHENSIVE BACKGROUND CHECK 19a-87b-8a			
<input checked="" type="checkbox"/>	21. Background Check(s)		
PHYSICAL ENVIRONMENT 19a-87b-9			
<input checked="" type="checkbox"/>	22. Clean/Sanitary Environment		
<input type="radio"/>	23. Freedom of Hazards	Observed outdoor play area exposed to neighbor's hazardous items. Provider stated she will create a secure fenced area for children.	
<input checked="" type="checkbox"/>	24. Harmful Substances/Materials Inaccessible		
<input checked="" type="checkbox"/>	25. Bio-contaminants Disposed Safely		
<input checked="" type="checkbox"/>	26. Safe Storage of Flammables		
<input checked="" type="checkbox"/>	27. Safe Door Fasteners		
<input checked="" type="checkbox"/>	28. Electrical Safety		
<input checked="" type="checkbox"/>	29. Safe Exits		
<input checked="" type="checkbox"/>	30. Basement Supervision	Y/N	
		Y	
	Used for Care ?	Y/N	
		N	
<input type="radio"/>	31. Stairways - Protected, Handrails	Failed to ensure a gate or other structure is in place at the entry of stairways accessible to children. Observed outdoor stairway missing two gates. Basement door missing lock, stairs accessible to children. Indoor stairway missing gate.	
<input type="radio"/>	32. Emergency Plan	Failed to maintain a written emergency plan for current home.	

X	33. Emergency Evacuation Drills - Quarterly/Log	
O	34. Smoke Detectors	Failed to maintain operable smoke detectors on each level of the home. Basement is missing smoke detector.
X	35. Carbon Monoxide Detector	
O	36. Fire Extinguisher- 5 lb. ABC/Installed	Failed to maintain at least a 5lb ABC fire extinguisher in operating condition.
X	37. Auxiliary Heating System N Type?	Appvd?
X	38. Safe Storage of Weapons and Ammunition	
X	39. Safe Space-Sufficient Indoors Outdoors	
X	40. Body of Water-Type: Barrier?	Y/N N
X	41. Hot Tubs-Locked - Inaccessible	Y/N N
X	42. Ventilation, Light and Temperature- 65°	
X	43. Window Safety	
X	44. Washing Toileting, Sewage Garbage Facilities	
O	45. Adequate and Safe Water - Type of System: Public Water	Failed to maintain documentation of a safe and adequate water supply.
O	46. Water Temperature- 60°-120°	Failed to maintain safe water temperature between 60-120 degrees. Water temperature measured at 125.9 degrees.
X	47. Pasteurization of Milk Supply	
O	48. Working Phone, Emergency Numbers Posted	Failed to ensure emergency numbers posted in an area where child care services are provided.
X	49. Safe Transportation Registered, Insured, Restraints	
O	50. First Aid supplies	Missing cpr mask.
X	51. Pet protection Pets? Rabies Certs?	Type: N
X	52. Smoking Prohibited	
RESPONSIBILITIES OF PROVIDER 19a-87b-10		
X	53. Enrollment Form	

X	54. Child Health Record	
X	55. Immunizations	
X	56. Emergency Permission	
X	57. Authorized Release	
X	58. Field Trip and Transportation Permission-To/From School	
X	59. Swimming Permission	
X	60. Incident Log	
X	61. Confidentiality	
X	62. Meeting the Child's Needs	
O	63. Sufficient Play Equipment	Failed to provide sufficient indoor and outdoor play equipment available for children.
X	64. Good Nutrition- Meals/Snacks, Water Available	
X	65. Handwashing	
X	66. Flexible and Balanced Written Schedule	
X	67. Personal Articles- Blanket, Towel, Toilet Articles	
X	68. Proper Rest Provisions – Safe Cribs	
X	69. Individual Plan for Care (Written if Applicable)	
X	70. Cultural Differences, Sp. Needs, Dev. Appr. Activities	
X	71. Infant Care, Indiv Attention, Held for Bottle Feedings	
X	72. Infants Placed on Back for Sleeping	
X	73. Infants Placed in Crib, Well constructed, Snug Mattress, Tight Sheet	

X	74. Crib or Other Provision Free from Observable Hazards	
X	75. Infants not Swaddled	
X	76. Infants Supervised – minimum every 15 minutes	
X	77. Req. for Sleep Arrangements Posted/Discussed	
X	78. Diaper Changing- Frequent, Sanitary, Handwashing, Waste Disposal	
X	79. Parent Information and Access	
X	80. Developmental Milestones – Posted	
X	81. Supervision- at all Times, Indoors, Outdoors	
X	82. Personal Schedule- Alert, Competent Attention	
X	83. Full Attention - Distractions, Employment, Socialization	
X	84. Immediate Attention	
X	85. Substitute – Emergency Caregiver Present	
X	86. Appr. Discipline, Behavior Management	
X	87. Discuss Beh. Management Methods w/Staff and Parents	
X	88. Child Protection- Abuse/Neglect	
X	89. Notify OEC within 24 hrs. - Death or Serious Injury	
X	90. Mandated Reporting Abuse or Neglect to DCF	
SICK CHILD CARE 19a-87b-11		
X	91. Sick Child Care	
IS NIGHT CARE PROVIDED? N NIGHT CARE 19a-87b-12 (10pm to 5am)		
X	92. Separate Bed- Location of Bed - Appropriate Sleepwear	

OFFICE ACCESS, INSPECTIONS AND INVESTIGATIONS 19a-87b-13

X	93. Access- Immediate, Entire or Part of Facility and Records	
----------	--	--

Are Medications Administered? **N** **ADMINISTRATION OF MEDICATIONS 19a-87b-17**

X	94. Policies and Procedures for Admin of Meds	
X	95. Parent Permission for Nonprescription Topical Meds	
X	96. Notification - Documentation of Med Error(s)	
X	97. Nonprescription Topical Meds- Stored/Labeled	
X	98. Unused - Expired Nonprescription Meds	
X	99. Documented Medication Trained Staff	
X	100. Written Auth Prescriber/Parent Permission	
X	101. MAR Maintained	
X	102. Prescription Meds – Stored/Labeled	
X	103. Unused/Expired Prescription Meds	
X	104. Emergency Meds- Equip. Labeled/Current	
X	105. Self-Admin. Of Meds	
X	106. Petition for Special Medication Authorization	

Child with diabetes enrolled? **N** **MONITORING OF DIABETES 19a-87b-18**

X	108. Policies for Finger Stick Blood Glucose Testing	
X	109. Finger Stick Blood Glucose Testing - Staff Trained	
X	110. Self Admin of Finger Stick Blood Glucose Testing	
X	111. Testing Equip. & Supplies- Maintain, Labeled, Locked, Disposed	
X	112. Finger Stick Blood Glucose Testing Records	

X	113. Parent Notification of Test Results	
---	--	--

ADDITIONAL VIOLATIONS

	114. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	



<u>YES or NO?</u> Yes	WERE VIOLATIONS CITED DURING THIS VISIT?
--------------------------	---

DISCUSSIONS/COMMENTS

Discussed with provider about the importance of having daycare ready to go and set up for children. This includes wall postings of required documents, indoor and outdoor toys available for children.
 Discussed with provider water test must be done as soon as possible.
 Provider's three grandchildren were present during inspection.

NOTE: Any items left blank on this form were not monitored during this visit- only the regulations marked as compliant or non-compliant were monitored or discussed.

APPLICANTS- PLEASE NOTE: You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Provider/Applicant/Substitute)
Alexandra Rodriguez (Printed Name)	 (Printed Name)	07/11/2024	LEONIDAS PADILLA (Printed Name)