



**DIVISION OF LICENSING**  
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103  
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552  
 Email: [oeclicensing@ct.gov](mailto:oeclicensing@ct.gov) Website: [www.ctoec.org](http://www.ctoec.org)

**CHILD CARE CENTER/GROUP CHILD CARE HOME  
 INSPECTION**

<b>Program Name</b>	<b>SUNSHINE PRESCHOOL 2</b>				<b>License Number</b>	<b>DCCC.70741</b>	<b>Date of Inspection</b>	<b>07/01/2024</b>
					<b>Expiration Date</b>	<b>1/31/2028</b>	<b>Time of Inspection</b>	<b>09:55 AM</b>
<b>Address</b>	<b>60 CONNOLLY PKWY BLDG 10A HAMDEN CT 06514-2593</b>				<b>Telephone</b>	<b>(860) 748-3221</b>	<b>Licensed Capacity</b>	<b>30</b>
					<b>Hours of Operation</b>	<b>Mon-Fri 7:30am-5:30pm</b>	<b>Infant/Toddler Capacity</b>	<b>21</b>
<b>Is this a Change of Address?</b>	<b>Yes?</b>		<b>No?</b>	<b>X</b>			<b>Summer Care</b>	<b>Open</b>
<b>New Address</b>					<b>Minimum Age Served</b>	<b>6 weeks</b>	<b>Maximum Age Served</b>	<b>5 years</b>
					<b>Program's Email</b>	<b>sunshinepreschl@gmail.com</b>		
<b>Operator</b>	<b>RJUD, LLC</b>				<b>Name of Inspector</b>	<b>Jenn Schulz</b>		
<b>Director</b>	<b>RACHAEL JUDSON</b>				<b>Inspector's Email</b>	<b>jennifer.schulz@ct.gov</b>		
<b>Key:</b>	<b>Compliant = X</b>	<b># of Infants - Toddlers Present</b>	<b>15</b>	<b># of Total Children Present</b>	<b>22</b>	<b># of Staff Present</b>	<b>7</b>	<b>Type of Inspection</b>
<b>Non-Compliant = O</b>								<b>UNANNOUNCED INSPECTION - FULL</b>

**LICENSURE PROCEDURES 19a-79-2a**

<b>X</b>	<b>1. Local Health Inspection</b> Date: 12/22/2023	
<b>X</b>	<b>1a. False or Misleading Statements</b>	

**ADMINISTRATION 19a-79-3a**

<b>O</b>	<b>1b. Administration</b>	<b>(a)Failed to ensure the safety, health and development of the children when they allowed a staff member to work with children in without current background check. Staff has been signed in on daily since 6/21/2024 &amp; employment record indicates start date of 6/21/24. CONTINUED IN DISCUSSIONS</b>
<b>X</b>	<b>1bb. Capacity</b>	
<b>O</b>	<b>2. New Staff – Employee Orientation</b>	<b>Failed to provide new staff-employee orientation for 1 staff when staff file did not have documentation of new hire orientation and staff was not aware of program policies and procedures, stated she was not aware or could not remember when asked about specific program policies.</b>
<b>X</b>	<b>3. Annual Staff Policy Training</b>	
<b>X</b>	<b>3b. Managing child behavior</b>	
<b>O</b>	<b>4. Documentation of Behavior M. Tech Discussed w/parents</b>	<b>Failed to maintain documentation that behavior management techniques were discussed with parents for 3 out of 6 child files reviewed.</b>
<b>X</b>	<b>4b. Failure to report</b>	

<b>X</b>	5. Notification of Change	
<b>X</b>	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
<b>X</b>	7. Daily Attendance Records- staff and children	
<b>ITEMS POSTED – ACCESSIBLE</b>		
<b>X</b>	8. License	
<b>X</b>	9. Fire Marshal certificate	
	Date	11/20/2023
<b>X</b>	10. OEC Complaint procedure	
	11. Food Service Certificate	<u>N/A?</u>
	Date	X
<b>X</b>	12. Menus	
<b>X</b>	13. Emergency plans	
<b>X</b>	14. No Smoking Signs	
<b>X</b>	15. Radon Test	<u>N/A?</u>
	Date	Results
	11/13/2023	1.2
<b>X</b>	15a. Developmental Milestones	
<b>X</b>	15b. Access	
<b>X</b>	15bb. Endorsements	
<b>STAFFING 19a-79-4a</b>		
<b>X</b>	15c. Staffing	
<b>X</b>	16. Staff Health records – TB tests	
<b>X</b>	17. Professional development	
<b>X</b>	18. Disciplinary actions	
<b>O</b>	18b. Background checks	Failed to ensure staff have completed background checks for 1 staff member present.

<input checked="" type="checkbox"/>	19. Designated Head Teacher																									
<input checked="" type="checkbox"/>	20. Two Staff present																									
<input checked="" type="checkbox"/>	20a. Staff Qualities																									
<input checked="" type="checkbox"/>	21. Ratio: 1 staff to 10 children																									
<input checked="" type="checkbox"/>	21b. Supervision																									
<input checked="" type="checkbox"/>	22. Group Size – maximum 20 children																									
<input checked="" type="checkbox"/>	23. Designated director - Training																									
<input checked="" type="checkbox"/>	24. CPR Certified Staff (Group Home N/A)																									
<input checked="" type="checkbox"/>	25. First Aid Trained Staff																									
<input checked="" type="checkbox"/>	26. Consultants- Agreements and Contracts																									
<input type="radio"/>	27. Logs – Visits documented	Failed to document annual review of policies, plans, procedures and education programs by social service consultant.																								
	Not in Compliance?	<table border="1"> <thead> <tr> <th>Education</th> <th>Health</th> <th>Social Service</th> <th>Dental</th> <th>Dietician N/A?</th> <th>X</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Contracts</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Logs</td> <td></td> <td></td> <td><input type="radio"/></td> <td></td> <td></td> </tr> </tbody> </table>	Education	Health	Social Service	Dental	Dietician N/A?	X							Contracts						Logs			<input type="radio"/>		
Education	Health	Social Service	Dental	Dietician N/A?	X																					
Contracts																										
Logs			<input type="radio"/>																							
	Do they take children swimming?	N SWIMMING																								
<input checked="" type="checkbox"/>	28. Non-swimmers identified																									
<input checked="" type="checkbox"/>	29. Staff/Child Ratios																									
<input checked="" type="checkbox"/>	30. CPR certified staff (20 years of age)																									
<input checked="" type="checkbox"/>	31. Lifeguard certified - supervision																									
<b>RECORD KEEPING 19a-79-5a</b>																										
<input checked="" type="checkbox"/>	32. Enrollment information																									
<input checked="" type="checkbox"/>	33. Emergency medical permission																									
<input checked="" type="checkbox"/>	34. Authorized release permission																									
<input checked="" type="checkbox"/>	35. Field trip permission																									
<input checked="" type="checkbox"/>	36. Transportation permission																									

<input type="radio"/>	37. Child health records and immunizations	Failed to maintain complete health records for one child. Observed incomplete health and immunization records.	
<input checked="" type="checkbox"/>	38. Individual care plan (signed by parents and staff)		
<input checked="" type="checkbox"/>	39. Injury, Illness, Accident reports		
<b>HEALTH AND SAFETY 19a-79-6a</b>			
<input checked="" type="checkbox"/>	40. Nutritious snacks and meals (required food groups)		
<input checked="" type="checkbox"/>	41. Proper refrigeration (max 45°)		
<input checked="" type="checkbox"/>	42. Kitchen separated	N/A?	
<input checked="" type="checkbox"/>	43. Hand washing – before eating or food handling		
<input checked="" type="checkbox"/>	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory		
<b>PHYSICAL PLANT 19a-79-7a</b>			
<input type="radio"/>	45. License premises – clean, good repair, hazard free	Failed to maintain the building, equipment and services when a sharp kitchen knife was observed in the kitchen sink, accessible to children when transitioning throughout program space. Observed dangling electrical cords from high shelf in preschool room.	
<input checked="" type="checkbox"/>	47b. Plans for new construction, expansion, renovation or conversion		
<input checked="" type="checkbox"/>	48. Sanitary drinking fountains – disposable cups		
<input checked="" type="checkbox"/>	49. Lead Water Test (N/A?) 08/24/2023	Bacterial/Chemical Test (N/A?)	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	50. Walkways maintained		
<input checked="" type="checkbox"/>	51. Designated staff toilet/sink		
<input checked="" type="checkbox"/>	52. All openings for ventilation screened		
<input checked="" type="checkbox"/>	53. Windows protected to prevent falls		
<input checked="" type="checkbox"/>	54. Glass protected up to 36"		
<input checked="" type="checkbox"/>	55. Overhead doors – locking devices, spring protectors		
<input checked="" type="checkbox"/>	56. Exits, Hallways and Stairs unobstructed		

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
○	69. Walls, ceilings, floors and rugs – clean, good repair	Failed to maintain walls, ceilings, floors and rugs in a good state of repair when the area rug in preschool room was observed to have multiple areas of staining.
○	70. Rugs secure	Failed to ensure that rugs are secured to the floor when two large floor mats were observed to not be secure, in the infant room.
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
○	76. Potentially hazardous substances locked	Failed to ensure that potentially hazardous substances are stored in a locked area when automatic air freshener mister was observed on shelf in Childrens bathroom and door to storage closet was observed unlocked with Lysol spray on low shelf, in hallway next to Childrens bathroom.
X	77. Garbage, rubbish disposed daily	

<b>X</b>	78. Stairs protected, good repair, handrails	
<b>X</b>	79. Pets – maintained, care plan	Y/N N
<b>X</b>	80. Operable CO detector on each level	N/A? Y
<b>X</b>	81. Program space-adequate square footage per child	
<b>X</b>	82. Equipment clean, good repair, safe, non-toxic	
<b>X</b>	83. Cots stored, maintained, adequate number	
<b>X</b>	84. Developmentally appropriate equipment	
	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
<b>X</b>	86. No weapons, no facsimile of a firearm on premises	
<b>OUTDOOR SPACE</b>		
<b>X</b>	87. Outdoor space - adequate square footage per child	
<b>X</b>	88. Impact absorbing material under equipment	
<b>O</b>	89. Playground free from hazards	Failed to ensure the playground is free of glass, debris, holes and other hazards when. Landscape fabric was exposed on Playground with rubber mulch,.
<b>X</b>	92. Equipment anchored, safely arranged	
<b>O</b>	93. Outdoor play area protected, fenced	Failed to protect outdoor play area from traffic, bodies of water, gullies and other hazards when a gate was observed to not be in place and not secure on walkway to the playgrounds. Opening in walkway fencing allows access to hazards outside of playground space including electrical, mechanical and dumpsters.
<b>X</b>	94. Drinking water available, accessible	
<b>EDUCATIONAL REQUIREMENTS 19a-79-8a</b>		
<b>X</b>	95. Written plan for daily program available to parents/staff	
<b>X</b>	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
<b>ADMINISTRATION OF MEDICATIONS 19a-79-9a</b>		
<b>X</b>	97. Written policies, procedures	
<b>X</b>	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS						
<b>X</b>	99. Administration, parent permission, MAR					
<b>X</b>	100. Labeling, storage					
ORAL/TOPICAL/INHALENT MEDICATIONS						
<b>X</b>	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">O/T/I</td> <td style="width: 90%;">Injectable</td> </tr> <tr> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
	O/T/I	Injectable				
Y	Y					
<b>X</b>	102. Authorized prescriber, parent permission, MAR					
<b>○</b>	103. Labeling, storage	Failed to maintain proper storage of medication when a controlled substance was observed to not be double locked an=d/or stored in accordance with regulations. Observed 1 bottle of amoxicillin, unlocked, in refrigerator near infant room. Observed 1 prescription cream not labeled, no pharmacy label and no name.				
<b>○</b>	104. Unused, expired meds returned/disposed	Failed to ensure that expired medication is destroyed or returned to the parent when amoxicillin was observed with a discard date of 6/24 and on site.				
SELF-ADMINISTRATION						
<b>X</b>	105. Authorized prescriber, parent permission, MAR					
<b>X</b>	106. Labeling, storage					
<b>X</b>	107. Approved petition for special medication authorization					
<b>Yes</b>	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10				
<b>X</b>	109. Approved endorsement					
<b>X</b>	110. Ratio: 1 staff to 4 children					
<b>X</b>	111. Group size: no larger than 8					
<b>X</b>	112. Physical barriers, groups of 8 (indoors and outdoors)					
<b>○</b>	113. Adequate sinks in program space	Failed to maintain a separate sink for purposes other than hand washing after diapering when sink in the infant room was observed to have food disposed of in the sink.				
<b>X</b>	114. Free standing, well-constructed, safe cribs					
<b>X</b>	115. Washable cots					
<b>X</b>	116. Chairs for feeding, stable, safety straps, locking tray					
<b>X</b>	117. Developmentally appropriate tables, chairs, equipment					
<b>X</b>	118. Refrigerators and food prop facilities					

<b>X</b>	119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
<b>X</b>	120. Diaper area- washed, disinfected			
<b>X</b>	121. Diaper area- disposable paper sheets			
<b>X</b>	122. Covered waste receptacle			
<b>X</b>	123. Diaper changing policy posted, followed			
<b>X</b>	124. Hand washing policy posted, followed			
<b>X</b>	125. Individual storage of personal items			
<b>X</b>	126. Cribs/cots washed and disinfected			
<b>X</b>	127. Under 12 months- placed on back for sleeping			
<b>X</b>	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			<b>X</b>	
<b>X</b>	129. Crib, bed used for infant sleeping			
<b>X</b>	130. Crib, bed free from observable hazards			
<b>X</b>	131. Infant toys separate, washed, disinfected daily			
<b>X</b>	132. No toys, objects less than 1/1/4" diameter			
<b>X</b>	133. Plastic bags, balloons, Styrofoam objects inaccessible			
<b>X</b>	134. Health consultant, doc. of visits			
<b>O</b>	135. Infants held for bottles, indiv. attention, tummy time	Failed to ensure infants are held for all bottle feedings when staff indicated they allow infants to lay on the "bobby pillow" to feed themselves the bottle.		
<b>O</b>	136. Written statement, feeding schedule from parent	Failed to maintain a written statement specifying the feeding schedule for infants all infants enrolled when 1 infant feeding schedule did not indicate breast milk or formula.		
<b>X</b>	137. Unused portions of liquids discarded			
<b>X</b>	138. Clean Bottles, disp. bottles, approved bottle washing			
<b>X</b>	139. Food served from dish or whole jar served			
<b>X</b>	140. Bottles individually identified with child's name			

**OUTDOOR PLAY SPACE - UNDER THREE**

<b>X</b>	141. Play space fenced	
<b>X</b>	142. Outdoor equipment developmentally appropriate	
<b>No</b>	Is there an approved endorsement?	<b>SCHOOL AGE ENDORSEMENT 19a-79-11</b>
	143. Approved endorsement	
	144. Activity choices appropriate	
	145. Ratio – 1 staff to 10 children	
	146. Group size – maximum 20 children	
	147. Education Consultant appropriate	
<b>No</b>	Is there an approved endorsement?	<b>NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)</b>
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
<b>N</b>	Child with diabetes enrolled?	<b>MONITORING OF DIABETES 19a-79-13</b>
<b>X</b>	154. Written policies and procedures	
<b>X</b>	155. On site staff trained in first aid, glucose testing	
<b>X</b>	156. Training current and documented	
<b>X</b>	157. Supervision of self-administration	
<b>X</b>	158. Equipment, supplies labeled and inaccessible	

<b>X</b>	159. Signed agreement with parents regarding equipment	
<b>X</b>	160. Materials discarded appropriately	
<b>X</b>	161. Authorized prescriber, parent permission	
<b>X</b>	162. Documentation of test results, actions taken	
<b>X</b>	163. Daily written parent notification	

**ADDITIONAL VIOLATIONS**

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		<b>X</b>	




**YES or NO?**  
Yes

**WERE VIOLATIONS CITED DURING THIS VISIT?**

**DISCUSSIONS/COMMENTS**

19A-79-3a(a) continued- observed 3 toddlers eating lunch in high chairs without safety straps properly secured.  
 Observed 1 topical in infant room, without parent permission  
 1 child missing authorized release for 1 out of 6 child files reviewed.  
 Operator is in process of installing new playground walkway fencing. Operator discussed plans for updating/renovating unlicensed infant space. Provide notification of change prior to work being done.  
 Operator discussed updating playground equipment, must be inspected prior to use.  
 All classrooms must have a minimum of 1 candlefoot of lighting when children are sleeping.

**NOTE:** Items left blank on this form were not monitored during this visit.  
 Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.  
**APPLICANTS:** You *MAY NOT OPERATE* until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
<b>Jenn Schulz</b> (Printed Name)	<b>Gabrielle Campanelli RN</b> (Printed Name)	<b>07/15/2024</b>	<b>Rachael Judson</b> (Printed Name)