



DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oe.licensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	ALL ABOUT KIDS				License Number	DCCC.13075	Date of Inspection	07/08/2024		
					Expiration Date	2/28/2026	Time of Inspection	09:16 AM		
Address	115 WATERBURY AVE STAMFORD CT 06902-3513				Telephone	(203) 323-4569	Licensed Capacity	33		
					Hours of Operation	M-F: 8AM TO 5PM	Infant/Toddler Capacity	8		
Is this a Change of Address?	Yes?		No?	X			Summer Care	Open		
New Address					Minimum Age Served	12 months	Maximum Age Served	5 years	Water Supply	Public Well
					Program's Email	info@stamfordkids.com				
Operator	ALL ABOUT KIDS INC				Name of Inspector	Lori Mangano				
Director	NIKOLETTA GLEKAS				Inspector's Email	lori.mangano@ct.gov				
Key: Compliant = X Non-Compliant = O	# of Infants - Toddlers Present	6	# of Total Children Present	25	# of Staff Present	4	Type of Inspection	UNANNOUNCED INSPECTION - FULL		

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 05/16/2024	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	

ITEMS POSTED – ACCESSIBLE

X	8. License	
X	9. Fire Marshal certificate	
	Date	05/06/2024
X	10. OEC Complaint procedure	
	11. Food Service Certificate	N/A?
	Date	X
X	12. Menus	
X	13. Emergency plans	
X	14. No Smoking Signs	
X	15. Radon Test	N/A?
	Date	Results
	11/09/2001	0.0
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. Endorsements	

STAFFING 19a-79-4a

X	15c. Staffing	
X	16. Staff Health records – TB tests	
X	17. Professional development	
X	18. Disciplinary actions	
X	18b. Background checks	

X	19. Designated Head Teacher					
X	20. Two Staff present					
X	20a. Staff Qualities					
X	21. Ratio: 1 staff to 10 children					
X	21b. Supervision					
X	22. Group Size – maximum 20 children					
X	23. Designated director - Training					
X	24. CPR Certified Staff (Group Home N/A)					
X	25. First Aid Trained Staff					
X	26. Consultants- Agreements and Contracts					
X	27. Logs – Visits documented					
	Not in Compliance?	Education	Health	Social Service	Dental	Dietician N/A? X
	Contracts					
	Logs					
	Do they take children swimming?	N SWIMMING				
X	28. Non-swimmers identified					
X	29. Staff/Child Ratios					
X	30. CPR certified staff (20 years of age)					
X	31. Lifeguard certified - supervision					
RECORD KEEPING 19a-79-5a						
X	32. Enrollment information					
X	33. Emergency medical permission					
X	34. Authorized release permission					
X	35. Field trip permission					
X	36. Transportation permission					

X	37. Child health records and immunizations	
O	38. Individual care plan (signed by parents and staff)	Failed to maintain complete individual care plans when one parent did not sign care plan for albuterol in preschool room.
X	39. Injury, Illness, Accident reports	
HEALTH AND SAFETY 19a-79-6a		
X	40. Nutritious snacks and meals (required food groups)	
X	41. Proper refrigeration (max 45°)	
X	42. Kitchen separated	N/A?
X	43. Hand washing – before eating or food handling	
X	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory	
PHYSICAL PLANT 19a-79-7a		
O	45. License premises – clean, good repair, hazard free	Failed to maintain the building, equipment and services when toddler room has AC cord not secured, back room has screw protruding from radiator and blue lego lid is cracked. Bathroom has one seat detached from potty seat.
X	47b. Plans for new construction, expansion, renovation or conversion	
X	48. Sanitary drinking fountains – disposable cups	
X	49. Lead Water Test (N/A?) 09/27/2023	Bacterial/Chemical Test (N/A?) X
X	50. Walkways maintained	
X	51. Designated staff toilet/sink	
X	52. All openings for ventilation screened	
X	53. Windows protected to prevent falls	
X	54. Glass protected up to 36”	
X	55. Overhead doors – locking devices, spring protectors	
X	56. Exits, Hallways and Stairs unobstructed	

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
O	63. Potty chairs – nonporous, emptied, disinfected	Failed to ensure that potty chairs are disinfected after each use when one was observed with dried urine in it.
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
X	76. Potentially hazardous substances locked	
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails	
X	79. Pets – maintained, care plan	Y/N N
X	80. Operable CO detector on each level	N/A? Y
X	81. Program space-adequate square footage per child	
X	82. Equipment clean, good repair, safe, non-toxic	
X	83. Cots stored, maintained, adequate number	
X	84. Developmentally appropriate equipment	
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
X	86. No weapons, no facsimile of a firearm on premises	
OUTDOOR SPACE		
X	87. Outdoor space - adequate square footage per child	
O	88. Impact absorbing material under equipment	Failed to ensure a minimum of 8 inches of impact absorbing materials under and around climbing equipment.
X	89. Playground free from hazards	
X	92. Equipment anchored, safely arranged	
X	93. Outdoor play area protected, fenced	
X	94. Drinking water available, accessible	
EDUCATIONAL REQUIREMENTS 19a-79-8a		
X	95. Written plan for daily program available to parents/staff	
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
ADMINISTRATION OF MEDICATIONS 19a-79-9a		
X	97. Written policies, procedures	
X	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS						
X	99. Administration, parent permission, MAR					
X	100. Labeling, storage					
ORAL/TOPICAL/INHALENT MEDICATIONS						
X	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; padding: 2px;">O/T/I</td> <td style="padding: 2px;">Injectable</td> </tr> <tr> <td style="text-align: center; padding: 2px;">Y</td> <td style="text-align: center; padding: 2px;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
X	102. Authorized prescriber, parent permission, MAR					
X	103. Labeling, storage					
X	104. Unused, expired meds returned/disposed					
SELF-ADMINISTRATION						
X	105. Authorized prescriber, parent permission, MAR					
X	106. Labeling, storage					
X	107. Approved petition for special medication authorization					
Yes	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10				
X	109. Approved endorsement					
X	110. Ratio: 1 staff to 4 children					
X	111. Group size: no larger than 8					
X	112. Physical barriers, groups of 8 (indoors and outdoors)					
X	113. Adequate sinks in program space					
X	114. Free standing, well-constructed, safe cribs					
X	115. Washable cots					
X	116. Chairs for feeding, stable, safety straps, locking tray					
X	117. Developmentally appropriate tables, chairs, equipment					
X	118. Refrigerators and food prop facilities					

<input type="radio"/>	119. Diaper area- sturdy, safety rail, nonporous, exclusive use	Failed to ensure the exclusive use of the diaper area when plates with snacks were observed near changing pad.		
<input checked="" type="checkbox"/>	120. Diaper area- washed, disinfected			
<input checked="" type="checkbox"/>	121. Diaper area- disposable paper sheets			
<input checked="" type="checkbox"/>	122. Covered waste receptacle			
<input checked="" type="checkbox"/>	123. Diaper changing policy posted, followed			
<input checked="" type="checkbox"/>	124. Hand washing policy posted, followed			
<input checked="" type="checkbox"/>	125. Individual storage of personal items			
<input checked="" type="checkbox"/>	126. Cribs/cots washed and disinfected			
<input checked="" type="checkbox"/>	127. Under 12 months- placed on back for sleeping			
<input checked="" type="checkbox"/>	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			<input checked="" type="checkbox"/>	
<input checked="" type="checkbox"/>	129. Crib, bed used for infant sleeping			
<input checked="" type="checkbox"/>	130. Crib, bed free from observable hazards			
<input checked="" type="checkbox"/>	131. Infant toys separate, washed, disinfected daily			
<input checked="" type="checkbox"/>	132. No toys, objects less than 1/1/4" diameter			
<input type="radio"/>	133. Plastic bags, balloons, Styrofoam objects inaccessible	Failed to ensure plastic bags are not accessible to children when low drawer accessible to children has several items stored in little plastic bags.		
<input checked="" type="checkbox"/>	134. Health consultant, doc. of visits			
<input checked="" type="checkbox"/>	135. Infants held for bottles, indiv. attention, tummy time			
<input checked="" type="checkbox"/>	136. Written statement, feeding schedule from parent			
<input checked="" type="checkbox"/>	137. Unused portions of liquids discarded			
<input checked="" type="checkbox"/>	138. Clean Bottles, disp. bottles, approved bottle washing			
<input checked="" type="checkbox"/>	139. Food served from dish or whole jar served			
<input checked="" type="checkbox"/>	140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
No	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
	143. Approved endorsement	
	144. Activity choices appropriate	
	145. Ratio – 1 staff to 10 children	
	146. Group size – maximum 20 children	
	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	



YES or NO?
Yes

WERE VIOLATIONS CITED DURING THIS VISIT?

DISCUSSIONS/COMMENTS

Children should not be using metal slide when hot to the touch.
Dental contract and annual reviews expire 7/9/24.

NOTE: Items left blank on this form were not monitored during this visit.
Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.
APPLICANTS: You *MAY NOT OPERATE* until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of Person in Charge)	DATE CORRECTIONS DUE BY:
Lori Mangano (Printed Name)	Fanny chafloque (Printed Name)	07/22/2024