



DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oe.licensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	SACRED HEART OF JESUS DAYCARE-PRESCHOOL-KINDERGARTEN				License Number	DCCC.70434	Date of Inspection	07/12/2024		
					Expiration Date	9/30/2026	Time of Inspection	07:59 AM		
Address	90 CHAPEL HILL RD NORTH HAVEN CT 06473-2811				Telephone	(203) 889-2531	Licensed Capacity	34		
					Hours of Operation	M - F 7:30 AM TO 5:00 PM	Infant/Toddler Capacity	8		
Is this a Change of Address?	Yes?		No?	X			Summer Care	Open		
New Address					Minimum Age Served	2 years	Maximum Age Served	8 years	Water Supply	Public Water
					Program's Email	shjdaycareprek.kindergarten@yahoo.com				
Operator	SACRED HEART OF JESUS DAYCARE-PRESCHOOL-KINDERGARTEN, INC				Name of Inspector	Fil Montanye				
Director	Sister JACINTA AKUDO IBE				Inspector's Email	filomena.montanye@ct.gov				
Key: Compliant = X Non-Compliant = O	# of Infants - Toddlers Present	0	# of Total Children Present	3	# of Staff Present	1	Type of Inspection	UNANNOUNCED INSPECTION - FULL		

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 09/27/2023	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
O	4. Documentation of Behavior M. Tech Discussed w/parents	Failed to maintain documentation that behavior management techniques were discussed with parents for 2 children
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	
ITEMS POSTED – ACCESSIBLE		
X	8. License	
X	9. Fire Marshal certificate	
	Date	07/12/2023
X	10. OEC Complaint procedure	
	11. Food Service Certificate	N/A?
	Date	X
X	12. Menus	
X	13. Emergency plans	
X	14. No Smoking Signs	
X	15. Radon Test	N/A?
	Date	Results
	02/20/2009	.3
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. Endorsements	
STAFFING 19a-79-4a		
X	15c. Staffing	
X	16. Staff Health records – TB tests	
O	17. Professional development	Failed to document professional development for 1% of the total annual hours work for 2 staff and one staff has 5 out 15 hours documented for the year
X	18. Disciplinary actions	
X	18b. Background checks	

X	19. Designated Head Teacher	
O	20. Two Staff present	Failed to maintain two staff on the premises when upon arrival there were 3 children on site with one staff. This week on 7/9/24 and 7/11/24 one staff is present based on attendance sheet until 7:25 (9th) and 7:35 (11th) when one child is signed in at 7:00 both days
X	20a. Staff Qualities	
X	21. Ratio: 1 staff to 10 children	
X	21b. Supervision	
X	22. Group Size – maximum 20 children	
X	23. Designated director - Training	
X	24. CPR Certified Staff (Group Home N/A)	
X	25. First Aid Trained Staff	
X	26. Consultants- Agreements and Contracts	
X	27. Logs – Visits documented	
	Not in Compliance?	Education Health Social Service Dental Dietician N/A? X
	Contracts	
	Logs	
	Do they take children swimming? N	SWIMMING
X	28. Non-swimmers identified	
X	29. Staff/Child Ratios	
X	30. CPR certified staff (20 years of age)	
X	31. Lifeguard certified - supervision	
RECORD KEEPING 19a-79-5a		
X	32. Enrollment information	
X	33. Emergency medical permission	
X	34. Authorized release permission	
X	35. Field trip permission	
X	36. Transportation permission	

X	37. Child health records and immunizations		
O	38. Individual care plan (signed by parents and staff)	Failed to maintain complete individual care plans not signed by all staff responsible for children's care	
X	39. Injury, Illness, Accident reports		
HEALTH AND SAFETY 19a-79-6a			
X	40. Nutritious snacks and meals (required food groups)		
X	41. Proper refrigeration (max 45°)		
X	42. Kitchen separated	N/A?	
X	43. Hand washing – before eating or food handling		
X	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory		
PHYSICAL PLANT 19a-79-7a			
O	45. License premises – clean, good repair, hazard free	Failed to maintain the building, equipment and services when an indoor slide was being used without impact absorbing material. Was used in main opening classroom on large rug	
X	47b. Plans for new construction, expansion, renovation or conversion		
X	48. Sanitary drinking fountains – disposable cups		
X	49. Lead Water Test (N/A?) 06/18/2024	Bacterial/Chemical Test (N/A?) X	
X	50. Walkways maintained		
X	51. Designated staff toilet/sink		
X	52. All openings for ventilation screened		
X	53. Windows protected to prevent falls		
X	54. Glass protected up to 36"		
X	55. Overhead doors – locking devices, spring protectors		
X	56. Exits, Hallways and Stairs unobstructed		

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
O	70. Rugs secure	Failed to ensure that rugs are secured to the floor when the rug in the back downstairs classroom is bunched and curling up causing tripping hazard
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
O	76. Potentially hazardous substances locked	Failed to ensure that potentially hazardous substances are stored in a locked area when fabreeze was observed in an unlocked cabinet until the sink in the preschool 3 classroom. Latch in toddler classroom not latching above sink making cleaners accessible (fabreeze, air sense, sanitizing spray, Lysol Spray)
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails	
X	79. Pets – maintained, care plan	Y/N N
X	80. Operable CO detector on each level	N/A? Y
X	81. Program space-adequate square footage per child	
X	82. Equipment clean, good repair, safe, non-toxic	
X	83. Cots stored, maintained, adequate number	
X	84. Developmentally appropriate equipment	
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
X	86. No weapons, no facsimile of a firearm on premises	
OUTDOOR SPACE		
X	87. Outdoor space - adequate square footage per child	
X	88. Impact absorbing material under equipment	
O	89. Playground free from hazards	Failed to ensure that screws that protrude are covered or protected when 2 protruding screws were observed on the gate facing the over 3s playground and throughout the under 3's gate and fence posts
X	92. Equipment anchored, safely arranged	
X	93. Outdoor play area protected, fenced	
X	94. Drinking water available, accessible	
EDUCATIONAL REQUIREMENTS 19a-79-8a		
X	95. Written plan for daily program available to parents/staff	
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
ADMINISTRATION OF MEDICATIONS 19a-79-9a		
X	97. Written policies, procedures	
X	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS						
X	99. Administration, parent permission, MAR					
X	100. Labeling, storage					
ORAL/TOPICAL/INHALENT MEDICATIONS						
X	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; padding: 2px;">O/T/I</td> <td style="padding: 2px;">Injectable</td> </tr> <tr> <td style="text-align: center; padding: 2px;">Y</td> <td style="text-align: center; padding: 2px;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
X	102. Authorized prescriber, parent permission, MAR					
0	103. Labeling, storage	Failed to maintain proper storage and labeling of medication when an asthma inhaler was observed not in the original box and without the pharmacy label				
X	104. Unused, expired meds returned/disposed					
SELF-ADMINISTRATION						
X	105. Authorized prescriber, parent permission, MAR					
X	106. Labeling, storage					
X	107. Approved petition for special medication authorization					
Yes	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10				
X	109. Approved endorsement					
X	110. Ratio: 1 staff to 4 children					
X	111. Group size: no larger than 8					
X	112. Physical barriers, groups of 8 (indoors and outdoors)					
X	113. Adequate sinks in program space					
X	114. Free standing, well-constructed, safe cribs					
X	115. Washable cots					
X	116. Chairs for feeding, stable, safety straps, locking tray					
X	117. Developmentally appropriate tables, chairs, equipment					
X	118. Refrigerators and food prep facilities					

X	119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
X	120. Diaper area- washed, disinfected			
X	121. Diaper area- disposable paper sheets			
X	122. Covered waste receptacle			
X	123. Diaper changing policy posted, followed			
X	124. Hand washing policy posted, followed			
X	125. Individual storage of personal items			
X	126. Cribs/cots washed and disinfected			
X	127. Under 12 months- placed on back for sleeping			
X	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			X	
X	129. Crib, bed used for infant sleeping			
X	130. Crib, bed free from observable hazards			
X	131. Infant toys separate, washed, disinfected daily			
X	132. No toys, objects less than 1/1/4" diameter			
X	133. Plastic bags, balloons, Styrofoam objects inaccessible			
X	134. Health consultant, doc. of visits			
X	135. Infants held for bottles, indiv. attention, tummy time			
X	136. Written statement, feeding schedule from parent			
X	137. Unused portions of liquids discarded			
X	138. Clean Bottles, disp. bottles, approved bottle washing			
X	139. Food served from dish or whole jar served			
X	140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
Yes	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
X	143. Approved endorsement	
X	144. Activity choices appropriate	
X	145. Ratio – 1 staff to 10 children	
X	146. Group size – maximum 20 children	
X	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	




YES or NO?
Yes

WERE VIOLATIONS CITED DURING THIS VISIT?

DISCUSSIONS/COMMENTS

- 1) Mulch compacted in some areas. Overnight rain and currently raining washing some away from areas. Program is aware that they must maintain 8 inches of impact absorbing material within fall zones
- 2) Wording on health consultant contract states that quarterly visits will be conducted when the consultant does weekly visits including the summer months

NOTE: Items left blank on this form were not monitored during this visit.
Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.
APPLICANTS: You *MAY NOT OPERATE* until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY: 07/26/2024	 (Signature of Person in Charge)
Fil Montanye (Printed Name)	 (Printed Name)		Sister Jacinto ibe (Printed Name)